

DAFTAR PUSTAKA

- Admet, Inc. (2021). ASTM D882 Thin Plastic Biofilm Tensile Testing. *Admet Material Testing System Manufacturer*.
- AGU, N. B. S., BENABLO, R. J. L., MESIAS, V. ST. D., & PENALOZA, D. P. (2019). SYNTHESIS AND CHARACTERIZATION OF A CHITOSAN-BASED CITRIC ACID-CROSSLINKED ENCAPSULANT SYSTEM. *J. Chil. Chem. Soc*, 64(4), 4610–4612.
- Ainun, N. (2019). *Karakterisasi Komposit Kitosan-Alginat-PVA Dengan Penambahan Zat Aditif TiO₂ dan ZnO Sebagai Bioplastik*. Universitas Sumatera Utara.
- Andrade, J., Martínez, C. G., & Chiralt, A. (2020). The Incorporation of Carvacrol into Poly (vinyl alcohol) Biofilms Encapsulated in Lecithin Liposomes. *Polymers MDPI*, 12(497), 1–18. <https://doi.org/10.3390/polym12020497>
- Ardiansyah, A. (2015). *Sintesis Nanosilika Dengan Metode Sol-Gel Dan Uji Hidrofobisitasnya Pada Cat Akrilik*. Universitas Negeri Semarang.
- Ariyarathna, I. R., Rajakaruna, R., & Karunaratne, D. N. (2017). The rise of inorganic nanomaterial implementation in food applications. *Food Control*, 77, 251–259. <https://doi.org/10.1016/j.foodcont.2017.02.016>

Azeredo, H. M. C., & Waldron, K. W. (2016). Chemical cross-linking is frequently used to improve the performance and resistance of biopolymer biofilms. *Trends in Food Science & Technology Elsevier*, 52, 109–122.
<http://dx.doi.org/10.1016/j.tifs.2016.04.008>

Baharuddin, S. (2021). Uji Efektivitas Antijamur Kitosan Cangkang Kepiting Bakau (*Scylla* sp) Terhadap Pertumbuhan *Epidermophyton floccosum* dan *Candida albicans*. *LUMBUNG FARMAS, Jurnal Ilmu Kefarmasian*, 2.

Begin, A., & Calsteren, M. R. (1999). Antimicrobial biofilms produced from chitosan. *International Journal of Biological Macromolecules Elsevier*, 26(1), 63–67.

Chang, X., Hou, Y., Liu, Q., Hu, Z., Xie, Q., Shan, Y., Li, G., & Ding, S. (2021). Physicochemical and antimicrobial properties of chitosan composite biofilms incorporated with glycerol monolaurate and nano-TiO₂. *Food Hydrocolloids*.
<https://doi.org/10.1016/j.foodhyd.2021.106846>

Chen, R., & Hwa, H. (1996). Effects of molecular weight of chitosan with the same degree of deacetylation on the thermal, mechanical, and permeability properties of the prepared membrane. *Carbohydrat Polymer*, 29, 353–358.

Darmanto, M., Atmaja, L., & Nadjib, M. (2011). *Studi Analisis Antibakteri dari Biofilm Gelatin-Kitosan Menggunakan Staphylococcus aureus*. Institut Teknologi Sepuluh Nopember.

Emamhadi, M. A., Sarafraz, M., Akbari, M., Fakhri, Y., Linh, N. T. T., & Khaneghah, A. . M. (2020). Nanomaterials for food packaging applications: A systematic review. *Food Chem Toxicol.* <https://doi.org/10.1016/j.fct.2020.111825>

Geyer, R., Jambeck, J. R., & Law, K. L. (2017). Production, use, and fate of all plastics ever made. *Science Advances*, 3. <https://doi.org/10.1126/sciadv.1700782>

Gnanasekaran, D. (2019). Green Biopolymers and Its Nanocomposites in Various Applications: State of the Art. In *Green Biopolymers and their Nanocomposites* (p. 9). Springer Nature Singapore Pte Ltd.

Gowthami, S., & Angayarkanny, S. (2019). Preparation, Characterization, Types and Applications of Polysaccharide Nanocomposites. In *Green Biopolymers and their Nanocomposites*, Springer.

Hardjono, Suharti, P. H., Permatasari, D. A., & Sari, V. A. (2016). Pengaruh Penambahan Asam Sitrat Terhadap Karakteristik Biofilm Plastik Biodegradable dari Pati Kulit Pisang Kepok (*Musa Acuminata Balbisiana Colla*). *Jurnal Bahan Alam Terbarukan*. <https://doi.org/10.15294/jbat.v4i2.5965>

Hu, H., Xin, J., H., He, L., & Chan, A. (2013). L. Glutaraldehyde–chitosan and poly (vinyl alcohol) blends, and fluorescence of their nano-silica composite biofilms. *Carbohydrate Polymer*, 305. <https://doi.org/10.1016/j.carbpol.2012.08.038>

Ismail, M. Y., Patanen, M., Sirviö, J. A., Visanko, M., Ohigashi, T., Kosugi, N., Huttula, M., & Liimatainen, H. (2019). Hybrid biofilms of cellulose nanofibrils, chitosan and nanosilica—Structural, thermal, optical, and mechanical properties. *Carbohydrate Polymers*, Elsevier, 218, 87–94.
<https://doi.org/10.1016/j.carbpol.2019.04.065>

Jayanudin, Lestari, R., S. D., Kustiningsing, I., & Irawanto, D. (2021). Preparation of chitosan microspheres as carrier material to controlled release of urea fertilizer. *South African Journal of Chemical Engineering*, Elsevier, 38, 70–77.

Kanatt, S. R., Rao, M., Chawla, S., & Sharma, A. (2012). Active chitosan–polyvinyl alcohol biofilms with natural extracts. *Food Hydrocolloids*, 29, 290–297. <https://doi.org/10.1016/j.foodhyd.2012.03.005>

Kariminejad, M., Zibaei, R., & Nasiri, A. K. (2021). Chitosan/Polyvinyl Alcohol/SiO₂ Nanocomposite Biofilms: Physicochemical and Structural Characterizatio. *Biointerface Research in Applied Chemistry*, 12(3), 3725–3734.
<https://doi.org/10.33263/BRIAC123.37253734>

Khan, A., Khan, R. A., Salmieri, S., & Tien, Canh Le. (2012). Mechanical and barrier properties of nanocrystalline cellulose reinforced chitosan based nanocomposite biofilms. *Carbohydrate Polymers*, Elsevier, 90, 1601–1608.

Li, J. (2008). *Characterization and Performance Improvement of Chitosan Biofilms as Affected by Preparation Method, Synthetic Polymers, and Blend Ratios*. PhD diss., University of Tennessee.

Li, Q., Zhou, J., & Zhang, L. (2009). Structure and properties of the nanocomposite biofilms of chitosan reinforced with cellulose whiskers. *Journal of Polymer Science Part B: Polymer Physics*, 47(11), 1069–1077. <https://doi.org/10.1002/polb.21711>

Lusiana, R. A., Siswanta, D., & Mudasir. (2016). Preparation of Citric Acid Crosslinked Chitosan/Poly(Vinyl Alcohol) Blend Membranes for Creatinine Transport. *Indones. J. Chem.*, 16(2), 144–150.

Luzi, F., Pannucci, E., Santi, L., Kenny, J. M., Torre, L., Bernini, R., & Puglia, D. (2019). Gallic Acid and Quercetin as Intelligent and Active Ingredients in Poly(vinyl alcohol) Biofilms for Food Packaging. *Polymers MDPI*, 11(1999). <https://doi.org/10.3390/polym11121999>

Maharani, D. K., & Hidayah, R. (2015). Preparasi dan Karakterisasi Komposit Kitosan-ZnO/ Al₂O₃. *Molekul, Vol 10 No.1*, 9–18.

Martinez, B. M. D., Flores, H. M., & Berrios, J. (2017). Physical Characterization of Biodegradable Biofilms Based on Chitosan, Polyvinyl Alcohol and Opuntia Mucilage. *Journal of Environmental Polymer Degradation Springer*. <https://link.springer.com/article/10.1007/s10924-016-0851-y>

Miri, N. E., Abdelouahdi, K., Zahouily, M., Fihri, A., Barakat, A., Solhy, A., & Achaby, M. E. (2015). Bio-nanocomposite biofilms based on cellulose nanocrystals filled polyvinyl alcohol/chitosan polymer blend. . . *APPL. POLYM. SCI.*, 1–13.
<https://doi.org/10.1002/APP.42004>

Murdinah, Darmawan, M., & Fransiska, D. (2007). Karakteristik Edible Biofilm dari Komposit Alginate, Gluten dan Lilin Lebah (Besswax). *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 2 No 1.

NA. Al-Tayyar, Youssef, A. M., & Al-Hindi, R. R. (2020). Antimicrobial packaging efficiency of ZnO-SiO₂ nanocomposites infused into PVA/CS biofilm for enhancing the shelf life of food products. *Food Packaging and Shelf Life Elsevier*.
<https://doi.org/Alhttps:// doi.org/10.1016/j.fpsl.2020.100523>

Naghavi Alhosseini, sanaz, Moztarzadeh, F., & Mozafari, M. (2012). Synthesis and characterization of electrospun polyvinyl alcohol nanofibrous scaffolds modified by blending with chitosan for neural tissue engineering. *International Journal of Nanomedicine*.

Nambiar, R. B., Sellamuthu, P. S., & Perumal, A. B. (2019). The Use of Chitosan in Food Packaging Applications. In *Green Biopolymers and their Nanocomposites* (p. 130). Springer.

Neacsu, I. A., Melente, A. E., Holban, A. M., Ficai, A., Ditu, L. M., Kamerzan, C. M., Tihauan, B. M., Nicoara, A. I., Chifiriuc, M. C., & Pircalabioru, G. (2019). Novel hydrogels based on collagen and ZnO nanoparticles with antibacterial activity for improved wound dressings. *Romanian Biotechnological Letters*, 24(2), 1–8. <https://doi.org/10.26327/RBL2018.239>

Nunthanid, J., Puttipipatkhachorn, S., Yamamoto, K., & Garnet, E. (2001). Physical properties and molecular behavior of chitosan biofilms. *Drug Dev Ind Pharm*, 27(2), 143–157.

Oktaviani, C., Khairat, & Bahruddin. (2019). Modifikasi Bioplastik Berbasis Pati Sagu Dengan Asam Sitrat dan Filler Micro Crystalline Cellulose (MCC). *JOM FTEKNIK*, 6.

Pamela, V. Y., Syarief, R., & Iriani, E. S. (2016). Karakteristik Mekanik, Termal dan Morfologi Biofilm Polivinil Alkohol Dengan Penambahan Nanopartikel ZnO dan Asam Stearat Untuk Kemasan Multilayer. *Jurnal Penelitian Pascapanen Pertanian*, 13 No.2.

Park, S., Marsh, K., & Rhim, J. (2002b). Characteristics of different molecular weight chitosan biofilms affected by the type of organic solvents. *J Food Sci*, 67, 194–197.

Park, S., Park, H., & Sano, Y. (1998). Relation between biopolymer biofilm properties and molecular structure of chitosan in solution by light-scattering method. *Ook of Abstracts. Annual Meeting of Institute of Food Technologists*, 204.

Park, S. Y., Park, H. J., Lin, X. Q., & Sano, Y. (2000). Characterization of chitosan biofilm and structure in solution. *HYDROCOLLOID*, Elsevier.

Peesan, M., Supaphol, P., & Rujiravanit, R. (2005). Preparation and characterization of hexanoyl chitosan/polylactide blend biofilms. *Carbohydrate Polymers*, 60(3), 343–350.

Perumal, A. B., Nambiar, R. B., Sellamuthu, P. S., & Adeyeye, O. A. (2019). Biocomposite Reinforced with Nanocellulose for Packaging Applications. *Springer Nature Singapore Pte Ltd*, 83–123. https://doi.org/10.1007/978-981-13-8063-1_4

Piluharto, B., Sjaifullah, A., Rahmawati, I., & Nurharianto, E. (2017). Membran Blend Kitosan/Poli Vinil Alkohol (PVA): Pengaruh Komposisi Material Blend, pH, dan Konsentrasi Bahan Pengikat Silang. *Jurnal Kimia Riset*, 2(2).

Pinem, M. P., Wardhono, E., & Nadaud, F. (2020). Nanofluid to Nanocomposite Biofilm: Chitosan and Cellulose-Based Edible Packaging. *Nanomaterials*. <https://doi.org/10.3390/nano10040660>

Prasetyo, Y. (2011). Scanning Electron Microscope (SEM) dan Optical Emission Spectroscopy (OES). *Material Lounge*.

Qiao, C., Ma, X., Wang, X., & Liu, L. (2021). Structure and properties of chitosan biofilms: Effect of the type of solvent acid. *LWT-Food Science and Technology*, 135(109984). <https://doi.org/10.1016/j.lwt.2020.109984>

Rhim, J. W., Weller, C. L., & Ham, K. S. (1998). Characteristics of chitosan biofilms as affected by type of solvent acid. *Food Science and Biotechnology*, *Food Science and Biotechnology*, 7(4), 263–268.

Rokhati, N., Pramudono, B., & Widiasa, I. N. (2015). Pembuatan Biofilm Komposit Kitosan-Tapioka: Pengaruh Komposisi Terhadap Karakteristik Biofilm. *Jurnal Hasil Riset*. <https://doi.org/jpkimiadd130357>

Ruan, W. H., Zhang, M. Q., Rong, M. Z., & Friedrich, K. (2004). Mechanical Properties of Nanocomposites from Ball Milling Grafted Nano-Silica/Polypropylene Block Copolymer. *Polymers & Polymer Composites*, *Sage Journals*, 12(4), 257–267.

Salari, M., Khiabani, M. S., Mokarram, R. R., Ghanbarzadeh, B., & Kafil, H. S. (2018). Development and evaluation of chitosan based active nanocomposite biofilms containing bacterial cellulose nanocrystals and silver nanoparticles. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2018.05.037>.

Sari, J. (2017). *Pembuatan dan Karakterisasi Biofilm Biokomposit Kitosan/Oksida Grafena dari Grafit Batang Pensil*. Universitas Sumatera Utara.

Souza, V. G. L., Pires, J. R. A., & Rodrigues, C. (2020). Chitosan Composites in Packaging Industry—Current Trends and Future Challenge. *Polymers MDPI*.

Suput, D., Popovic, S., & Hromis, N. (2015). Edible biofilms and coatings: Sources, properties and application. *Research Gate*. <http://dx.doi.org/10.5937/FFR1501011S>

Susilowati, E., Kartini, I., Santosa, S. J., & Triyono. (2016). Effect of glycerol on mechanical and physical properties of silver-chitosan nanocomposite biofilms. *IOP Conference Series: Materials Science and Engineering*, 107. <https://doi.org/10.1088/1757-899X/107/1/012041>

Tang, S., Zou, P., Xiong, H., & Tang, H. (2008). Effect of nano-SiO₂ on the performance of starch/polyvinyl alcohol blend biofilms. *Carbohydrate Polymers*, 72, 521–526. <https://doi.org/10.1016/j.carbpol.2007.09.019>

Tarique, J., Sapuan, S. M., & Khalina, A. (2021). Effect of glycerol plasticizer loading on the physical, mechanical, thermal, and barrier properties of arrowroot (*Maranta arundinacea*) starch biopolymers. *Scientific Reports Nature Portfolio*, 11(13900). <https://doi.org/10.1038/s41598-021-93094-y>

Wang, D., Cheng, W., Yue, Y., Xuan, L., Ni, X., & Han, G. (2018). Electrospun Cellulose Nanocrystals/Chitosan/Polyvinyl Alcohol Nanofibrous Biofilms and their Exploration to Metal Ions Adsorption. *Polymers MDPI*, 46.

Wang, F., Hu, Q., & Mariga, A. M. (2020). Effect of nano packaging on preservation quality of Nanjing 9108 rice variety at high temperature and humidity. *Food Chemistry Elsevier*. <http://dx.doi.org/10.1016/j.foodchem.2017.06.082>

Wang, L., Shao, S., & Madebo, M. P. (2021). Effect of nano-SiO₂ packing on postharvest quality and antioxidant capacity of loquat fruit under ambient temperature storage. *Food Chemistry Elsevier*. <https://doi.org/10.1016/j.foodchem.2020.126295>

Wardhono, E. Y., Mekro Permana, P., Indar, K., Sri, A., François, O., Lefebvre, C., Clausse, D., & Saleh, K. (2019). Cellulose Nanocrystals to Improve Stability and Functional Properties of Emulsified Biofilm Based on Chitosan Nanoparticles and Beeswax. *Nanomaterials, MDPI*. <http://dx.doi.org/10.3390/nano9121707>

Wen, L., Liang, Y., & Lin, Z. (2021). Design of multifunctional food packaging biofilms based on carboxymethyl chitosan/polyvinyl alcohol crosslinked network by using citric acid as crosslinker. *Polymer Elsevier*. <https://doi.org/10.1016/j.polymer.2021.124048>

Wilson, L. D., & Casey, L. S. (2015). Investigation of Chitosan-PVA Composite Biofilms and Their Adsorption Properties. *Scientific Research Publishing*, 78–84. <http://dx.doi.org/10.4236/ges.2015.32013>

Wu, H., Lei, Y., & Lu, R. (2019). Effect of citric acid induced crosslinking on the structure and properties of potato starch/chitosan composite biofilms. *Food Hydrocolloids Elsevier*.

Xu, Y., Liu, X., & Jiang, Q. (2021). Development and properties of bacterial cellulose, curcumin, and chitosan composite biodegradable biofilms for active packaging materials. *Carbohydrate Polymers Elsevier*.

<https://doi.org/10.1016/j.carbpol.2021.117778>

Yadav, M., Behera, K., Chang, Y.-H., & Chiu, F.-C. (2020). Cellulose Nanocrystal Reinforced Chitosan Based UV Barrier Composite Biofilms for Sustainable Packaging. *Polymers MDPI*, 2. <https://doi.org/10.3390/polym12010202>

Zhuang, C., Jiang, Y., & Zhong, Y. (2018). Development and characterization of nanobilayerbiofilms composed ofpolyvinyl alcohol, chitosan and alginate. *Food Control Elsevier*.

Zuraihan, N., Nainggolan, I., Nasution, T. I., Derman, M. N., & Shantini, D. (2016). Highly Response and Sensitivity Chitosan- Polyvinyl alcohol Based Hexanal Sensors. *MATEC Web of Conferences*, 78(01072). <https://doi.org/10.1051/01072>