

## DAFTAR PUSTAKA

- [1] Solihuddin T., H. L. Salim, S. Husrin, A. Daulat, and D. Purbani, “Dampak Tsunami Selat Sunda di Provinsi Banten dan Upaya Mitigasinya,” *Jurnal Segara*, vol. 16, no. 1, pp. 15–28, Apr. 2020.
- [2] Widiatmoko F. R., A. Zamroni, M. A. Siamashari, A. N. Maulina, and Budiarto, “Rekaman stasiun GPS sebagai pendeteksi pergerakan tektonik, studi kasus: bencana Tsunami Aceh 26 Desember 2004,” *e-Jurnal ITATS (Institut Teknologi Adhi Tama Surabaya)*, vol. 1, no. 1, pp. 236–240, Aug. 2019.
- [3] Intergovernmental Oceanographic Commission, *Tsunami Glossary*, 4<sup>th</sup> ed. Paris: UNESCO, 2019.
- [4] Webb P., *introduction to oceanography*. Rebus Community, 2019.
- [5] Kurniawan R., N. M. Habibie, and Suratno, “Variasi Bulanan Gelombang Laut Di Indonesia,” *Jurnal Meteorologi dan Geofisika*, vol. 12, no. 3, pp. 221–232, Des. 2011.
- [6] Azzahra A. N., A. Nugraha, S. Kuncorojati, H. N. Rahmadini, and B. Gauttama, *Buletin Meteorologi Edisi Mei 2022*. Sintang: Badan Meteorologi Klimatologi dan Geofisika, 2022.
- [7] Dwipanegara A. D., “Evaluasi Kinerja Sistem Peringatan Dini Tsunami di Indonesia,” *INDEPT*, vol. 4, no. 1, Feb. 2014.
- [8] Sutrisno E., *Buoy, Pendeteksi Tsunami Super Cepat Buatan Indonesia*, 2021, Tersedia dari: <https://indonesia.go.id/> [URL dikunjungi pada 15 Oktober 2022].
- [9] Maulana F., *22 Buoy Tsunami Indonesia Tak Aktif Sejak 2012*, 2018, Tersedia dari: <https://news.detik.com/> [URL Dikunjungi pada 15 Oktober 2022].
- [10] Noptian S. R., A. Suhendi, and R. A. Salam, “Sistem Monitoring Ketinggian Permukaan Air Laut Menggunakan Accelerometer Berbasis IoT,” *eProceedings of Engeneering*, vol. 7, no. 2, pp. 4517–4522, Aug. 2020.
- [11] Munanda E., I. Jaya, and A. S. Atmadipoera, “Rancang Bangun dan Uji Kinerja Wave Buoy Sebagai Alat Pengukur Tinggi Gelombang Pesisir,”

- Jurnal Ilmu dan Teknologi Kelautan Tropis*, vol. 10, no. 1, pp. 1–14, Apr. 2018.
- [12] Yurovsky Y. Y. and V. A. Dulov, “Compact Low-Cost Arduino-Based Buoy for Sea Surface Wave Measurements,” in *2017 Progress in Electromagnetics Research Symposium- Fall (PIERS - FALL)*, Singapore, 2017, pp. 2315–2322.
- [13] Liu Y., X. Wang, J. You, and C. Chen, “Ocean Wave Measurement Using GPS Buoys,” *Journal of Geodetic Science*, vol. 3, no. 3, pp. 163–172, 2013.
- [14] Patra S. K., and B. K. Jena, “Inter-comparison of wave measurement by accelerometer and GPS wave buoy in shallow water off Cuddalore, east coast of India,” *Indian Journal of Geo-Marine Science*, vol. 43, no. 1, pp. 45–49, Jan. 2014.
- [15] Wall R. W., “Simple Methods for Detecting Zero Crossing,” in *Proceedings of The 29<sup>th</sup> Annual Conference of the IEEE Industrial Electronics Society*, Roanoke, VA, 2003, pp. 2477-2481.
- [16] Treffers C. and V. Wietmarschen. L, “Position and orientation determination of a probe with use of the IMU MPU9250 and a ATmega328 microcontroller,” Bachelor Thesis, Dept. Microelectronics, Technische Universiteit Delft, Delft, 2016..
- [17] Kuperus J., “Wave Monitoring using Wireless Sensor Nodes,” Master Thesis, Dept. Embedded Systems, University Of Melbourne, Melbourne, 2009.
- [18] Pramana Y. A., “Implementasi Sensor Accelerometer, Gyroscope Dan Magnetometer Berbasis Mikrokontroler Untuk Menampilkan Posisi Benda Menggunakan Inertial Navigation System,” Bachelor Thesis, Dept. Electrical Eng., Universitas Komputer Indonesia, Bandung, 2013.
- [19] Munarto R., R. Wiryadinata, and D. P. Utama, “Implementation of AHRS (Attitude Heading and Reference Systems) With Madgwick Filter as Hexapods Robot Navigation,” in *2022 International Conference on Informatics Electrical and Electronics (ICIEE)*, Yogyakarta, 2021, pp. 1-9.
- [20] Mohammed Z., I. M. Elfadel, and M. Rasras, “Monolithic Multi Degree of Freedom (MDoF) Capacitive MEMS Accelerometers,” *Micromachines*

- (*Basel*), vol. 9, no. 11, 2018.
- [21] John., “MEMS Accelerometer,” 2017, Tersedia dari: <http://www.instrumentationtoday.com/> [URL Dikunjungi pada 01 November 2022].
- [22] Sinha S., S. Shakya, R. Mukhiya, R. Gopal, and B. Pant, “Design and Simulation of MEMS Differential Capacitive Accelerometer,” in *ISSS International Conference on Smart Materials, Structures and Systems*, Bangalore, India, 2014.
- [23] Northrop R. B., “*Introduction to Instrumentation and Measurements*, 3rd ed, Boca Raton: CRC Press, 2014.
- [24] Passaro V. M. N., A. Cuccovillo, L. Vaiani, M. De Carlo, and C. E. Campanella, “Gyroscope Technology and Applications: A Review in the Industrial Perspective,” *Sensors (Basel)*, vol. 17, no. 10, Oct. 2017.
- [25] Öztürk D. Ü. and A. M. Erkmen, “Coriolis Vibratory MEMS Gyro Drive Axis Control with Proxy-Based Sliding Mode Controller,” *Micromachines*, vol. 13, no. 3, 2022.
- [26] Chiva J. M. S., J. Valle, D. Fernández, and J. Madrenas, “A Mixed-Signal Control System for Lorentz-Force Resonant MEMS Magnetometers,” *IEEE Sensors Journal*, vol. 19, no. 17, pp. 7479–7488, 2019.
- [27] Anonymous, *MPU-9250 Product Specification*, San Jose: Inve Sense, 2016.
- [28] Karimi M., E. Babaians, M. Oelsch, T. Aykut, and E. Steinbach, “Skewed-redundant Hall-effect Magnetic Sensor Fusion for Perturbation-free Indoor Heading Estimation,” in *Proceedings 2020 Fourth IEEE International Conference on Robotic Computing (IRC)*, Taichung, Taiwan2020, pp. 367–374.
- [29] Leporcq J., “Position Estimation Using IMU Without Tracking System,” Master's Programme in Computer, Communication and Information Sciences (TS2013), Aalto University, Espoo, 2018.
- [30] Yang Z., H. Jing, B. Kuang, S. Zhong, J. Qin, and Y. Tong, “GPS and Lidar Fusion Positioning Based on Unscented Kalman Filtering and Long Short-Term Memory Considering GPS Failure,” in *Proceedings 2021 IEEE 4th International Conference on Automation, Electronics and Electrical*

- Engineering (AUTEEE)*, Shenyang, China, 2021, pp. 18–23.
- [31] Ludwig S. A., “Optimization of Control Parameter for Filter Algorithms for Attitude and Heading Reference Systems,” in *Proceedings 2018 IEEE Congress on Evolutionary Computation (CEC)*, Rio de Janeiro, Brazil, 2018, pp. 1–8.
- [32] Al-Fahoum A. S. and M. S. Abadir, “Design of a modified Madgwick filter for quaternion-based orientation estimation using AHRS,” *International Journal of Computer Electrical Engineering*, vol. 10, no. 3, pp. 174–186, 2018.
- [33] Kasau M. I. and A. D. Ghani, “ANALISIS KINEMATIK ROBOT KOORDINAT BOLA, ENAM DERAJAT KEBEBASAN DENGAN METODE QUATERNION & ROTATION VECTOR,” in *proceeding SISITI: Seminar Ilmiah Sistem Informasi dan Teknologi Informasi*, vol. 7, no. 2, 2018.
- [34] Hasan M. A. and M. H. Rahman, “Smart Phone Based Sensor Fusion by Using Madgwick Filter for 3D Indoor Navigation,” *Wireless Personal Communications*, vol. 113, no. 4, pp. 2499–2517, 2020.
- [35] Madgwick S. O. H., A. J. L. Harrison, and R. Vaidyanathan, “Estimation of IMU and MARG orientation using a gradient descent algorithm”, in *Proceedings 2011 IEEE International Conference on Rehabilitation Robotics*, Zurich, Switzerland, 2011, pp. 1-7.
- [36] Slifka D. L, *An Accelerometer Based Approach to Measuring Displacement*, Master Thesis, Dept. Elect. and Comp. Eng., University of Michigan, 2004.
- [37] Kamal A. M, S. H. Hemel, and M. U. Ahmad, “Comparison of Linear Displacement Measurements Between A Mems Accelerometer and Hc-Sr04 Low-Cost Ultrasonic Sensor,” in *Proceedings 2019 1st International Conference on Advances in Science, Engineering and Robotics Technology (ICASERT)*, Dhaka, Bangladesh, 2019, pp. 1-6.
- [38] Liu Y., X. Wang, J. You, and C. Chen, “Ocean Wave Buoy Based on Parallel Six-Dimensional Accelerometer,” *IEEE Access*, vol. 8, pp. 29627–29638, 2020.
- [39] Zhang Y., L. Qi, D. Junyung, Q. Wen, and M. Lv, “Data Processing Based

- on Low-Precision IMU Equipment to Predict Wave Height and Wave Period,” in *Proceedings 2019 2nd International Conference on Data Intelligence and Security*, South Padre Island, USA, 2019, pp. 103–107.
- [40] Kurnia M. H., R. E. Saputra, and C. Setianingsih, “High-Low Detection of Sea Water Waves With Multi-Sensor System Based on IOT,” *e-Proceeding of Engineering*, vol. 8, no. 5, p. 6175, Okt. 2021.
- [41] D. Segarra, J. Caballeros, W. G. Aguilar, A. Samà, and D. Rodríguez-Martín, “Orientation Estimation Using Filter-Based Inertial Data Fusion for Posture Recognition,” in *Algorithms for Sensor Systems*, Helsinki, Finland, 2019, pp. 220–233.
- [42] Yurovsky Y. Y. and V. A. Dulov, “MEMS-based wave buoy: Towards short wind-wave sensing,” *Ocean Engineering*, vol. 217, p. 108043, 2020.
- [43] Esser P., H. Dawes, J. Collett, and K. Howells, “IMU: Inertial sensing of vertical CoM movement,” *Journal of Biomechanics*, vol. 42, no. 10, pp. 1578–1581, 2009.