

Smart Contract Blockchain Application Design Based on The Distribution of Product Return Transaction Data

by Ratna Ekawati

Submission date: 22-May-2023 08:55AM (UTC+0700)

Submission ID: 2098744643

File name: ijair.pdf (914.23K)

Word count: 4052

Character count: 22836

Smart Contract Blockchain Application Design Based on The Distribution of Product Return Transaction Data
Ratna Ekawatia^{a,1,*}, Yandra Arkeman^b, Suprihatin^c, Titi Candra Sunarti^d

2

^aIndustrial Engineering Sultan Ageng Tirtayasa University, Indonesia^bDepartment of Argo-Industrial Engineering IPB University, Dramaga, Bogor¹ratna.ti@untirta.ac.id*

ARTICLE INFO

ABSTRACT

Article history:

Received 04 Apr 2022

Revised 28 June 2022

Accepted 20 July 2022

*Keywords:**Blockchain application,
Distribution transaction data,
Return sugar product,
Smart contract*

In 2020, there will be 1% bulk sugar product returns. Direct return to warehouse; it is not known how much and what kind of sugar was returned. Changes in the number of uncontrolled product availability occur in the logistics sector. We designed a sugar volume return mechanism to verify the identity of the buyer, the amount and time of the transaction, using the steps of investigation, analysis, and system design that can implement. The application is based on the truffle test framework and smart contracts on the Ropsten test network on the Ethereum Metamask platform wallet, localhost memory, and a decentralized web-based dashboard. Input data on the smart contract so that during the Ropsten net test process, it will generate blocks, hash codes, and contract hashes as transaction details. It also displays a summary report and a blockchain transaction dashboard. How much volume will increase or decrease due to returns, buyers, type of sugar commodity, time, and volume of sugar during data transactions is known. The features developed for smart contracts are private, semi-public transactions with consensus proof of work as validation and verification of the success of transaction data records.

31

Copyright © 2021 International Journal of Artificial Intelligence Research.
All rights reserved.**I. Introduction**

Today, a significant challenge for entrepreneurs and processing plants is to share trust. Because we have 33 reduce the frequency of meetings and mobility outside the home, all transactions are made online. In the supply chain, the movement of products from one entity to the next requires coordination reaches the end-user without any damage or discrepancies. Problems commonly occur in the supply chain, such as lead time on product delivery, chain length, fraud, lack of accurate data authentication between actors, management, and data integrity [1]. Based on the phasing and determination of priority industrial development, sugarcane-based sugar is one of the products of the priority industrial development stages in information technology [2]. The development, mastery, and utilization of industrial technology are carried out in stages by the development of science and the needs of the domestic industry to increase efficiency, productivity, added value, competitiveness, and independence of the national industry.

The need for sugar derived from processed sugar cane increases for direct consumption and as industrial raw materials. White crystal sugar, produced from processed sugar cane, is increasingly demanded by direct consumers and the industry. National sugar needs currently reach 6 million tons per year, consisting of 2.7-2.9 million tons for consumption sugar and 3-3.2 million tons for industrial sugar. The average domestic consumption of white crystal sugar (GKP) is 2.1-2.2 million tons, and the national refined crystal sugar (GKR) production is 3.3,2 million tons [3]. Global agricultural industry trade is increasing in terms of the quantity demanded by consumers. Therefore, proposed information technology-based solutions can help improve the processing of agricultural commodities at the production process level [4]. Currently, the agricultural and processing industries still use traditional technology systems in the production process and information systems [5].

The return of sugar products appears if the sugar purchased from the producer does not meet the quality standard specifications according to the buyer, such as color, shape, or taste [6]. If this

happens, producers get the opportunity to recycle or replace packaging [7]. The framework governing reverse logistics product returns is based on the heuristic decomposition method [8]. At the same time, the functional integration of operations marketing [41] create a higher level of customer value described through a conceptual framework [9]. To find the optimal return time and order quantity value using a mathematical model [10]. The research gap that has not been addressed to date is using blockchain smart contract applications for transparency in returning sugar products. The accuracy of quantities in factory logistics can be traced.

The use of blockchain technology in agro-industrial supply chains will change the practice of data distribution transactions [11], by executing smart contracts as transactions [12]. Transactions are carried out securely using information technology infrastructures such as web-based, IoT, internet, and QR Code [13]. The blockchain works based on distributed trust, updated via a consensus protocol that ensures consistency and integrity through distributed network nodes [14]. Transaction records stored in the blockchain can reduce errors due to the immutability of the blockchain so that the transparency of data transactions that occur can increase the effectiveness of performance between divisions [15].

Logic-based blockchain smart contract programming is performed between actors defined on the system [16]. The application runs on localhost memory for each division with views in HTML and the react library. At the same time, the database is based on MySQL and the application blockchain on the Ropsten Metamask Ethereum platform [17]. Smart contract application developed through the Ropsten Metamask platform on the Ethereum Blockchain application [18]. Smart contracts are very efficient because they do not rely on intermediaries, save paper, time, and costs, and reduce manual operation errors [19]. Meanwhile, the weakness is that the perpetrator cannot guarantee authenticity, so if there is a fraud, it is challenging to investigate, and the government it difficult to tax the transaction [20].

The logistics division only records transaction history regarding incoming sugar stocks, remaining stock, and product returns in the warehouse. Product entry and exit processes that occur are based on the first-in-first-out principle, and only [39] logistics operators can input data. At the same time, other divisions can only monitor inputted data. In this study, we propose a blockchain smart contract design that makes transactions between sugar factory divisions transparent. The steps for the record return mechanism for the amount of sugar from the buyer are inputting the buyer's data, order number, date of type of sugar, amount of sugar returned. After that, the record will increase the amount of stock in logistics. Based on the explanation above, the purpose of this research is to design a blockchain-based smart contract application to monitor product availability transparently and track the accuracy of the time and amount of sugar product returns.

II. Methodology

This research is part of a dissertation to develop a supply chain system based on blockchain technology, especially for sugar product returns. The data collection process began with an initial survey of sugarcane processing and planting locations in January 2020 by conducting interviews with farmers, workers, and communities around PG. From November to December 2020, we conducted official data collection at PT XYZ II City C and PG JT City M. Due to the pandemic conditions and restrictions on activities and interactions, we will conduct online discussions via WhatsApp, telephone, email, or zoom; if there is still a lack of data,

The steps we are take reference the system development life cycle (SDLC) method. The stages include for [2] stages [21], namely the stages of investigation, analysis, design, and [2] implementation in sequence. Must review Each completed step must ensure that the step has been carried out correctly and as expected. If not, then the step needs to be repeated again or back to the previous step [22]. The SDLC cycle is described in the following research flow:




Fig. 1. Research flowchart

Based on Figure 1, the research begins by investigating the problems that occur in the sugar factory. The problems that arise based on the results of visits and interviews at the head office and PG are: that in the 2020 milling period there are about 1% of sugar product returns, due to the return of new buyers who feel that they do not meet the sugar quality specifications, besides that there is non-transparency, such as the amount of product volume and type, product returned to the warehouse is not known which buyer came. The time of product return is not recorded correctly. Then we designed a technology that can streamline the traceability process, namely blockchain based on smart contracts, to monitor and control the management. The proposed decentralized PG information system will increase the transparency of data records to trace them if problems occur along with the supply chain flow. In PG, this can be a pilot project for a national agricultural productholding company.

Figure 2 describes the system architecture that will build based on blockchain smart contracts. Logistics users sign in to input the return data record through the localhost:3000 browsers, which runs on the Ropsten Metamask Platform. And the architecture is built with react.js as the backend as an application library (kitchen). Also, the frontend is displayed with a dashboard as monitoring and controlling data transactions that occur in PG JT.




Fig. 2. Blockchain-based product return framework architecture

III. Result and Analysis

The agroindustry supply chain system designed consists of production, logistics, and sales. Where the sugarcane produced comes from smallholder plantation farmers, PG, and private ownership. Farmers send sugar cane to PG to be processed into white crystal sugar and in 2020.

There will be mills other than sugar cane, namely raw sugar, to meet national needs. In addition, there was a sugar return of around 1%, which was the first time experienced by PG. The non-transparent return process causes discrepancies in the accuracy of the data on the amount of sugar in the logistics. The major party cannot trace which buyer returned the sugar and from which type of sugar commodity was returned. Because there is no technology used in the factory, we use PG JT as a pilot project for implementing smart contract blockchain, with an overview of the initial system tracing.




Fig. 3. Investigation of the supply chain system for sugar product returns

Figure 3 states that the seller sends sugar to the buyer according to the initial agreement that both parties have agreed. Product returns occur, the buyer returns the bulk sugar product to the factory. Then the factory will repackaging it and will resell it by the sales division to other buyers.

Business process analysis is carried out using use cases and Business Process Model and Notation (BPMN)[23]. One of the critical diagrams used to illustrate the system's requirements is a use case diagram, which visually describes the context of the interaction between actors and the system [24]. Use cases are described textually in use case scenarios to explain the interactions between actors and the system to be developed [25].




Fig. 4. Product return use case

Figure 4 explains the use case diagram regarding what can return sugar products to add and confirm transaction information, validation, and transparency and traceability of data transactions. The criteria that have successfully supply chain is transparency among actors [26]. According to in his paper, accurate traceability is transparency between actors along the supply chain. Information is recorded, verified, and available to continuously monitor traceability [27].

In this analysis, we identify actors involved in sugar product returns, business process rules, and data flows that support the operation of an activity. BPMN was created using the Power Designer®

software version 16.6. Notation in BPMN comprises internal and external ecosystem boundaries and regulates activities there in [28].




Fig. 5.BPMN Return of sugar products

In figure 5, the business process described consists of two internal for logistics: systems, and sales, while external is only for buyers outside the system, only transaction information for sugar product returns. Logistics will register at the beginning of the system to input product return data such as the date and buyer's name. Do number, the number of products returned, and the type of sugar returned.

After that, it will submit by selecting an available wallet because the logistics party chooses logistics. It will verify record data, and the blockchain smart contract validated. Implementation of the system will explain the system made based on the results of the design. To running a system, several stages must be done, such as making a web interface design and connecting the web with a database to display data.

Transaction Hash	Method	Block	Age	From	To	Value	Tx Fee
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH
0x4808651b2f3f55896aa6w...	view	1136711	5m ago	0xb4f65edf9e048fe897	0x48e5bf04bb80b096d51bd	0.01 ETH	0.0001 ETH

Fig. 6.Transaction display for block 11136711

Figure 6 is the transaction generated when the logistics user records transaction data hash 0x4808651b2f3f55896aa6w..., which comes from 0xb4f65edf9e048fe897, so that block 11136711 is generated with smart contract hash 0x48e5bf04bb80b096d51bd. Ethereum smart contract is a computer protocol that can create contracts digitally and written through program code. Smart contracts on Ethereum are written using solidity language.

Contract Internal Transactions
For Block 11136711

Amount of 17 internal transactions found

Block	Age	Parent Txn Hash	Type	From	To	Value
11136711	8 mins ago	0x059e15a072017f1e...	staticcall	0x7019008a7a748e...	0x6b0c76c0488b0e...	0 Ether
		0x059e15a072017f1e...	staticcall	0x7019008a7a748e...	0x6c770708a6b4a6...	0 Ether
		0x059e15a072017f1e...	call	0x7019008a7a748e...	0x6c770708a6b4a6...	0 Ether
		0x059e15a072017f1e...	call	0x7019008a7a748e...	0x6c770708a6b4a6...	0 Ether
		0x059e15a072017f1e...	call	0x7019008a7a748e...	0x6b0c76c0488b0e...	0 Ether
		0x059e15a072017f1e...	staticcall	0x7019008a7a748e...	0x6b0c76c0488b0e...	0 Ether
		0x059e15a072017f1e...	staticcall	0x6e8f80b0c0a4785...	0x6e8f80b0c0a4785...	0 Ether
		0x059e15a072017f1e...	staticcall	0x6e8f80b0c0a4785...	0x6e8f80b0c0a4785...	0 Ether

Fig. 7. Display of internal transaction contracts

Figure 7 is a display of the transaction contract that occurred in block 11136711 via Etherscan. The information shown by the smart contract is information related to the transaction hash, the block number formed, the time of the transaction.




Fig. 8. Blockchain-based sugar product return dashboard

The blockchain built is semi-public on the Ropsten Metamask Platform. All data transactions can be seen transparently by miners. Still, the smart contracts are designed only to be seen by internal parties, namely actors determined in the supply chain allowed by the system permission. All transaction data that has been entered cannot be changed or falsified. There is no prohibition against participating in mining transactions in a decentralized network.




Fig. 9. Validation of transaction data

Figure 9 explains that the triumphant return data transaction is entered into the blockchain through a logistics wallet with the Ropsten Metamask platform. The blockchain system always requires validation in every transaction or information that occurs. The validation process starts from the formation of a block containing a new transaction. The newly formed block has a hash, where the hash number is formed based on the hash contained in the valid transactions stored in the previous block. The two hash values are compared. If the values are the same, it is declared valid, and if the values are different, it will be considered invalid. The system will not process it.

```
app > LogisticReturnBulkSugar.php
1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class LogisticReturnBulkSugar extends Model
8  {
9      //
10 }
11
```

Fig. 10. Display backend code

Figure 10 is the backend code that resides in the Application programming interface (API). Code is a communication between the client and the server in simplifying the implementation and maintenance of the software. So the development of the API allows us to use standard functions in interacting with the operating system.

Smart contracts with the help of automatic code execution are distributed and verified by network nodes in a decentralized blockchain network. Used to execute agreements made when conducting data transactions between more than one entity [29].


```

100 // post ke blockchain data return ke stock (stok menambah dari return)
101
102 if(values.sugar === 'cane'){
103     const storageContractSBSFC = new web3.eth.Contract(AddStockCane, contractAddressSBSFC);
104     const gasSBSFC = await storageContractSBSFC.methods.addLogisticsSbsfc(response.data.stock.id, res);
105     var postSBSFC = await storageContractSBSFC.methods.addLogisticsSbsfc(response.data.stock.id, res);
106     from: akun,
107     gasSBSFC,
108 }, (error, transactionHash) => {
109     console.log([error, transactionHash]);
110 });
111 console.log(postSBSFC);
112
113 // simpan hash
114 const txnCane = new FormData();
115 txnCane.append('id', response.data.id);
116 txnCane.append('transaction', postSBSFC.transactionHash);
117 txnCane.append('wallet', postSBSFC.from);
118 txnCane.append('flag', 'stockBulkSugarFromCane');
119 UserService.addLogisticsTransactionHash(txnCane);
120 } else {
121     const storageContractSBSFRS = new web3.eth.Contract(AddStockRS, contractAddressSBSFRS);
122     const gasSBSFRS = await storageContractSBSFRS.methods.addLogisticsSbsfrs(response.data.stock.id,
123     var postSBSFRS = await storageContractSBSFRS.methods.addLogisticsSbsfrs(response.data.stock.id,
124     from: akun,
125     gasSBSFRS,
126 }, (error, transactionHash) => {
127     console.log([error, transactionHash]);
128 ...

```

Fig. 11. Smart contract code display

Figure 11 is the result displayed by visual studio code, which provides the code quote feature on the GitHub repository [30]. Visual studio code is built using server software platforms and network applications (Node.js web application) [31]. Up and Running with Node.js, and chromium web browser desktop-based application framework with HTTP, PHP, java script programming tools [32,33]. At this stage is a test of the results of the system that has been made previously. The test method is to experiment with the whole system of application functions. This test is carried out with several trials based on different cases and inputs. Initial testing is carried out for users who have not signed in to order a product or start a transaction. The system will give rights, To the user if he has signed in first. If you have not signed in, the system will provide feedback in an alert to the user to sign in first.

IV. Conclusion

Analysis of supply chain business processes specifically for sugar return products, for the type of sugar that comes from sugar cane and sugar. That comes from raw sugar shows that there are 2 actors, namely logistics and sales, added a system designed and external actors of the ecosystem, namely buyers. The feature of the public blockchain has been successfully developed. The transparency of data transactions is to track processes. That occurs throughout the system with a hash code to ensure the security and immutability of data transaction history. Privately designed smart contracts can be implemented and generate a hash code, which only internal factory actors can see. System testing is carried out based on a consortium of actors participating in the block; verification and validation are carried out directly to state that the transaction is successful (proof of work). Further research suggests the need for broader system implementation for several sugar factories. So that data transparency and accuracy can be monitored by stakeholders such as consumers, associations, and governments.

6

Acknowledgment

The authors want to thank for anonymous referees to give constructive feedback. The authors also thank to all persons who have supported this research and cannot be mentioned one by one. This research is supported by the Indonesia Endowment Fund for Education (BUDI- LPDP Indonesia).

References

- [1] S. K. Dwivedi, R. Amin, and S. Vollala, "Blockchain based secured information sharing protocol in supply chain management system with key distribution mechanism," *Journal of Information Security and Applications.*, vol. 54, pp. 1–15, 2020.
- [2] Ministry of Industry, National industrial development master plan 2015 - 2035. Jakarta Indonesia, 2015.
- [3] K. employee D. Plantation "Plantation Media." CV Perisindo Jaya, Jakarta Indonesia, pp. 50–51, 2021.
- [4] R. Kumar and V. Nath, "IT adaptation in sugar supply chain: A study at milling level," *International Journal of Logistics Systems and Management*, vol. 35, no. 1, pp. 28–49, 2020.
- [5] M. Fleischmann, P. Beullens, J. M. Bloemhof-Ruwaard, and L. N. Van Wassenhove, "The impact of product recovery on logistics network design," *Production and Operations Management.*, vol. 10, no. 2, pp. 156–173, 2001.
- [6] S. Wang, D. Li, Y. Zhang, and J. Chen, "Smart contract-based product traceability system in the supply chain scenario," in *IEEE Access*, vol. 7, pp. 115122–115133, 2019.
- [7] R. Frei, A. Bines, I. Lothian, and L. Jack, "Understanding reverse supply chains," *International Journal of Supply Chain and Operations Resilience.*, vol. 2, no. 3, p. 246, 2016.
- [8] S. K. Srivastava and R. K. Srivastava, "Managing product returns for reverse logistics," *International Journal of Physical Distribution and Logistics Management.*, vol. 36, no. 7, pp. 524–546, 2006.
- [9] D. A. Mollenkopf, R. Frankel, and I. Russo, "Creating value through returns management: Exploring the marketing-operations interface", *Journal of Operations Management.*, vol. 29, no. 5, pp. 391–403, 2011.
- [10] S. W. Setiawan, D. Lesmono, and T. Limansyah, "A Perishable Inventory Model with Return," *IOP Conference Series: Materials Science and Engineering.*, vol. 335, no. 1, 2018.
- [11] A. D. Nazarov, V. V. Shvedov, and V. V. Sulimin, "Blockchain technology and smart contracts in the agro-industrial complex of Russia," *IOP Conference Series: Earth and Environmental Science*, vol. 315, no. 3, 2019.
- [12] A. Dolgui, D. Ivanov, S. Potryasaev, B. Sokolov, M. Ivanova, and F. Werner, "Blockchain-oriented dynamic modelling of smart contract design and execution in the supply chain," *International Journal of Production Research.*, vol. 58, no. 7, pp. 2184–2199, 2020.
- [13] S. Aggarwal, R. Chaudhary, G. S. Auja, N. Kumar, K. K. R. Choo, and A. Y. Zomaya, "Blockchain for smart communities: Applications, challenges and opportunities," *Journal of Network and Computer Applications.*, vol. 144, no. July, pp. 13–48, 2019.
- [14] A. H. Lone and R. N. Mir, "Consensus protocols as a model of trust in blockchains," *International Journal of Blockchains and Cryptocurrencies*, vol. 1, no. 1, p. 7, 2019.
- [15] J. Sunny, N. Undralla, and V. Madhusudanan Pillai, "Supply chain transparency through blockchain-based traceability: An overview with demonstration," *Computers and Industrial Engineering.*, vol. 150, p. 106895, 2020.
- [16] F. Idelberger, G. Governatori, R. Riveret, and G. Sartor, "Evaluation of logic-based smart contracts for blockchain systems," in *Lecture Notes in Computer Science*. 2016, vol. 9718, . pp. 167–183, no. November 2017
- [17] B. Ahubele, B. . Eke, and F. . Onuodu, "On-Blockchain Validation Smart Contract Model on Ethereum Distributed Ledger System for Pharmaceutical Products Distribution," *Journal of Computer Engineering.*, vol. 23, no. 2, pp. 10–22, 2021.
- [18] M. Alharby and A. van Moorsel, "Blockchain Based Smart Contracts : A Systematic Mapping Study," *Computer Science & Information Technology.*, pp. 125–140, 2017.
- [19] Y. C. Hu, T. T. Lee, D. Chatzopoulos, and P. Hui, "Analyzing smart contract interactions and contract level state consensus," *Concurrency Computation*, vol. 32, no. 12, pp. 1–17, 2020.
- [20] A. Singh, R. M. Parizi, Q. Zhang, K. K. R. Choo, and A. Dehghantaha, "Blockchain smart contracts formalization: Approaches and challenges to address vulnerabilities," *Computers and Security.*, vol. 88, p. 101654, 2020.
- [21] K. Rainer R. B. Price, C. Sanchez-Rodriguez, S. Hogeterp, and Se. Ebrahimi, *Introduction to information system supporting and transforming business*, Fifth Cana. Wiley, 2019.
- [22] P. B. Purwandoko, K. B. Seminar, Sutrisno, and Sugiyanta, "Development of a smart traceability system in the rice agroindustry supply chain in Indonesia," *Information (Switzerland).*, vol. 10, no. 10, 2019.
- [23] E. Bazhenova, F. Zerbato, B. Oliboni, and M. Weske, "From BPMN process models to DMN decision models," *Information Systems.*, vol. 83, pp. 69–88, 2019.

- [24] T. A. Kurniawan, "Use Case Modeling (UML): Evaluation of some Errors in Practice," *Journal of Information Technology and Computer Science*, vol. 5, no. 1, p. 77, 2018.
- [25] R. Ekawati, Y. Arkeman, Suprihatin, and TC. Sunarti, "Analysis and Design of Distribution Systems Information Flow in the Sugar Supply Chain in Indonesia," *International Journal of Mechanical Engineering Technology and Applications*, no. 7, pp. 47–52, 2021.
- [26] S. Z. M. Samsi, R. Tasnim, and O. Ibrahim, "Stakeholders' Role for an Efficient Traceability System in Halal Industry Supply Chain," in *Annual International Conference on Enterprise Resource Planning & Supply Chain Management*, no. March, pp. 1–6, 2011,
- [27] L. U. Opara, "Traceability in agriculture and food supply chain: A review of basic concepts, technological implications, and future prospects," *Journal of Food Agriculture and Environment*, vol. 1, no. (1), pp. 101–106, 2003.
- [28] C. S. Wasson, *System Engineering Analysis, Design and Development*, vol. 148. United State of America: Wiley series in systems engineering, 2016.
- [29] D. Macrinici, C. Cartoceanu, and S. Gao, "Smart contract applications within blockchain technology: A systematic mapping study *Telematics and Informatics*, vol. 35, no. 8, pp. 2337–2354, 2018.
- [30] N. Nizamuddin, K. Salah, M. Ajmal Azad, J. Arshad, and M. H. Rehman, "Decentralized document version control using ethereum blockchain and IPFS," *Computers and Electrical Engineering*, vol. 76, no. March, pp. 183–197, 2019.
- [31] S. Bangare, S. Gupta, M. Dalal, and A. Inamdar, "Using Node.js to Build High Speed and Scalable Backend Database Server," *International Journal of Research in Advent Technology*, vol. 4, no. May, p. 19, 2016.
- [32] Hughes-Croucher, Tom; Wilson, Mike *Up and Running with Node.js*, O'Reilly Media, ISBN 978-1-4493-9858-3, 2012
- [33] <https://github.com/electron/electron/releases/tag/v15.0.0-beta.2>.

Smart Contract Blockchain Application Design Based on The Distribution of Product Return Transaction Data

ORIGINALITY REPORT

26%

SIMILARITY INDEX

11%

INTERNET SOURCES

25%

PUBLICATIONS

18%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Submitted to Study Group Australia 1 %
Student Paper
 - 2** Ratna Ekawati, Yandra Arkeman, Suprihatin Suprihatin, Titi Candra Sunarti. 1 %
"Implementation of ethereum blockchain on transaction recording of white sugar supply chain data", Indonesian Journal of Electrical Engineering and Computer Science, 2022
Publication
 - 3** Poningsih Poningsih. "Design of the expert system to analyze disease in Plant Teak using Forward Chaining", International Journal of Artificial Intelligence Research, 2017 1 %
Publication
 - 4** Zhanyou Ma, Jiaqi Fan, Yang Zhang, Lin Liu. 1 %
"Performance Analysis of Blockchain Consensus System With Interference Factors and Sleep Stage", IEEE Access, 2020
Publication
-

5

Muhammad Ruswandi Djalal, Muhammad Yunus Yunus, Herman Nawir, Andi Imran. "Application of Smart Bats Algorithm for Optimal Design of Power Stabilizer System at Sengkang Power Plant", International Journal of Artificial Intelligence Research, 2017

Publication

1 %

6

Bobby Kurniawan, Widyaning Chandramitasari, Alfian Akbar Gozali, Wei Weng, Shigeru Fujimura. "Triple - chromosome genetic algorithm for unrelated parallel machine scheduling under time - of - use tariffs", IEEJ Transactions on Electrical and Electronic Engineering, 2019

Publication

1 %

7

Submitted to Universidad de Sevilla

Student Paper

1 %

8

Anish Jindal, Gagangeet Singh Singh Aujla, Neeraj Kumar, Massimo Villari. "GUARDIAN: Blockchain-based Secure Demand Response Management in Smart Grid System", IEEE Transactions on Services Computing, 2019

Publication

1 %

9

Wang, Zheng, and Hua Bai. "Reverse logistics network: A review", 2010 IEEE International Conference on Industrial Engineering and Engineering Management, 2010.

Publication

1 %

10	www.iwsg2019.eu Internet Source	1 %
11	Shobhan Mandal, Basudeb Bera, Anil Kumar Sutrala, Ashok Kumar Das, Kim-Kwang Raymond Choo, Youngho Park. "Certificateless Signcryption-Based Three-Factor User Access Control Scheme for IoT Environment", IEEE Internet of Things Journal, 2020 Publication	1 %
12	Xinting Yang, Mengqi Li, Huajing Yu, Mingting Wang, Daming Xu, Chuanheng Sun. "A Trusted Blockchain-Based Traceability System for Fruit and Vegetable Agricultural Products", IEEE Access, 2021 Publication	1 %
13	Jian Xue, Zeeshan Rasool, Mohsin Ali Khan, Ahmad Imran Khan, Farooq Khan, Anum Afzal Khan, Rabail Shoukat, Hina Ali. "The Influence of Substituting Prices, Product Returns, and Service Quality on Repurchase Intention", Complexity, 2021 Publication	1 %
14	Rupesh Kumar, Vishnu Nath. "IT adaptation in sugar supply chain: a study at milling level", International Journal of Logistics Systems and Management, 2020 Publication	1 %

- | | | |
|----|--|-----|
| 15 | Submitted to Hult International Business School, Inc.
Student Paper | 1 % |
| 16 | repo.uum.edu.my
Internet Source | 1 % |
| 17 | Elham Falatoonitoosi, Zulkiflle Leman, Shahryar Sorooshian. "Modeling for Green Supply Chain Evaluation", Mathematical Problems in Engineering, 2013
Publication | 1 % |
| 18 | Rizka Ardiansyah, Yazdi Pusadan, Elimawaty Rombe, Rahmat Mubaraq, Suryadi Hadi, Aristo Indrajaya, Iskandar. "Design of Prototype Information System for Tracking & Tracing Fish Distribution Based on Mobile Agent", IOP Conference Series: Materials Science and Engineering, 2022
Publication | 1 % |
| 19 | akondrahman.github.io
Internet Source | 1 % |
| 20 | Ivan Arnoldi Rahardja, Maulahikmah Galinium, Randy Anthony. "Backend Development of Online Marketplace for Male Beauty Care Services", Proceedings of the International Conference on Engineering and Information Technology for Sustainable Industry, 2020
Publication | 1 % |

21	Submitted to University of Wollongong Student Paper	1 %
22	Prerna Singal, Garima Sharma, Sumanlata Gautam. "Transforming healthcare with blockchain", International Journal of Blockchains and Cryptocurrencies, 2020 Publication	1 %
23	Shuchih E. Chang, Yichian Chen. "When Blockchain Meets Supply Chain: A Systematic Literature Review on Current Development and Potential Applications", IEEE Access, 2020 Publication	1 %
24	Submitted to Cranfield University Student Paper	1 %
25	Submitted to University College London Student Paper	1 %
26	Taufik Limansyah, J. Dharma Lesmono. "A mathematical model for inventory-dependent demand and backorder", AIP Publishing, 2022 Publication	1 %
27	Achim Kampker, Johannes Triebs, Ansgar Hollah, Andreas Unruh. "Remanufacturing of electric vehicles: Challenges in production management", MATEC Web of Conferences, 2020 Publication	<1 %

28	en.wikipedia.org Internet Source	<1 %
29	Lorenz Trautmann, Tim Hübner, Rainer Lasch. "Blockchain concept to combat drug counterfeiting by increasing supply chain visibility", International Journal of Logistics Research and Applications, 2022 Publication	<1 %
30	prism.ucalgary.ca Internet Source	<1 %
31	Submitted to Udayana University Student Paper	<1 %
32	Submitted to Universitas Brawijaya Student Paper	<1 %
33	Submitted to University of Arizona Student Paper	<1 %
34	Victor Wiley, Thomas Lucas. "Computer Vision and Image Processing: A Paper Review", International Journal of Artificial Intelligence Research, 2018 Publication	<1 %
35	hal.science Internet Source	<1 %
36	eprints.untirta.ac.id Internet Source	<1 %

37

Bruno Bogaz Zarpelão, Sylvio Barbon Junior, Amanda Teixeira Badaró, Douglas Fernandes Barbin. "On the use of blockchain for agrifood traceability", Elsevier BV, 2021

Publication

<1 %

38

Krithika L.B.. "Survey on the Applications of Blockchain in Agriculture", Agriculture, 2022

Publication

<1 %

39

"Innovative Mobile and Internet Services in Ubiquitous Computing", Springer Science and Business Media LLC, 2020

Publication

<1 %

40

Kaliyan Mathiyazhagan, Sonu Rajak, Swayam Sampurna Panigrahi, Vernika Agarwal, Deepa Manani. "Reverse supply chain management in manufacturing industry: a systematic review", International Journal of Productivity and Performance Management, 2020

Publication

<1 %

41

S W Setiawan, D Lesmono, T Limansyah. "A Perishable Inventory Model with Return", IOP Conference Series: Materials Science and Engineering, 2018

Publication

<1 %

Exclude bibliography Off