

DAFTAR PUSTAKA

- Allen, L.V., 2002, *The Art, Science, and Technology of Pharmaceutical Compounding*, Secon Edition, 263, 268, 274, 276, American Pharmaceutical Association, USA.
- Alves VD, Mali S, Bele'ia A, Grossmann MVE. 2007. Effect of Glycerol and Amylose Enrichment on Cassava Starch Film Properties. *Journal of Food Engineering* 78: 941–946.
- Anita, Z. 2013. Pengaruh Penambahan Gliserol terhadap Sifat Mekanik Film Plastik Biodegradasi dari Pati Kulit Singkong. *Jurnal Teknik Kimia USU* 2 (2): 37-41.
- Anonim, 1993, *Kodeks Kosmetika Indonesia*, Edisi II. Volume I. 389 – 390, Departemen Kesehatan Republik Indonesia. Jakarta
- Aulton, M.E., 2002, *Pharmaceutics : The Science of Dosage Form Design*, 2nd Ed, 188-195, Churcill Livingstone, Spain.
- Auras, R. 2002. *Poly(Lactic Acid) Film as Food Packaging Materials*. Environmental Coference USA.
- Baillie C. 2004. Green Composites. Polymer Composites and The Enviroment. CRC Press.
- Barriyah, Ummu. 2011. Pembuatan Dan Karakterisasi Plastik Biodegradable Dari Bahan Campuran Pati Jagung Dan Serbuk Tongkol Jagung Dengan Plasticizer Gliserol. Skripsi yang tidak dipublikasikan Surabaya :Unesa University Press.
- Benerito, R.R, Singleton. W.S., 1956, Fat Emulsion Effect of Heat on Solubility of Hydrophilic Emulsifiers, *SpringerLink Journal*, 364
- Botelho, Thiago., Nadia Teixira and Felipe Aguiar, 2004. *Polylactic Acid Production from Sugar Molasses*, International Patent WO 2004/057008 A1.
- Brody, A. L. 2005. *Packaging. Food Technology*, 59,2:65-66.
- Coniwanti , P; Laila, L; dan Alfira, M. R. 2014. "Pembuatan Film Plastik Biodegredabel Dari Pati Jagung Dengan Penambahan Kitosan Dan Pemplastis Gliserol". *Jurnal Teknik Kimia*. No. 4, Vol. 20.

- Damarjana, R.D.A., Affifah, N., Ekafitri, R. dan Mayasti, K.I. 2015. *Pengembangan Blend film Berbasis Pati Ubi Lokal Dengan Fortifikasi Flavor Buah Sebagai Bahan Pengemas Produk Olahan Buah-Buahan*. Pusat Pengembangan Teknologi Tepat Guna, Lembaga Ilmu Pengetahuan Indonesia (LIPI). Subang.
- Damat. 2008. *Efek jenis dan konsentrasi pasticizer terhadap karakteristik edible film dari pati garut butirat*. Agritek 16(3): 333-339.
- El-Hadi, Ahmed M. (2017). *Increase the elongation at break of poly (lactic acid) composites for use in food packaging films*. *Scientific Reports*, 7, 46767.
- Garcia, M, A., Martino, M, N., and Zaritzky, N, E. 2000. *Lipid addition to improve barrier properties of edible starch-based films and coatings*, *Journal of food Science*, 65 (6),94-947.
- Garlotta, D. 2002. "A Literature Review of Poly(Lactic Acid)" dalam *Journal of Polymers and The Environment*, Vol.9. Plenum Publishing Company.
- Gontard, N., Guilbert, S., and Cuq, J. L., (1993). *Water And Glycerol as Plasticizers Affect Mechanical and Water Vapor Barrier Properties of An Edible Wheat Gluten Film*. *Journal of Food Science*. 58, pp. 206-211.
- Greenberg, L.A., 1954, *Handbook of Cosmetic Materials*, 325, Interscience Publishers, Inc., New York
- Grega K, Jozef M, Primoz M, 2009. Differential Thermal Analysis (DTA) and Differential Scanning Calorimetry (DSC) as a Method of Material Investigation. *RMZ-Materials and Geoenvironment*, 57 (1): 127-142.
- Guilbert, S. and B. Biquet. 1996. *Blend film and Coatings*. In : G. Bureau and J.L. Multon (eds). *Food packaging*, volume I. VCH Publishers, New York.
- Hart, H dan Craine, L. 2003. *Kimia Organik*. Edisi II. Penerbit Erlangga. Jakarta.
- Hasna,M. *Gugus Fungsi pada Rantai LDPE*, Bandung. 2005
- Hewitt, P.G. 2003. Conceptual Integrated Science Chemistry. San Fransisco: Pearson Education, Inc.
- Hidayati, S., A.S., Zuidar, A. Ardiani,. 2015. *Aplikasi sorbitol pada produksibiodegradable film dari nata de cassava*. *Reaktor* 15 (3): 196–204.
- Hui, Y. H. 2006, Handbook of Food Science, Technology, and, Engineering Volume I. CRC Press, USA.

- Kaplan, D. L., J. M. Mayer, D. Ball, J. McCassie, A. L. Allen P. Stenhouse. 1994. *Fundamental of Biodegradable Polymers*. In Ching, C., D. L. Kaplan dan E. L. Thomas (eds). *Biodegradable Polymers and Packaging*. Technomic Publishing Company, Inc., USA.
- L.Chen, X.Qiu, Z.Xie, et al. *Carbohydrate Polymers*, 65 (2005) 75 – 80
- Lasprilla, A.J., et al., (2012). *Poly-lactic acid synthesis for application in biomedical devices—A review*. *Biotechnology advances*. 30(1): p. 321-328.
- M. P. STEVENS, *PolymerChemistry*, Jakarta (2007)
- Martinez-Camacho AP, Cortez-Rocha JM, Brauer-Ezquerra AZ, Graciano-Verdugo, Rodriguez-Felix F, Castillo-Ortega MM, Yepiz-Gomez MS, Plascencia-Jatomea M, 2010. *Carbohydrate Polymer*, 82: 305-315.
- Matsumoto, K.i. and S. Taguchi, *Enzymatic and whole-cell synthesis of lactatecontaining polyesters: toward the complete biological production of polylactate*. *Applied microbiology and biotechnology*, 2010. 85(4): p. 921-932.
- McHugh, T.H. and Krochta, J.M., (1994), *Sorbitol vs Glycerol Plasticized Whey Protein Blend film : Integrated Oxygen Permeability and Tensile Property Evaluation*, *Journal Agriculture and Food Chemistry*, 2(4), pp. 841-845.
- McHugh, T.H., Aujard, J.F., and Krochta, J.M., (1994), *Plasticized Whey Protein Blend films: Water Vapor Permeability Properties*, *Journal of Food Science*, 59, pp. 416-419.
- Nadarajah, K., W. Prinyawiwatkul, H.K. No, S. Sathivel, and Z, Xu. 2006. *Sorption Behavior of crawfish chitosan films as affected by chitosan extraction processses and solvent type*.
- Nadiyah, N. 2010. *Biodegradable Biocomposite Starch Based Films Blended With Chitosan dan Gelatin*. Thesis Faculty of Chemical and Natural Resources Engineering. Universiti Malaysia Pahang.
- Oota M, and Ito M.1997. *Process for Preparing Polylactic Acid*. European Patent EP 0796 881 A1.
- Peesan, M.; Supaphol, P. & Rujiravanit R. (2005). *Preparation and characterization of hexanoyl chitosan/polylactide blend films*. *Carbohydrate Polymers*, Vol.60, No.3, pp. 343-350.

- Perdana, Y.A. 2016. *Perbandingan penambahan plasticizer gliserol-sorbitol terhadap biodegradasi dan karakteristik pectin kulit jeruk Bali (Citrus maxima)- pati onggok singkong*. Skripsi. Program Sains dan Teknologi. Universitas Islam Negeri Sunan Kalijaga. Yogyakarta.
- Purwanti, A. (2010). Analisis *Tensile strength* dan Elongasi Plastik Kitosan Terplastisasi Sorbitol. *Jurnal Teknologi*, 3(2), 99-106.
- Purwitasari, D. 2001. *Pembuatan blend film (kajian konsentrasi suspensi tapioka dan konsentrasi karaginan terhadap sifat fisik blend film)*. Jurusan Teknologi Hasil Pertanian, Fakultas Teknologi Pertanian, Universitas Brawijaya, Malang. Susanto, T. dan Saneto. 1994. Teknologi pengemasan bahan makanan. Family, Blitar.
- Pushpadass HA, Robert WW, Joseph JD, Milford AH. 2010. Biodegradation characteristics of starch-polystyrene loose-fill foams. in a composting medium. *Bioresource Technology* 101: 7258–7264.
- Qiu-Ping Zhong and Wen-Shui Xia. 2008. Physicochemical Properties of Edible film and Preservative Film from Chitosan/ Cassava/ Starch/ Gelatin Blend Plasticized with Glycerol. *J. Food Technol. Biotechnol* 46 (3). p.262-269
- Rahmayetty, Nufus Kanani, Endarto Yudo W. 2018. *Pengaruh Penambahan PLA Pada Pati Terplastisasi Gliserol Terhadap Sifat Mekanik Blend Film*. Jurnal Teknik Kimia. Jakarta : Fakultas Teknik Universitas Muhammadiyah Jakarta.
- Rimadianti, N. 2007. *Karakteristik blend film dari isinglass dengan penambahan sorbitol sebagai plasticizer*. Skripsi. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Bogor.
- Robertson, L.G. 1992. *Food packaging principles and practice*. Marcel Dekker, New York.
- Rowe, R.C., Sheskey, P.J., Quinn, M.E., 2006, *Handbook of Pharmaceutical Excipients*, Sixth Edition, 549 – 553, Pharmaceutical Press, London.
- Samsul Aripin, Bungaran, Elvi. 2017. *Studi Pembuatan Bahan Alternatif Plastik Biodegradable dari Pati Ubi Jalar dengan Plasticizer Gliserol*. Teknik Mesin. Universitas Bhayangkara Jakarta Raya, Jakarta.
- Sanjaya, I Gede dan Puspita, Tyas. 2011 *Pengaruh Penambahan Khitosan dan Plasticizer Gliserol pada Karakteristik Plastik Biodegradable dari Pati Kulit Singkong*. Laboratorium Pengolahan Industri Jurusan Teknik Kimia Fakultas Teknologi Industri ITS.

- Saputra, A., M. Lutfi, dan E. Masruroh. 2015. *Studi pembuatan dan karakteristik sifat mekanik plastik biodegradable berbahan dasar ubi suweg (Amorphophallus campanulatus)*. J. Keteknikan Pertanian Tropis dan Biosistem. 3(1): 1–6.
- Sheth,M. et al., (1997). *Biodgradable polymer blends of poly(lactic acid) and poly(ethylene glycol)*. Journal of Applied Polymer Science, Vol.66, No.8, pp. 1495-1505.
- Sutiani A. 2009. Metoda Karakterisasi Bahan Polimer. Jurnal Kultura 10 No.01 FMIPA UNIMED
- Taggart, P. 2004. *Starch as an ingredient : manufacture and applications*. Dalam: Eliasson A.C (ed.). 2004. Starch in Food : Structure, Function, and Applications. CRC Press, Boca Raton.
- Wahyu, Maulana Karnadidjaja. 2008. Pemanfaatan Pati Singkong Sebagai Bahan Baku *Blend film*. LKTI: Bandung Universitas Padjadjaran.
- Waldi, J. 2007. Pembuatan Bioplastik Poli-Hidroksialcanoat (PHA) yang dihasilkan oleh Rastoniaeutropha pada Substrat Hidrolisat Pati Sagu dengan Pelestik Isopropil Palmitat. [skripsi]. Fakultas Pertanian IPB, Bogor.
- Wang Z, Qu B, Fan W, Hu Y, Shen X. 2002. Effects of PE-g-DBM as a compatibilizer on mechanical properties and crystallization behaviors of magnesium hydroxide-based LLDPE blends. *Polymer Degradation and Stability* 76: 123–128.
- Waryat, Romli, Suryani, Yuliasih, Johan. 2013. *Penggunaan Compatibilizer Untuk Meningkatkan Karakteristik Morfologi, Fisik dan Mekanik Plastik Biodegradable Berbahan Baku Pati Termoplastik Polietilen*. Jurnal Sains Materi Indonesia Vol.14 No.3, pp.214 – 221
- Xiao, Lin, Wang, Bo, Yang, Guang, & Gauthier, Mario. *Poly (Lactic Acid)-Based Biomaterials : Synthesis, Modification and Applications*. Biomedical Science, Engineering and Technology
- Yu, Long, Dean, Katherine, & Li, Lin. (2006). *Polymer blends and composites from renewable resources*. Progress in polymer science, 31(6), 576-602.
- Zuo, Yingfeng, Gu, Jiyou, Yang, Long, Qiao, Zhibang, Tan, Haiyan, & Zhang, Yanhua. (2014). *Preparation and characterization of dry method esterified starch/polylactic acid composite materials*. International journal of biological macromolecules, 64, 174-180.