

DAFTAR PUSTAKA

- Badan Pusat Statistik. (2022). Statistik Produksi Kehutanan 2021. Badan Pusat Statistik. Jakarta.
- Badan Pusat Statistik. (2022). Statistik Produksi Telur Ayam Petelur 2022. Badan Pusat Statistik. Jakarta.
- Adediran, A. A., Akinwande, A. A., Balogun, O. A., Adesina, O. S., Aliyu, S. J., Erinle, T. J., Nyika, J., & Olayanju, A. (2021). Selected properties of waste wig, eggshell and waste paper hybrid composites as potential material for wall partitioning. *Materials Today: Proceedings*, *44*, 2828–2836. <https://doi.org/10.1016/j.matpr.2020.12.1164>
- Akbar, T., Ferawati, F., & Ariastuti, I. (2021). Pelatihan Keterampilan Pemanfaatan Cangkang Telur untuk Produk Seni Kerajinan bagi Kelompok Ibu Rumah Tangga Kota Padang Panjang. *Jurnal Abdidas*, *2*(2), 186–192. <https://doi.org/10.31004/abdidas.v2i2.251>
- Banga, H., Singh, V. K., & Choudhary, S. K. (2015). *Fabrication and Study of Mechanical Properties of Bamboo Fibre Reinforced Bio-Composites*.
- Bhatia, S., Angra, S., & Khan, S. (2019). Mechanical and wear properties of epoxy matrix composite reinforced with varying ratios of solid glass microspheres. *Journal of Physics: Conference Series*, *1240*(1), 012080. <https://doi.org/10.1088/1742-6596/1240/1/012080>
- Cao, X., Li, F., Zheng, T., Li, G., Wang, W., Li, Y., Chen, S., Li, X., & Lu, Y. (2022). Cellulose-based functional hydrogels derived from bamboo for product design. *Frontiers in Plant Science*, *13*, 958066. <https://doi.org/10.3389/fpls.2022.958066>
- De Boever, L., Vansteenkiste, D., Van Acker, J., & Stevens, M. (2007). End-use related physical and mechanical properties of selected fast-growing poplar hybrids (*Populus trichocarpa* × *P. deltoides*). *Annals of Forest Science*, *64*(6), 621–630. <https://doi.org/10.1051/forest:2007040>
- Diharjo, K. (2006). Pengaruh Perlakuan Alkali terhadap Sifat Tarik Bahan Komposit Serat Rami-Polyester. *Jurnal Teknik Mesin*, *8*(1), 8–13.

- Faizah, M., Himmah, F., Fitriyah, L., & Solikhah, N. A. (2022). Limbah Cangkang Telur sebagai Lukisan Kaligrafi. *Jumat Ekonomi: Jurnal Pengabdian Masyarakat*, 3(2), 82–85. https://doi.org/10.32764/abdimas_ekon.v3i2.2416
- Fathanah, U., & Sofyana, S. (2013). Pembuatan Papan Partikel (Particle Board) dari Tandan Kosong Sawit dengan Perekat Kulit Akasia dan Gambir. *Jurnal Rekayasa Kimia & Lingkungan*, 9(3), 138–143. <https://doi.org/10.23955/rkl.v9i3.783>
- Fawaid, M., & Hamdi, S. (2013). *Pengaruh Variasi Tekanan Kompaksi Terhadap Karakteristik Komposit Bahan Alternatif Kampas Rem Berpenguat Serat Bambu*.
- Fawaid, M., Lusiani, R., & Parulian, R. (2017). *PENGARUH BUTIRAN FILLER KAYU SENGON TERHADAP KARAKTERISTIK PAPAN PARTIKEL YANG BERPENGUAT SERAT TANDAN KOSONG KELAPA SAWIT*. 11(1).
- Fernandes, E. de A., & Litz, F. H. (2017). *The Eggshell and Its Commercial and Production Importance*. <http://dx.doi.org/10.1016/B978-0-12-800879-9.00025-1>
- Gupta, A. (2016). Synthesis, chemical resistance, and water absorption of bamboo fiber reinforced epoxy composites. *Polymer Composites*, 37(1), 141–145. <https://doi.org/10.1002/pc.23164>
- Handani, S. (2012). SIFAT MEKANIK PAPAN PARTIKEL SEKAM PADI DENGAN RESIN POLYESTER TAK JENUH (YUKALLAC 157). *JURNAL ILMU FISIKA / UNIVERSITAS ANDALAS*, 4(1), 26–30. <https://doi.org/10.25077/jif.4.1.26-30.2012>
- Harms, R. H. (1991). Specific Gravity of Eggs and Eggshell Weight from Commercial Layers and Broiler Breeders in Relation to Time of Oviposition. *Poultry Science*, 70(5), 1099–1104. <https://doi.org/10.3382/ps.0701099>
- Hassan, S. B., & Aigbodion, V. S. (2015). Effects of eggshell on the microstructures and properties of Al–Cu–Mg/eggshell particulate

- composites. *Journal of King Saud University - Engineering Sciences*, 27(1), 49–56. <https://doi.org/10.1016/j.jksues.2013.03.001>
- Hussein, A. A., Salim, R. D., & Sultan, A. A. (2011). Water absorption and mechanical properties of high – density polyethylene/ egg shell composite. *Journal of Basrah Researches*, 37.
- Irnawan, D., Karomah, B., & Km, P. (2019). KAJIAN UKURAN SERBUK KOMPOSIT LIMBAH CANGKANG TELUR TERHADAP KETANGGUHAN IMPAK. *Journal of Architecture and Built Environment*, 1.
- Joshi, S. V., Drzal, L. T., Mohanty, A. K., & Arora, S. (2004). Are natural fiber composites environmentally superior to glass fiber reinforced composites? *Composites Part A: Applied Science and Manufacturing*, 35(3), 371–376. <https://doi.org/10.1016/j.compositesa.2003.09.016>
- Kosjoko. (2014). PENGARUH PERENDAMAN (NaOH) TERHADAP KEKUATAN TARIK DAN BENDING BAHAN KOMPOSIT SERAT BAMBU TALI (GIGANTOCHLOA APUS) BERMATRIKS POLYESTER. *INFO TEKNIK*, 15, 139–148.
- Leto, K. T. (2021). Pemanfaatan Serbuk Gergaji Kayu Jati dan Sengon sebagai Bahan Dasar Penghasil Gula Reduksi. *Variabel*, 4(1), 21. <https://doi.org/10.26737/var.v4i1.2424>
- Manalo, A. C., Wani, E., Zukarnain, N. A., Karunasena, W., & Lau, K. (2015). Effects of alkali treatment and elevated temperature on the mechanical properties of bamboo fibre–polyester composites. *Composites Part B: Engineering*, 80, 73–83. <https://doi.org/10.1016/j.compositesb.2015.05.033>
- Manik, P. (2017). *Analisa Teknis Dan Ekonomis Penggunaan Bambu Laminasi Apus Dan Petung Sebagai Material Alternatif Pembuatan Komponen Kapal Kayu*. 5(2).
- Mardhika, S., & Rosa, F. (2016). ANALISA KEKUATAN MEKANIK KOMPOSIT SERAT SABUT KELAPA (COCOS NUCIFERA) UNTUK PEMBUATAN PANEL PANJAT TEBING SESUAI STANDAR BSAPI. 2(1).

- Nkeuwa, W. N., Zhang, J., Semple, K. E., Chen, M., Xia, Y., & Dai, C. (2022). Bamboo-based composites: A review on fundamentals and processes of bamboo bonding. *Composites Part B: Engineering*, 235, 109776. <https://doi.org/10.1016/j.compositesb.2022.109776>
- Owuamanam, S., & Cree, D. (2020). Progress of Bio-Calcium Carbonate Waste Eggshell and Seashell Fillers in Polymer Composites: A Review. *Journal of Composites Science*, 4(2), 70. <https://doi.org/10.3390/jcs4020070>
- Palan, A., Pappang, R., Salam, L., & Salu, S. (2018). *ANALISIS KEKUATAN TARIK KOMPOSIT. 1.*
- Perdana, M., Hadi, S., & Rahman, E. G. (2018). ANALISA SIFAT FISIK DAN MEKANIK DARI GREEN COMPOSITE MATERIAL DARI LIMBAH STYROFOAM, AMPAS TEBU DAN CANGKANG TELUR SEBAGAI RANGKA DRONE. *Jurnal Momentum*, 20.
- Puspita, F. W. (2017). *SYNTHESIS AND CHARACTERIZATION OF HYDROXYAPATITE FROM SHELL EGGS RACE CHICKEN (GALLUS GALLUS) USING WET DEPOSITION METHOD.* 6(1).
- Puspitasari, P., Utomo, D. M., Zhorifah, H. F. N., Permanasari, A. A., & Gayatri, R. W. (2020). Physicochemical Determination of Calcium Carbonate (CaCO₃) from Chicken Eggshell. *Key Engineering Materials*, 840, 478–483. <https://doi.org/10.4028/www.scientific.net/KEM.840.478>
- Rangga, D. P., Hartono, P., & Basjir, M. (2023). Analisis Pengaruh Serbuk Cangkang Telur Dan Serat Tebu Sebagai Komposit Terhadap Sifat Mekanis. *Jurnal Teknik Mesin*, 18(5), 56–63.
- Rofaida, A., Pratama, R. M., Sugiarta, I. W., & Widianty, D. (2021). SIFAT FISIK DAN MEKANIK PAPAN PARTIKEL AKIBAT PENAMBAHAN FILLER SERAT BAMBU: Physical and Mechanical Properties of Particle Board Due to Addition of Filler Bamboo Fibre. *Spektrum Sipil*, 8(1), 1–11. <https://doi.org/10.29303/spektrum.v8i1.187>
- Ruhendi, S., Koroh, D. N., Syamani, F. A., & Yanti, H. (2007). Analisis Perekat Kayu. *Fakultas Kehutanan*.
- Sevinç, A. H., & Durgun, M. Y. (2021). A novel epoxy-based composite with eggshell, PVC sawdust, wood sawdust and vermiculite: An investigation

- on radiation absorption and various engineering properties. *Construction and Building Materials*, 300, 123985. <https://doi.org/10.1016/j.conbuildmat.2021.123985>
- Sosiati, H., Wahyono, T., Firmansyah, W. A., Irawansyah, M., Utama, D. S., & Farahsani, Y. (2022). Meja Hibrid Berbasis Limbah Serbuk Gergaji dan Cangkang Telur untuk Pasien Rumah Sakit. *Wikrama Parahita : Jurnal Pengabdian Masyarakat*, 6(1), 55–61. <https://doi.org/10.30656/jpmwp.v6i1.3866>
- Sulastiningsih, I. M., Novitasari, N., & Turoso, A. (2006). PENGARUH KADAR PEREKAT TERHADAP SIFAT PAPAN PARTIKEL BAMBU. *Jurnal Penelitian Hasil Hutan*, 24(1), 1–8. <https://doi.org/10.20886/jphh.2006.24.1.1-8>
- Sunardi, S., Putra, R., Lusiani, R., & Sudrajad, A. (2022). *PVAc/Epoxy Resin Ratio as Hybrid Matrix toward Hardness and Thickness Swelling of Particleboards Reinforced of Oil Palm Empty Fruit Bunch (OPEFB)*.
- Susanto, H., Lusiani, R., Saefuloh, I., Akbar, H., & Fawaid, M. (2023). *Pengaruh perendaman bambu dengan air laut terhadap kekerasan dan laju keausan komposit kanvas rem*. 12(1).
- Sutiawan, J., Mardhatillah, S., Hermawan, D., Aulya Syamani, F., Subyakto, S., & Surya Kusumah, S. (2020). KARAKTERISTIK PAPAN PARTIKEL CAMPURAN LIMBAH SENGON DAN BAGAS SORGUM MENGGUNAKAN PEREKAT ASAM SITRAT. *Jurnal Penelitian Hasil Hutan*, 38(3), 139–150. <https://doi.org/10.20886/jphh.2020.38.3.139-150>
- Taha, S. R., & Mukhtar, M. (2022). *PEMANFAATAN CANGKANG TELUR SEBAGAI PUPUK ORGANIK DIDESA OMBULODATA, GORONTALO UTARA*. 1(2).
- Xu, Z., Chu, Z., Yan, L., Chen, H., Jia, H., & Tang, W. (2019). Effect of chicken eggshell on the flame-retardant and smoke suppression properties of an epoxy-based traditional APP-PER-MEL system. *Polymer Composites*, 40(7), 2712–2723. <https://doi.org/10.1002/pc.25077>