

## DAFTAR PUSTAKA

- Aaron Wade, T. M. (2020). Multi-Length Scale Analysis of Individual NMC811 Particle Degradation Using X-Ray Computed Tomography. *The Electrochemical Society*, 2(11), 23. DOI 10.1149/MA2020-021123mtgabs
- Adam Sobkowiak, M. R.-W. (2013, june). Understanding and Controlling the Surface Chemistry of LiFeSO<sub>4</sub>F for an Enhanced Cathode Functionality. *Chemistry of Materials*. doi:<https://doi.org/10.1021/cm401063s>
- Asmae Berrada, K. L. (2019). Energy Storage. In *Gravity Energy Storage* (pp. 1-23). Elsevier. <https://doi.org/10.1016/B978-0-12-816717-5.00001-3>
- Aurelien Du Pasquier, I. P. (2003, march). A comparative study of Li-ion battery, supercapacitor and nonaqueous asymmetric hybrid devices for automotive applications. *Journal of Power Sources*, 115(1), 171-178. [https://doi.org/10.1016/S0378-7753\(02\)00718-8](https://doi.org/10.1016/S0378-7753(02)00718-8)
- Basak, S. D. (2022, September). Characterizing battery materials and electrodes via in situ/operando transmission electron microscopy. *The Journal of Chemical Physics*. <https://doi.org/10.1063/5.0075430>
- Benjamin Schumma, S. K. (2023). Dry battery electrode processing, what's next? *Next Energy*, 2023. doi:<https://doi.org/10.1016/>
- Capkova, D. (2023). Investigation of the temperature and DOD effect on the performance-degradation behavior of lithium–sulfur pouch cells during calendar aging. *Applied Energy*, 332. <https://doi.org/10.1016/j.apenergy.2022.120543>
- Chladil L, K. D. (2021). In-situ XRD study a chromium doped LiNi<sub>0.5</sub>Mn<sub>1.5</sub>PO<sub>4</sub> Cathode for Li-Ion Battery. *J.Energy Storage*. <http://dx.doi.org/10.1016/j.est.2021.102907>.
- Emiliano N. Primo, M. C. (2021). Understanding the calendaring processability of LNMC333-based cathodes. *Journal of Power Sources*, 1-11.
- Fisher, M. S. (2014). Lithium and sodium battery cathode materials: computational insights into voltage, diffusion and nanostructural properties. *Chemical Society Reviews*(1). <https://pubs.rsc.org/en/content/articlelanding/2014/cs/c3cs60199d>

- Guo, D. W. (2016). Co-modification of NMC532 cathode materials with zirconium substitution and surface polypyrrole coating: towards superior high voltage electrochemical performances for lithium ion batteries. *Electrochimica Acta*, 196, 101-109. <https://doi.org/10.1016/j.electacta.2016.02.156>
- Hajime Arai, S. O.-i. (1998). Thermal behavior of  $\text{Li}_{1-y}\text{NiO}_2$  and the decomposition mechanism. *Solid State Ionics*, 295-302. [https://doi.org/10.1016/S0167-2738\(98\)00075-7](https://doi.org/10.1016/S0167-2738(98)00075-7)
- K. Mizushima, P. J. (1980).  $\text{Li}_x\text{CoO}_2$  ( $0 < x < 1$ ): A new cathode material for batteries of high energy density. *Materials Research Bulletin*, 15(6), 783-789. doi:[https://doi.org/10.1016/0025-5408\(80\)90012-4](https://doi.org/10.1016/0025-5408(80)90012-4)
- K. M. Shaju, P. B. (2006). Macroporous LNMC333: A High-Power and High-Energy Cathode for Rechargeable Lithium Batteries. *Advanced Materials*, 18(17), 2330-2334. <https://doi.org/10.1002/adma.200600958>
- K. Beard. (2019). *Lindens Handbook of Batteries, 5th Ed.* McGraw Hill Education.
- Li, J., Zhang, M., Dongyan, & Yan, Y. (2020). Effect of Sintering Conditions on Electrochemical Properties of NMC811 as Cathode Material. *International Journal of Electrochemical Science*, 1881 – 1892,. doi:[doi:10.20964/2020.03.63](https://doi.org/10.20964/2020.03.63)
- Li, V. D., & Lee, J. (2018). Na-doped layered  $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$  with improved rate capability and cycling stability. *Journal of Solid State Electrochemistry*, 22, 1165-1173.
- Lukman Noerochim, S. a. (2021). Recent Development of Nickel-Rich and Cobalt-Free Cathode Materials for Lithium-Ion Batteries. *Journal of the electrochemical society*, 7(4), 84. <https://doi.org/10.3390/batteries7040084>
- Lvwei Huang, b. Z. (2019). Thermal runaway behavior during overcharge for large-format lithium-ion batteries with different packaging patterns. *Journal Energy of Storage*.
- Martins, L., Guimarães, L., Botelho Junior, A., Tenório, J., & Espinosa, D. (2021). Electric Car Battery: An overview on Global Demand, Recycling and Future Approaches towards Sustainability. *J. Environ. Manag*, 295. <https://doi.org/10.1016/j.jenvman.2021.113091>

- Miao, Y., Hynan, P., Von Jouanne, A., & Yokochi, A. (2019). Current Li-ion Battery Technologies in Electric Vehicles and Opportunities for Advancements. *Energies*(12). <http://doi.org/10.3390/en12061074>
- N. Recham, J.-N. C.-M. (2009, November). A 3.6 V Li-based fluorosulphate insertion positive electrode for LIB. *Nature Materials*, 9, 68-74.
- Naoki Nitta, F. W. (2015, June 5). Li-ion battery materials: present and future. *Materials Today*, 18. <http://dx.doi.org/10.1016/j.mattod.2014.10.040>
- Nina Meddings, M. H.-S. (2020). Application of electrochemical impedance spectroscopy to commercial Li-ion cells: A review. *Journal of Power Sources* , 1-27.
- Nutthaphon Phattharasupakun, J. W. (2021). Core-shell Ni-rich NMC-Nanocarbon cathode from scalable solvent-free mechanofusion for high-performance 18650 Li-ion batteries. *Energy Storage Materials*(36), 485-495. <https://doi.org/10.1016/j.ensm.2021.01.032>
- Purwamargapratala, Y., Hardian, M., Pinem, M. P., Kartini, E., & Zulfa, A. (2023). The Effect of Increasing the Thickness of NMC541 Cathode Calendaring on the Performance of Lithium-Ion Batteries. *Journal of Electronic Materials*. <https://doi.org/10.1007/s11664-023-10783-2>
- Purwamargapratala, Y., Safitri, J. F., Nursanto, E. B., Jodi, H., Kartini, E., & Zulfia, A. (2023). EFFECT OF AMMONIA ON THE SYNTHESIS OF NMC 541 CATHODE MATERIALS WITH THE SOL-GEL METHOD. *Jurnal Sains Materi Indonesia (JUSAMI)*.
- Purwamargapratala, Y., Sari, C. N., & Kartini, E. (2021). Effect of yttrium oxide Y<sub>2</sub>O<sub>3</sub> on the conductivity of LNCM523 as lithium-ion batteries cathode material. *AIP Conference Proceedings*. <https://doi.org/10.1063/5.0066405>
- Purwamargapratala, Y., Sudaryanto, & Akbar., F. (2020). Neutron tomography study of a lithium-ion coin battery. *IOP Conf. Series: Journal of Physics: Conf. Series*, 1436. doi:doi:10.1088/1742-6596/1436/1/012029
- Purwamargapratala, Y., Syahrial, A. Z., Putra, T. Y., Kartini, E., & Jodi, H. (2023). The Conductivity Enhancement of 1.5Li<sub>2</sub>O-P<sub>2</sub>O<sub>5</sub> Solid Electrolytes by Montmorillonite Addition. *International Journal of Renewable Energy Development*, 186-192.

- Roth, D. H. (2012). A General Discussion of Li Ion Battery Safety. *The Electrochemical Society Interface*, 21, 37. DOI 10.1149/2.F03122if
- Sadik-Zada, E. R. (2023). Sustainable management of lithium and green hydrogen and long-run perspectives of electromobility. *Journal of The Electrochemical Society*, 12, 1992. DOI: 10.1016/j.techfore.2022.121992
- Salvatore, A. A., Bruce, P., Scrosati, B., Tarascon, J.-M., & Schalkwijk, W. v. (2005). Nanostructured materials for advanced energy conversion and storage devices. *Nature Materials*, 77. DOI: 10.1038/nmat1368
- Schröder, R., Aydemir, M., & Seliger, G. (2017). Comparatively assessing different shapes of lithium-ion battery cells. *Procedia Manufacturing*, 104-111. doi: 10.1016/j.promfg.2017.02.013
- Shen, X., Zhang, X., Ding, F., Huang, J., Xu, R., & Chen. (2021). Advanced Electrode Materials in Lithium Batteries: Retrospect and Prospect. *Energy Mater. Adv.* <http://doi.org/10.34133/2021/1205324>
- Sudaryanto, Purwamargapratala, Y., Yulianti, E., Honggowiranto, W., & Kartini., E. (2020). Electrochemical Impedance Spectroscopy Study. *IOP Conf. Series: Materials Science and Engineering*, 924. doi:10.1088/1757-899X/924/1/012035
- Surendra K. Martha, O. H. (2011). On the Thermal Stability of Olivine Cathode Materials for Lithium-Ion Batteries. *Journal of The Electrochemical Society*, 158. DOI 10.1149/1.3622849
- Thomas Entwistle, E. e. (2022). Co-precipitation synthesis of nickel-rich cathodes for Li-ion batteries. *Energy Reports*, 67-73. <https://doi.org/10.1016/j.egy.2022.06.110>
- Tianmei Chen, Y. H. (2020, April). Applications of Lithium-Ion Batteries in Grid-Scale Energy Storage Systems. *Tianjin University*, 26, 209-217.
- Tsai, W. (2018). Single-particle measurements of electrochemical kinetics in NMC and NCA cathodes for Li-ion batteries. *Energy environment science*, 4(11), 860-871. [http://refhub.elsevier.com/S2405-8297\(21\)00038-6/sbref0003](http://refhub.elsevier.com/S2405-8297(21)00038-6/sbref0003)
- Wang, D., Liu, W., Zhang, X., Huang, (2019). Review of Modified Nickel-Cobalt Lithium Aluminate Cathode Materials for Lithium-Ion Batteries. *International journal of Photoenergy*. <http://doi.org/10.1155/2019/2730849>

- Warner, J. T. (2019). Lithium-ion cell Manufacturing. Dalam J. T. Warner, *Lithium-Ion Battery Chemistries: A Primer* (hal. 222-248). Elsevier Science.
- Whittingham, M. (2004). Lithium Batteries and Cathode Materials. *Chemical Review*, 10(104), 4271-4302. <https://doi.org/10.1021/cr020731c>
- Wua, X., Bai, Y., & Li, Z. (2020). Effects of Charging Rates on LNMC622/Graphite Li-ion Cells. *U.S. Department of Energy*. <http://energy.gov/downloads/doe-public-access-plan>
- Xiaopei Zhu, L. C.-Z. (2022). Critical rate capability barrier by the (001) microtexture of a single-crystal cathode for long lifetime lithium-ion batteries. *Journal of Materiomics*, 8(3), 649-655. <https://doi.org/10.1016/j.jmat.2021.11.008>
- Yang, F., Wang, D., Zhao, Y., Tsui, K. L., & Bae, a. S. (2018). A study of the relationship between coulombic efficiency and capacity degradation of commercial lithium-ion batteries. *Energy*, 145, 486–495.
- Yi, Z. (2017). Controllable Synthesis of NMC532OH By a Co-precipitation Method. *Advances in Engineering Research*, 141. <https://www.atlantispress.com/proceedings/icmmce-17/25882388>
- Ylva Olofsson, J. G. (2014). *Impedance spectroscopy characterisation of automotive NMC/graphite Li-ion cells aged with realistic PHEV load profile*. Ljubljana, Slovenia: University of Ljubljana.
- Yongquan Sun, S. Z. (2021). Calendar degradation of LIB under high storage temperature based on EIS. *Microelectronics Reliability*. <https://doi.org/10.1016/j.microrel.2021.114316>
- Yuan, K., Tu, T., Shen, C., Zhou, L., Liu, J., li, J., & Xie, K. (2022). Self-ball milling strategy to construct high-entropy oxide coated LNMC811 with enhanced electrochemical performance. *Journal of Advanced Ceramics*, 11(6), 882-892. <https://doi.org/10.1007/s40145-022-0582-6>
- Zhu, J. a. (2019). Single-crystal based studies for correlating the properties and high-voltage performance of Li[NixMnyCo1-x-y]O2 cathodes. *Journal of Materials Chemistry*, 5463-5474. <https://doi.org/10.1039/c8ta10329a>