

DAFTAR PUSTAKA

Almeida, R. A., Vieira, D., Bielefeldt, W. V., & Vilela, A. C. (2017). Slag foaming fundamentals - A critical assessment. *Materials Research*, 20(2), 474-480. <https://doi.org/10.1590/1980-5373-mr-2016-0059>.

Apriliani, N. F. "Pengaruh Penambahan Larutan $MgCl_2$ pada Sintesis Kalsium Karbonat Presipitat Berbahan Dasar Batu Kapur dengan Metode Karbonasi", *Sains dan Seni ITS*, 1(1), pp. B30–B34. 2012.

ASTM C20-00. (2015). Standard Test Methods for Apparent Porosity , Water Absorption , Apparent Specific Gravity , and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water. *American Society for Testing and Materials*, 00(Reapproved 2015), 1–3. <https://doi.org/10.1520/C0020-00R10.2>.

ASTM D1762-84 (2013) Standard Test Method for Chemical Analysis of Wood Charcoal. ASTM International, West Conshohocken. <http://www.astm.org/Standards/D1762.htm>.

ASTM D 5142-02., 1994, "Standard Test Methods for Proximate Analysis of the Analysis Sample of Coal and Coke by Instrumental Procedures", *Society*, pp. 1–6.

ASTM E9 – 9 (2000). Test methods of compression testing of metallic materials at room temperature. (n.d.). <https://doi.org/10.1520/e0009-89ar95>.

Brämning, M. (2010). Avoiding Slopping in Top-Blown BOS Vessels. Luleå University of Technology Department of Chemical Engineering and Geosciences

Division of Extractive Metallurgy SE-971 87 Luleå Sweden.
https://pure.ltu.se/portal/files/5159297/Mats_Bramming_Lic2010.pdf.

Cheng, A. S., Yen, T., Liu, Y. W., & Sheen, Y. N. (2008). Relation between porosity and compressive strength of slag concrete. Proceedings of the 2008 Structures Congress - Structures Congress 2008: Crossing the Borders, 314.
[https://doi.org/10.1061/41016\(314\)310](https://doi.org/10.1061/41016(314)310).

Che, Y., Ban, S. L., Cui, J. Y., Chen, G., & Song, Y. P. (2010). Effect of specimen shape and size on compressive strength of concrete. *Advanced Materials Research*, 163-167, 1375-1379. <https://doi.org/10.4028/www.scientific.net/amr.163-167.1375>.

Ciocan, A., 2012, "*Assessment of Blast Furnace Slag Transformation Into value Added by-Products on Basis on Knowledge of Slag Characteristics*", pp. 38–48.

Dicker, Jonathan., 2014, "*Monitoring of Slag Foaming and Other Performance Indicators in an Electric Arc Furnace*", *School of Materials Science and Engineering*.

Djoko Perwonto., 2009, "Analisa Jenis Limbah Kayu Pada Industri Pengolahan Kayu"
https://www.researchgate.net/publication/314241565_ANALISA_JENIS_LIMBAH_KAYU_PADA_INDUSTRI_PENGOLAHAN_KAYU.

Fernandez-Anez, "*Flammability Properties of Thermally Dried Sewage Sludge*", *Fuel*. Elsevier Ltd, 134. 2014.

Geum Chang Hoon, "*Matters for Depressing Slag*" Korea Patent No. 101485033B1, 2012.

Gugyeonghoe., 2007, “*Matters for Depressing Slag Foaming and the Method for Adding It*”, South Korea Patent No. 100946375B1.

Gupta, R. C., 2010, *Theory and Laboratory Experiments in Ferrous Metallurgy*. PHI Learning Private Limited.

Gupta, S. K., Prasad, A., Chatterjee, A., Kumar, M., Ghosh, S., & Datta, R. (2015). Adoption of Sinter Addition in Steelmaking Converter to Control Spitting. *Journal of Metallurgy*, 1–5. <https://doi.org/10.1155/2015/187042>.

Heenatimulla, J., Brooks, G. A., Dunn, M., Sly, D., Snashall, R., & Leung, W. (2022). Acoustic analysis of slag foaming in the BOF. *Metals*, 12(7), 1142. <https://doi.org/10.3390/met12071142>.

Horisawa, S., Sunagawa, M., Tamai, Y., Matsuoka, Y., Miura, T., & Terazawa, M. (1999). Biodegradation of nonlignocellulosic substances II: Physical and chemical properties of sawdust before and after use as artificial soil. *Journal of Wood Science*, 45(6), 492-497. <https://doi.org/10.1007/bf00538959>.

Indonesia Eximbank Institute. (2018). Analisa Rantai Pasok (Supply Chain) Komoditas Unggulan Ekspor Indonesia : Pulp & Kertas. In Analisa Rantai Pasok (Supply Chain) Komoditas Unggulan Ekspor Indonesia. LEMBAGA PENGEMBANGAN BISNIS DAN INKUBASI UNIVERSITAS AIRLANGGA.

James Pandiangan, R. K., 2015, "*Perbandingan Pengaruh Penggunaan Steel Slag Sebagai Agregat Halus Terhadap Kuat Tekan Dan Lentur Pada Beton Bertulang Dengan Beton Normal (Studi Eksperimental)*".

Kambuna, B. N., Oediyani, S., Salman, D. I., & Kusnadi, K. (2021). The effect of composition and shape variations on compressive strength slag depressant. *Teknika: Jurnal Sains dan Teknologi*, 17(2), 211. <https://doi.org/10.36055/tjst.v17i2.12371>.

Kanamori, T., & Nashiwa, H., 2001, *Depressant for Foaming of Iron and Steel Slag* (Patent No. JP2001032007A).

Karim, G. A., Susilowati, E., & Pratiwi, W., 2018, Pengaruh Ground Granulated Blast Furnace Slag Terhadap Sifat Fisika Semen Portland Jenis-I the Effect of Ground Granulated Blast Furnace Slag on Physical Properties of Portland Cement Type I. *Jurnal Teknologi Bahan Dan Barang Teknik*, 47–52.

Kyun, K. M., 2017, *Deslopping agent of Converter having waste red mud and method for manufacturing the same* (Patent No. KR101736625B1).

Maschio, S., Furlani, E., Tonello, G., Faraone, N., Aneggi, E., Minichelli, D., Fedrizzi, L., Bachiorrini, A., & Bruckner, S. (2009). Fast firing of tiles containing paper mill sludge, glass cullet and clay. *Waste Management*, 29 (11), 2880–2885. <https://doi.org/10.1016/j.wasman.2009.06.016>.

Matsuzawa, Reihiro., 2008, “*Slag Foaming Killing Material, and Slag Foaming Killing Method*”, South Korea Patent No. 101234483B1.

Miyamoto, T., Akahane, K., Torii, K., & Hayashiguchi, S., 2015, Production and Use of Blast Furnace Slag Aggregate for Concrete. *NIPPON STEEL & SUMITOMO METAL TECHNICAL REPORT No. 109 JULY 2015*, 109, 102–108.

Nangaro, R. A., Tamod, Z. E., & Tinah, T. (2020). *ANALISIS KANDUNGAN BAHAN*

ORGANIK TANAH DI KEBUN TRADISIONAL DESA SEREH KABUPATEN
KEPULAUAN TALAUD.

<https://ejournal.unsrat.ac.id/index.php/cocos/article/view/32111/30488>.

Nimoto, Kenichi. "Forming Inhibitor", Japanese Patent No. 2016009186A. 2016.

Nemati, K. M, "Strength of concrete", *Nature*, 132(3345), p. 2015.

Ortega-Zavala, D. E., Santana-Carrillo, J. L., Burciaga-Díaz, O., & EscalanteGarcía, J. I. (2019). An initial study on alkali activated limestone binders. *Cement and Concrete Research*, 120, 267–278. <https://doi.org/10.1016/j.cemconres.2019.04.002>.

Palankar, N., Ravi Shankar, A., & Mithun, B. (2015). Studies on eco-friendly concrete incorporating industrial waste as aggregates. *International Journal of Sustainable Built Environment*, 4(2), 378-390. <https://doi.org/10.1016/j.ijbsbe.2015.05.002>.

Palmonari, A., Cavallini, D., Sniffen, C., Fernandes, L., Holder, P., Fagioli, L., Fusaro, I., Biagi, G., Formigoni, A., & Mammi, L. (2020). Short communication: Characterization of molasses chemical composition. *Journal of Dairy Science*, 103(7), 6244-6249. <https://doi.org/10.3168/jds.2019-17644>.

Rosenqvist, T., 2010, *Principles of Extractive Metallurgy* (2nd ed.). Tapir Academic Press.

Ruuska, J. (2012). Special measurements and control models for a basic oxygen furnace (BOF). University of Oulu, Faculty of Technology, Department of Process and Environmental Engineering.

Samant, L. D. (1981). Method of Determination of Shatter Index of Iron Ore Lumps, Sinters, and Pellets (Patent No. Indian Standard IS 9963-1981).

Srinivasarao, P., & Birru, A. K., 2017, Effect of Mechanical Properties with Addition of Molasses and FlyAsh in Green SandMoulding. *Materials Today: Proceedings*, 4(2), 1186–1192. <https://doi.org/10.1016/j.matpr.2017.01.136>.

Sunghyun, Taman “*Manufacturing Method of Converter Slag and Converter Slag Thereof*”, Korea Patent No. 100880527B1. 2007.

Syahri, M., Retnani, Y., & Khotijah, L. (2018). Evaluasi Penambahan Binder Berbeda terhadap Kualitas Fisik Mineral Wafer Abstrak. *Buletin Makanan Ternak*, 16(1), 24–35.

Tarigan, A. P. S. M. A. P. H. J. (2014). Pemanfaatan Limbah Pabrik Gula (Gula Tetes) Sebagai Bahan Tambah dalam Campuran Beton. 1, 0–4.

Winata, A., 2013, *Karakteristik Biopellet dari Campuran Serbuk Kayu Sengon dengan Arang Sekam Padi Sebagai Bahan Bakar Alternatif Terbarukan*.

World Steel Association., 2022, Energy Use in the Iron and Steel Industry. In *Energy Use in Steel Industry*. worldsteel.org.

Wing, M., 2010, "The making of Iron and Steel", *ACM SIGSOFT Software Engineering Notes*, 35(6), pp. 5–7.

Yildirim, I. Z., & Prezzi, M. (2011). Chemical, mineralogical, and morphological properties of steel slag. *Advances in Civil Engineering*, 2011, 1–13. <https://doi.org/10.1155/2011/463638>.

Yucheoljong., 2008, “*Deslopping Agent of Converter and Producing Method of The Same*”, Korea Patent No. 101008157B1.

Yuksel, Isa., 2018, "*Blast-Furnace Slag, Waste and Supplementary Cementitious Materials in Concrete: Characterisation, Properties and Applications*". Elsevier Ltd.

Yusmadi, Khairi, & Suryani. (2015). Pengaruh Pemakaian CaCO₃ dan Molase terhadap Peningkatan Kualitas Daya Ikat dan Lama Pengerasan Mineral Blok. *Jurnal Ilmiah Peternakan*, 3(2), 39–43.

Zhai, Y., Wang, T., Zhu, Y., Peng, C., Wang, B., Li, X., Li, C., & Zeng, G. (2018). Production of fuel pellets via hydrothermal carbonization of food waste using molasses as binder. *WasteManagement*, 77,185-194. <https://doi.org/10.1016/j.wasman.2018.05.022>.