

## DAFTAR PUSTAKA

- [1] I. Masami, N. Setsuo, S. Tsutomu, & C. Junho, “Improvement of corrosion protection property of Mg-alloy by DLC and Si-DLC coatings with PBII technique and multi-target DC-RF magnetron sputtering,” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions With Materials and Atoms*, vol. 267, no. 8–9, pp. 1675–1679, 2009, doi: 10.1016/j.nimb.2009.01.101.
- [2] P. Jin, D. Xiao, X. Tian, C. Gong, and X. Wang, “Synergistically tailoring the distribution of precursor gas for uniform internal DLC coating of long tube,” *Surface and Coatings Technology*, vol. 466, p. 129661, 2023, doi: 10.1016/j.surfcoat.2023.129661.
- [3] J. Robertson, “Diamond-like amorphous carbon,” *Materials Science and Engineering: R: Reports*, vol. 37, no. 4–6, pp. 129–281, 2002, doi: 10.1016/s0927 796x(02)00005-0.
- [4] L. Sun *et al.*, “Chemical vapour deposition,” *Nature Reviews Methods Primers*, vol. 1, no. 1, 2021, doi: 10.1038/s43586-020-00005-y.
- [5] P. A. Dearnley and T. Liskiewicz, “Vapor Deposition Coating Technologies (CVD, PACVD, PVD, and Hybrid PVD-CVD) and Their Tribological Application,” *Encyclopedia of Tribology*, pp. 3948–3960, 2013, doi: 10.1007/978-0-387-92897-5705.
- [6] Jack and Jack, “Understanding PECVD: Plasma-Enhanced Chemical Vapor Deposition - Oil & Gas Process Engineering,” *Oil & Gas Process Engineering*, Oct. 24, 2023. <https://www.oilngasprocess.com/chemical-process/plasma-assisted-chemical-vapor-deposition.html> (Diakses 18 Mei, 2024).
- [7] Y. Hamedani, P. Macha, T. J. Bunning, R. R. Naik, and M. C. Vasudev, “Plasma-Enhanced Chemical Vapor Deposition: Where we are and the Outlook for the Future,” *Chemical Vapor Deposition - Recent Advances and Applications in Optical, Solar Cells and Solid State Devices*, Aug. 2016, doi: 10.5772/64654.

- [8] A. Szpicer, W. Bińkowska, I. Wojtasik-Kalinowska, S. M. Salih, and A. Póltorak, “Application of computational fluid dynamics simulations in food industry,” *European Food Research and Technology*, vol. 249, no. 6, pp. 1411–1430, Mar. 2023, doi: 10.1007/s00217-023-04231-y.
- [9] L. An, X. Lei, X. Qi, M. Fang, and Y. Liu, “Heat and mass transfer characteristics of three-dimensional bell-shaped polysilicon chemical vapor deposition reactor,” *Journal of Thermal Analysis and Calorimetry*, vol. 141, no. 1, pp. 323–335, Feb. 2020, doi: 10.1007/s10973-020-09465-6.
- [10] I. Hinkov *et al.*, “Microwave Plasma Enhanced Chemical Vapor Deposition of Carbon Nanotubes,” *Journal of Surface Engineered Materials and Advanced Technology*, vol. 04, no. 04, pp. 196–209, 2014, doi: 10.4236/jsemat.2014.44023.
- [11] A. Grill, “Diamond-like carbon: state of the art,” *Diamond and Related Materials*, vol. 8, no. 2–5, pp. 428–434, Mar. 1999, doi: 10.1016/s0925-9635(98)00262-3.
- [12] Libretexts, “5.2D: sp<sup>3</sup> Hybridization,” *Chemistry LibreTexts*, May 03, 2023. [https://chem.libretexts.org/Bookshelves/Inorganic\\_Chemistry/Map%3A\\_Inorganic\\_Chemistry\\_\(Housecroft\)/05%3A\\_Bonding\\_in\\_Polyatomic\\_Molecules/5.02%3A\\_Valence\\_Bond\\_Theory\\_-\\_Hybridization\\_of\\_Atomic\\_Orbitals/5.2D%3A\\_sp3\\_Hybridization](https://chem.libretexts.org/Bookshelves/Inorganic_Chemistry/Map%3A_Inorganic_Chemistry_(Housecroft)/05%3A_Bonding_in_Polyatomic_Molecules/5.02%3A_Valence_Bond_Theory_-_Hybridization_of_Atomic_Orbitals/5.2D%3A_sp3_Hybridization) (Diakses 20 Mei, 2024).
- [13] B.-G. Choi, “Effect of the additive gas on the bonding structure and mechanical properties of the DLC films deposited by RF-PECVD,” *Journal of the Korean Crystal Growth and Crystal Technology*, vol. 25, no. 4, pp. 145–152, Aug. 2015, doi: 10.6111/jkcgcet.2015.25.4.145.
- [14] F. Olaitan Kolawole, S. Kolade Kolawole, L. Bernardo Varela, A. Felix Owa, M. Antonio Ramirez, and A. Paulo Tschiptschin, “Diamond-Like Carbon (DLC) Coatings for Automobile Applications,” *Engineering Applications of Diamond*, Aug. 2021, doi: 10.5772/intechopen.95063.
- [15] N. Ohtake *et al.*, “Properties and Classification of Diamond-Like Carbon Films,” *Materials*, vol. 14, no. 2, p. 315, Jan. 2021, doi: 10.3390/ma14020315.

- [16] D. K. Rajak, A. Kumar, A. Behera, and P. L. Menezes, "Diamond-Like Carbon (DLC) Coatings: Classification, Properties, and Applications," *Applied Sciences*, vol. 11, no. 10, p. 4445, May 2021, doi: 10.3390/app11104445.
- [17] A. Erdemir and C. Donnet, "Tribology of diamond-like carbon films: recent progress and future prospects," *Journal of Physics D: Applied Physics*, vol. 39, no. 18, pp. R311–R327, Sep. 2006, doi: 10.1088/0022-3727/39/18/r01.
- [18] Y. Li *et al.*, "Large Single-Crystal Cu Foils with High-Index Facets by Strain-Engineered Anomalous Grain Growth," *Advanced Materials*, vol. 32, no. 29, Jun. 2020, doi: 10.1002/adma.202002034.
- [19] L. Tang *et al.*, "Vertical Chemical Vapor Deposition Growth of Highly Uniform 2D Transition Metal Dichalcogenides," *ACS Nano*, vol. 14, no. 4, pp. 4646–4653, Apr. 2020, doi: 10.1021/acsnano.0c00296.
- [20] B. Deng *et al.*, "Scalable and ultrafast epitaxial growth of single-crystal graphene wafers for electrically tunable liquid-crystal microlens arrays," *Science Bulletin*, vol. 64, no. 10, pp. 659–668, May 2019, doi: 10.1016/j.scib.2019.04.030.
- [21] Y. Xu and X.-T. Yan, "Chemical Vapour Deposition," *Engineering Materials and Processes*, 2010, doi: 10.1007/978-1-84882-894-0.
- [22] J.-H. Park *et al.*, "Large-Area Monolayer Hexagonal Boron Nitride on Pt Foil," *ACS Nano*, vol. 8, no. 8, pp. 8520–8528, Aug. 2014, doi: 10.1021/nn503140y.
- [23] O. A. Stadnichenko, L. F. Nurislamova, N. S. Masyuk, V. I. N. Snytnikov, and V. N. Snytnikov, "Radical mechanism for the gas-phase thermal decomposition of propane," *Reaction Kinetics, Mechanisms and Catalysis*, vol. 123, no. 2, pp. 607–624, Oct. 2017, doi: 10.1007/s11144-017-1299-3.
- [24] B. Yan, P. Xu, X. Li, C. Y. Guo, Y. Jin, and Y. Cheng, "Experimental Study of Liquid Hydrocarbons Pyrolysis to Acetylene in H<sub>2</sub>/Ar Plasma," *Plasma*

*Chemistry and Plasma Processing*, vol. 32, no. 6, pp. 1203–1214, Jul. 2012, doi: 10.1007/s11090-012-9400-1.

- [25] D. Lundin, J. Jensen, and H. Pedersen, “Influence of pulse power amplitude on plasma properties and film deposition in high power pulsed plasma enhanced chemical vapor deposition,” *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, vol. 32, no. 3, Mar. 2014, doi: 10.1116/1.4867442.
- [26] R. Curley, T. McCormack, and M. Phipps, “Low-pressure CVD and Plasma-Enhanced CVD.,” <https://www.semanticscholar.org/>. 2011. Diakses: 20 Januari, 2024. [Online]. Tersedia: <https://www.semanticscholar.org/paper/Low-pressure-CVD-and-Plasma-Enhanced-CVD-Curley-McCormack/950e3404dcf006e97735a0453c56010bc7cf77a7>
- [27] D. Lusk *et al.*, “Thick DLC films deposited by PECVD on the internal surface of cylindrical substrates,” *Diamond and Related Materials*, vol. 17, no. 7–10, pp. 1613–1621, Jul. 2008, doi: 10.1016/j.diamond.2008.01.051.
- [28] N. Fourches and G. Turban, “Influence of hydrocarbon gasses on PECVD a-C:H film deposition,” *Plasmas and Polymers*, vol. 1, no. 1, pp. 47–64, Mar. 1996, doi: 10.1007/bf02532814.
- [29] G. Kim *et al.*, “Two dimensional radial gas flows in atmospheric pressure plasma-enhanced chemical vapor deposition,” *AIP Advances*, vol. 7, no. 12, Dec. 2017, doi: 10.1063/1.4996797.
- [30] H. Wilkes and J. Schwarzbauer, “Hydrocarbons: An Introduction to Structure, Physico-Chemical Properties and Natural Occurrence,” *Handbook of Hydrocarbon and Lipid Microbiology*, pp. 1–48, 2010, doi: 10.1007/978-3-540-77587-4\_1.
- [31] P. Pässler *et al.*, “Acetylene,” *Ullmann’s Encyclopedia of Industrial Chemistry*, Oct. 2011, doi: 10.1002/14356007.a01\_097.pub4.
- [32] V. V. Voronin, M. S. Ledovskaya, A. S. Bogachenkov, K. S. Rodygin, and V. P. Ananikov, “Acetylene in Organic Synthesis: Recent Progress and New

Uses,” *Molecules*, vol. 23, no. 10, p. 2442, Sep. 2018, doi: 10.3390/molecules23102442.

- [33] “Propylene Production by Propane Dehydrogenation (PDH),” *SlideShare*, Jun. 17, 2019. <https://www.slideshare.net/AmirRazmi/propylene-production-by-propane-dehydrogenation-pdh> (Diakses 23 Juli, 2023).
- [34] A. C. Dimian, C. S. Bildea, and A. A. Kiss, “Introduction in Process Simulation,” *Computer Aided Chemical Engineering*, pp. 35–71, 2014, doi: 10.1016/b978-0-444-62700-1.00002-4.
- [35] M. Crose, W. Zhang, A. Tran, and P. D. Christofides, “Multiscale three-dimensional CFD modeling for PECVD of amorphous silicon thin films,” *Computers & Chemical Engineering*, vol. 113, pp. 184–195, May 2018, doi: 10.1016/j.compchemeng.2018.03.011.
- [36] V. Michalcová and K. Kotrasová, “The Numerical Diffusion Effect on the CFD Simulation Accuracy of Velocity and Temperature Field for the Application of Sustainable Architecture Methodology,” *Sustainability*, vol. 12, no. 23, p. 10173, Dec. 2020, doi: 10.3390/su122310173.
- [37] B. Debtera, “Computational Fluid Dynamics Simulation and Analysis of Fluid Flow in Pipe: Effect of Fluid Viscosity,” *SSRN Electronic Journal*, 2022, doi: 10.2139/ssrn.4201717.
- [38] C. Siripaiboon, P. Sarabhorn, and C. Areeprasert, “Two-dimensional CFD simulation and pilot-scale experimental verification of a downdraft gasifier: effect of reactor aspect ratios on temperature and syngas composition during gasification,” *International Journal of Coal Science & Technology*, vol. 7, no. 3, pp. 536–550, Aug. 2020, doi: 10.1007/s40789-020-00355-8.
- [39] D. I. Pashchenko, “CFD Modeling of Operating Processes of a Solar Air Heater in ANSYS Fluent,” *Journal of Engineering Physics and Thermophysics*, vol. 92, no. 1, pp. 73–79, Jan. 2019, doi: 10.1007/s10891-019-01908-8.

- [40] A. Andalouci *et al.*, “Role of Oxygen in PECVD Carbon Nanotubes Growth: Experiments and Modeling,” *Plasma Chemistry and Plasma Processing*, vol. 43, no. 3, pp. 757–786, Feb. 2023, doi: 10.1007/s11090-023-10317-y.
- [41] S. A. Konakov and V. V. Krzhizhanovskaya, “A mathematical model and simulation results of plasma enhanced chemical vapor deposition of silicon nitride films,” *Journal of Physics: Conference Series*, vol. 574, p. 012144, Jan. 2015, doi: 10.1088/1742-6596/574/1/012144.
- [42] L. Mustafi, M. M. Rahman, M. N. E. A. Al Nasim, M. A. Chowdhury, and M. H. Monir, “Deposition behavior and tribological properties of diamond-like carbon coatings on stainless steels via chemical vapor deposition,” *International Journal of Minerals, Metallurgy, and Materials*, vol. 25, no. 11, pp. 1335–1343, Oct. 2018, doi: 10.1007/s12613-018-1687-3.