

DAFTAR PUSTAKA

- [1] A. Pramono, S. Suryana, A. Alfirano, A. A. Alhamidi, A. Trenggono, and A. Milandia, “Perlakuan Panas Komposit berbasis Aluminium/ Zirconium Hasil Equal Channel Angular Pressing (ECAP) - Paralel Channel,” *Met. Indones.*, vol. 43, no. 1, p. 1, 2021, doi: 10.32423/jmi.2021.v43.1-8.
- [2] R. Valiev, “Nanostructuring of metals by severe plastic deformation for advanced properties,” *Nat. Mater.*, vol. 3, no. 8, pp. 511–516, 2004, doi: 10.1038/nmat1180.
- [3] R. Kapoor, *Severe Plastic Deformation of Materials*, no. February 2017. 2017. doi: 10.1016/B978-0-12-801300-7.00020-6.
- [4] R. Z. Valiev and T. G. Langdon, “Principles of equal-channel angular pressing as a processing tool for grain refinement,” *Prog. Mater. Sci.*, vol. 51, no. 7, pp. 881–981, 2006, doi: 10.1016/j.pmatsci.2006.02.003.
- [5] S. Wiyono, “Karakterisasi Baja ST 41 Hasil Proses Hot Equal Channel Angular Pressing (HECAP),” *Tek. Mesin Untirta*, vol. II, no. 1, pp. 55–63, 2016.
- [6] M. A. Agwa, M. N. Ali, and A. E. Al-Shorbagy, “Optimum processing parameters for equal channel angular pressing,” *Mech. Mater.*, vol. 100, pp. 1–11, 2016, doi: 10.1016/j.mechmat.2016.06.003.
- [7] A. Yamashita, D. Yamaguchi, Z. Horita, and T. G. Langdon, “Influence of pressing temperatur on microstructural development in equal-channel angular pressing,” *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.*, vol. 30, no. 8, pp. 1989–1997, 2000, doi: 10.1007/s11661-999-0009-9.
- [8] R. D. Cook, *Konsep dan Aplikasi Metode Elemen Hingga*. 1990. doi: 10.1358/dof.1998.023.03.450862.
- [9] R. D. Cook and H. Saunders, “Concepts and Applications of Finite Element Analysis (2nd Edition),” *J. Press. Vessel Technol.*, vol. 106, no. 1, pp. 127–127, 1984, doi: 10.1115/1.3264300.
- [10] M. Yaich, Y. Ayed, Z. Bouaziz, and G. Germain, “A 2D finite element analysis of the effect of numerical parameters on the reliability of Ti6Al4V machining modeling,” *Mach. Sci. Technol.*, vol. 24, no. 4, pp. 509–543,

2020, doi: 10.1080/10910344.2019.1698606.

- [11] V. Mercuri, G. Balduzzi, D. Asprone, and F. Auricchio, "Structural analysis of non-prismatic beams: Critical issues, accurate stress recovery, and analytical definition of the Finite Element (FE) stiffness matrix," *Eng. Struct.*, vol. 213, no. 1, 2020, doi: 10.1016/j.engstruct.2020.110252.
- [12] K. Promneewat, C. Leelasukseree, M. Villeneuve, and R. Galler, "Expanding the Scene of Tunnel Behaviour Through the DEM Model: a Case Study from ZaB-Zentrum Am Berg," *BHM Berg- und Hüttenmännische Monatshefte*, vol. 168, no. 12, pp. 586–595, 2023, doi: 10.1007/s00501-023-01413-9.
- [13] Y. H. You, X. Y. Kou, and S. T. Tan, "Adaptive meshing for finite element analysis of heterogeneous materials," *CAD Comput. Aided Des.*, vol. 62, pp. 176–189, 2015, doi: 10.1016/j.cad.2014.11.011.
- [14] G. S. Lewis, D. Mischler, H. Wee, J. S. Reid, and P. Varga, "Finite Element Analysis of Fracture Fixation," *Curr. Osteoporos. Rep.*, vol. 19, no. 4, pp. 403–416, 2021, doi: 10.1007/s11914-021-00690-y.
- [15] J. M. Gere and S. P. Timoshenko, *Mekanika Bahan Jilid 1 Edisi 4*. 2000.
- [16] W. D. Callister Jr and D. G. Rethwisch, *Material Science and Engineering: an Introduction, 10th Edition*. 2018.
- [17] R. Patel *et al.*, "A Transdisciplinary Approach for Analyzing Stress Flow Patterns in Biostructures," *Math. Comput. Appl.*, vol. 24, no. 2, p. 47, 2019, doi: 10.3390/mca24020047.
- [18] Anrinal, *Metalurgi Fisik*, 1st ed. Yogyakarta: Andi, 2012.
- [19] T. Nakano, "Mechanical properties of metallic biomaterials," *Met. Biomed. Devices*, pp. 71–98, 2010, doi: 10.1533/9781845699246.2.71.
- [20] J. S. Nagra, "Modelling Microstructure-Property Relationships in Polycrystalline Metals using New Fast Fourier Transform-Based Crystal Plasticity Frameworks," 2019. doi: 10.13140/RG.2.2.25091.45604.
- [21] M. Husna, "Aluminium Fero Nikel Dengan Penguatan Fasa Kedua Dan Struktur Butir," *Urania J. Ilm. Daur Bahan Bakar Nukl.*, pp. 1–10, 2008.
- [22] A. Pramono, K. Dhoska, A. Alhamidi, A. Trenggono, and A. Milandia, "Investigation of mechanical properties on composite materials by several of severe plastic deformation (SPD) methods," *IOP Conf. Ser. Mater. Sci. Eng.*,

vol. 673, no. 1, 2019, doi: 10.1088/1757-899X/673/1/012120.

- [23] A. Azushima *et al.*, “Severe plastic deformation (SPD) processes for metals,” *CIRP Ann. - Manuf. Technol.*, vol. 57, no. 2, pp. 716–735, 2008, doi: 10.1016/j.cirp.2008.09.005.
- [24] Y. Beygelzimer, R. Kulagin, and Y. Estrin, *Severe plastic deformation as a way to produce architected materials*, vol. 282. Springer International Publishing, 2019. doi: 10.1007/978-3-030-11942-3_8.
- [25] A. Pramono, L. Kollo, L. Kommel, and R. Veinthal, “High-strength aluminum alloy of ultrafine grained by consolidation-ECAP,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 478, no. 1, 2019, doi: 10.1088/1757-899X/478/1/012035.
- [26] A. Pramono, L. Kollo, R. Veinthal, K. Kallip, and J. K. Gomon, “Heat Treatment of Ultrafine Grained AA 6061 Consolidation by Equal Channel Angular Pressing,” *Appl. Mech. Mater.*, vol. 771, pp. 252–256, 2015, doi: 10.4028/www.scientific.net/amm.771.252.
- [27] T. G. Langdon, M. Furukawa, M. Nemoto, and Z. Horita, “Using equal-channel angular pressing for refining grain size,” *Jom*, vol. 52, no. 4, pp. 30–33, 2000, doi: 10.1007/s11837-000-0128-7.
- [28] M. Furukawa, Z. Horita, M. Nemoto, and T. G. Langdon, “Processing of metals by equal-channel angular pressing,” *J. Mater. Sci.*, vol. 36, no. 12, pp. 2835–2843, 2001, doi: 10.1023/A:1017932417043.
- [29] A. I. Alateyah *et al.*, “Optimizing the ECAP processing parameters of pure Cu through experimental, finite element, and response surface approaches,” *Rev. Adv. Mater. Sci.*, vol. 62, no. 1, 2023, doi: 10.1515/rams-2022-0297.
- [30] A. Pramono, *Investigation of Severe Plastic Deformation Processes for Aluminum Based Composites*, vol. 1. 2016.
- [31] A. Azushima and K. Aoki, “Properties of ultrafine-grained steel by repeated shear deformation of side extrusion process,” *Mater. Sci. Eng. A*, vol. 337, no. 1–2, pp. 45–49, 2002, doi: 10.1016/S0921-5093(02)00005-9.
- [32] F. Al-Mufadi and F. Djavanroodi, “Finite Element Modeling and Mechanical Properties of Aluminum Proceed by Equal Channel Angular Pressing Process,” *Int. J. Mech. Aerospace, Ind. Mechatron. Manuf. Eng.*, vol. 8, no. 8, pp. 1402–1407, 2014.
- [33] A. Pramono, L. Kollo, K. Kallip, R. Veinthal, and J. K. Gomon, “Heat

treatment of ultrafine grained high-strength aluminum alloy,” *Key Eng. Mater.*, vol. 604, pp. 273–276, 2014, doi: 10.4028/www.scientific.net/KEM.604.273.

- [34] A. Pramono, L. Kollo, R. Veinthal, K. Kallip, and J. Gomon, “Processing Ultrafine Grained Aluminum by Equal Channel Angular Pressing-Consolidation; Knowledge and Technology Transformation for the development of Severe Plastic Deformation (SPD),” 2014.
- [35] I. Rahardjo, “Kebutuhan dan Penyediaan Energi di Industri Smelter Aluminium,” *Oceania*, no. January 2014, pp. 42–49, 2013.
- [36] F. Fasya and N. Iskandar, “Melt Loss dan Porositas pada Aluminium Hasil Daur Ulang,” *J. Tek. Mesin S-1*, vol. 3, no. 1, pp. 44–50, 2015.
- [37] Material Property Data, “Online Material Information Resource,” 1996. <https://matweb.com/search/DataSheet.aspx?MatGUID=db0307742df14c8f817bd8d62207368e&ckck=1> (accessed Nov. 04, 2023).
- [38] B. C. Manik, “Pengaruh Penambahan Unsur Silikon dan Magnesium terhadap Sifat Mekanik dan Sifat Kelistrikan Paduan Aluminium Hasil Pengecoran,” *Mater. Sci.*, 2017.
- [39] E. Nugroho and Y. Hudawan, “Pengaruh Variasi Putaran Cetakan dan Penambahan Inokulan Ti-B pada Centrifugal Casting terhadap Sifat Mekanik dan Struktur Mikro Paduan Aluminium A356.0,” *Turbo J. Progr. Stud. Tek. Mesin*, vol. 5, no. 1, pp. 57–61, 2017, doi: 10.24127/trb.v5i1.120.
- [40] M. Mačák, P. Vyroubal, T. Kazda, D. Capková, and J. Maxa, “Numerical Modelling of Discharging the Lithium-Sulphur Batteries in Ansys Fluent,” *Adv. Mil. Technol.*, vol. 17, no. 2, pp. 163–177, 2022, doi: 10.3849/aimt.01525.
- [41] ANSYS Inc., “ANSYS Manual,” *Theory Reference*, no. November. pp. 1–1286, 1999.
- [42] A. Arriaga *et al.*, “Finite-element analysis of quasi-static characterisation tests in thermoplastic materials: Experimental and numerical analysis results correlation with ANSYS,” *Polym. Test.*, vol. 26, no. 3, pp. 284–305, 2007, doi: 10.1016/j.polymertesting.2006.10.012.
- [43] K. Kundert, “Wellmap: a file format for microplate layouts,” *BMC Res. Notes*, vol. 14, no. 1, pp. 1–5, 2021, doi: 10.1186/s13104-021-05573-0.
- [44] J. Ding *et al.*, “The effects of grain boundary misorientation on the

mechanical properties and mechanism of plastic deformation of Ni/Ni₃Al: A molecular dynamics study,” *Materials (Basel)*., vol. 13, no. 24, pp. 1–21, 2020, doi: 10.3390/ma13245715.

- [45] G. E. Dieter, *Metalurgi Mekanik*, 3rd ed. Jakarta: Penerbit Erlangga, 1987.
- [46] J. Wongsan-Ngam, N. Noraphaiphipaksa, C. Kanchanomai, and T. G. Langdon, “Numerical investigation of plastic strain homogeneity during equal-channel angular pressing of a Cu-Zr Alloy,” *Crystals*, vol. 11, no. 12, pp. 1–13, 2021, doi: 10.3390/cryst11121505.
- [47] K. V. Ivanov and E. V. Naidenkin, “Effect of the velocity of equal-channel angular pressing on the formation of the structure of pure aluminum,” *Phys. Met. Metallogr.*, vol. 106, no. 4, pp. 411–417, 2008, doi: 10.1134/S0031918X08100116.
- [48] G. Y. Deng, C. Lu, L. H. Su, X. H. Liu, and A. K. Tieu, “Modeling texture evolution during ECAP of copper single crystal by crystal plasticity FEM,” *Mater. Sci. Eng. A*, vol. 534, pp. 68–74, 2012, doi: 10.1016/j.msea.2011.11.042.
- [49] S. Surendarnath, K. Sankaranarayananasamy, and B. Ravisankar, “A comparative study of commercially pure aluminum processed by ECAP using conventional and new die,” *Mater. Manuf. Process.*, vol. 29, no. 10, pp. 1172–1178, 2014, doi: 10.1080/10426914.2014.921700.
- [50] L. Cui, S. Shao, H. Wang, G. Zhang, Z. Zhao, and C. Zhao, “Recent Advances in the Equal Channel Angular Pressing of Metallic Materials,” *Processes*, vol. 10, no. 2181, 2022, doi: <https://doi.org/10.3390/pr10112181>.