

## DAFTAR PUSTAKA

- [1] J. Dai, J. Zhu, C. Chen, and F. Weng, "High temperature oxidation behavior and research status of modifications on improving high temperature oxidation resistance of titanium alloys and titanium aluminides: A review," *Journal of Alloys and Compounds*, vol. 685. Elsevier Ltd, pp. 784–798, 2016. doi: 10.1016/j.jallcom.2016.06.212.
- [2] J. Dai, S. Li, H. Zhang, H. Yu, C. Chen, and Y. Li, "Microstructure and high-temperature oxidation resistance of Ti-Al-Nb coatings on a Ti-6Al-4V alloy fabricated by laser surface alloying," *Surf. Coatings Technol.*, vol. 344, no. 2017, pp. 479–488, 2018, doi: 10.1016/j.surfcoat.2018.03.060.
- [3] T. Zhang *et al.*, "A new  $\alpha + \beta$  Ti-alloy with refined microstructures and enhanced mechanical properties in the as-cast state," *Scr. Mater.*, vol. 207, Jan. 2022, doi: 10.1016/j.scriptamat.2021.114260.
- [4] W. Chen *et al.*, "Oxidation mechanism of a near  $\beta$ -Ti alloy," *Mater. Des.*, vol. 223, Nov. 2022, doi: 10.1016/j.matdes.2022.111144.
- [5] S. L. Wei, L. J. Huang, X. T. Li, Q. An, and L. Geng, "Interactive effects of cyclic oxidation and structural evolution for Ti-6Al-4V/(TiC+TiB) alloy composites at elevated temperatures," *J. Alloys Compd.*, vol. 752, pp. 164–178, Jul. 2018, doi: 10.1016/j.jallcom.2018.04.118.
- [6] E. Dong, W. Yu, Q. Cai, L. Cheng, and J. Shi, "High-Temperature Oxidation Kinetics and Behavior of Ti-6Al-4V Alloy," *Oxid. Met.*, vol. 88, no. 5–6, pp. 719–732, Dec. 2017, doi: 10.1007/s11085-017-9770-0.
- [7] M. Mitoraj-Królikowska and E. Drożdż, "Some Aspects of Oxidation and Reduction Processes in Ti-Al and Ti-Al-Nb Systems," *Materials (Basel)*, vol. 15, no. 5, Mar. 2022, doi: 10.3390/ma15051640.
- [8] J. Haubrich, E. Kaxiras, and C. M. Friend, "The role of surface and subsurface point defects for chemical model studies on TiO<sub>2</sub>: A first-principles theoretical study of formaldehyde bonding on rutile TiO<sub>2</sub>(110)," *Chem. - A Eur. J.*, vol. 17, no. 16, pp. 4496–4506, 2011, doi: 10.1002/chem.201002588.

- [9] W. Dang, J. S. Li, T. B. Zhang, and H. C. Kou, "Oxidation behavior of Zr-containing Ti<sub>2</sub>AlNb-based alloy at 800 °C," *Trans. Nonferrous Met. Soc. China (English Ed.)*, vol. 25, no. 3, pp. 783–790, Mar. 2015, doi: 10.1016/S1003-6326(15)63664-0.
- [10] B. Vincent *et al.*, "Comparison Between the Oxidation Behaviors of Ti6242S, Ti6246, TiXT Alloys, and Pure Titanium," *Oxid. Met.*, vol. 96, no. 3–4, pp. 283–294, 2021, doi: 10.1007/s11085-021-10051-w.
- [11] Z. Dong, A. Feng, H. Wang, and S. Qu, "Thermodynamic Study on Initial Oxidation Behavior of TiAl-Nb Alloys at High Temperature," *Metals (Basel)*, vol. 13, no. 3, 2023, doi: 10.3390/met13030485.
- [12] H. Alloys, "Effects of Zr Content on The Microstructure and Performance of TiMoNbZr x High-Entropy Alloys," *High-Entropy Alloys, Metals*, pp. 1–12, 2021, doi: 10.3390/met11081315.
- [13] Y. Pan *et al.*, "Effect of Sn addition on the high-temperature oxidation behavior of high Nb-containing TiAl alloys," *Corros. Sci.*, vol. 166, Apr. 2020, doi: 10.1016/j.corsci.2020.108449.
- [14] S. Gosavi, S. Gosavi, and R. Alla, "Titanium: A Miracle Metal in Dentistry," 2013. [Online]. Available: <http://www.sbaoi.org/tibao>
- [15] C. Sutowo, F. Rokhmanto, G. Senopati, dan K. Ardian Ilman, "Pembentukan Struktur Mikro Paduan Titanium Ti6Al6Mo As Cast Sebagai Bahan Dasar Implan," pp. 1–5, 2016.
- [16] G. Lutjering and J. C. Williams, "Titanium 2<sup>nd</sup> Edition," New York : S. pringer, 2006.
- [17] E. Reverte, S. A. Tsipas, and E. Gordo, "Oxidation and corrosion behavior of new low-cost Ti-7Fe-3Al and Ti-7Fe-5Cr alloys from titanium hydride powders," *Metals (Basel)*, vol. 10, no. 2, Feb. 2020, doi: 10.3390/met10020254.
- [18] Y. Su, W. Li, X. Wang, T. Ma, X. Yang, and A. Vairis, "On microstructure and property differences in a linear friction welded near-alpha titanium alloy joint," *J. Manuf. Process.*, vol. 36, pp. 255–263, 2018, doi:

10.1016/j.jmapro.2018.10.017.

- [19] Vahid salimian Rizi, “High temperature oxidation and corrosion resistances of Ti-4Si-xZr- yY<sub>2</sub>O<sub>3</sub>/5TiO<sub>2</sub> composites prepared by high-energy milling and cold pressed sintering,” *Mater. Res. Express*, pp. 0–12, 2019.
- [20] J. C. Williams and R. R. Boyer, “Opportunities and issues in the application of titanium alloys for aerospace components,” *Metals (Basel)*., vol. 10, no. 6, Jun. 2020, doi: 10.3390/met10060705.
- [21] S. Jakati, V. Koti, P. S. Kataraki, M. Mazlan, and M. F. Hamid, “A Deep Study on Machine Learning Techniques for Tool Condition Monitoring in Turning of Titanium-based Superalloys,” *J. Mines, Met. Fuels*, pp. 261–266, Mar. 2023, doi: 10.18311/jmmf/2022/31235.
- [22] I. Aniekan, O. Ikechukwu, P. O. Ebunilo, and E. Ikpe, “Material Selection for High Pressure (HP) Compressor Blade of an Aircraft Engine,” *Int. J. Adv. Mater. Res.*, vol. 2, no. 4, pp. 59–65, 2016, [Online]. Available: <http://www.aiscience.org/journal/ijamrhttp://creativecommons.org/licenses/by/4.0/>
- [23] B. Mohammadi and A. S. Khoddami, “Representative volume element-based simulation of multiple solid particles erosion of a compressor blade considering temperature effect,” *Proc. Inst. Mech. Eng. Part J J. Eng. Tribol.*, vol. 234, no. 8, pp. 1173–1184, Aug. 2020, doi: 10.1177/1350650119884825.
- [24] I. Isranuri, M. Sabri, and S. Abda, “Analisa Simulasi Distribusi Temperatur dan Tekanan Menggunakan Aplikasi Ansys 15.0 pada Ruang Bakar Turbin Gas Untuk Mengetahui Tingkat Keadaan,” *J. Din.*, vol. 7, no. 3, 2019.
- [25] V. M. Tabie, C. Li, W. Saifu, J. Li, and X. Xu, “Mechanical properties of near alpha titanium alloys for high-temperature applications - a review,” *Aircr. Eng. Aerosp. Technol.*, vol. 92, no. 4, pp. 521–540, 2020, doi: 10.1108/AEAT-04-2019-0086.
- [26] K. Aniołek, “Structure and properties of titanium and the Ti-6Al-7Nb alloy after isothermal oxidation,” *Surf. Eng.*, vol. 36, no. 8, pp. 847–858, 2020, doi: 10.1080/02670844.2020.1711631.

- [27] J. Philibert, “High temperature oxidation of metals,” *Rev. Metall. Cah. D’Informations Tech.*, vol. 90, no. 12, pp. 1601–1606, 1993, doi: 10.1051/metal/199390121601.
- [28] Y. Song *et al.*, “Effect of Nb content on cyclic oxidation behavior of as-cast Ti-1100 alloys,” *Materials (Basel)*., vol. 13, no. 5, Mar. 2020, doi: 10.3390/ma13051082.
- [29] M. Göbel, J. D. Sunderkötter, D. I. Mircea, H. Jenett, and M. F. Stroosnijder, “Study of the high-temperature oxidation behaviour of Ti and Ti4Nb with SNMS using tracers,” *Surf. Interface Anal.*, vol. 29, no. 5, pp. 321–324, 2000, doi: 10.1002/(SICI)1096-9918(200005)29:5<321::AID-SIA872>3.0.CO;2-Q.
- [30] M. Nurbanasari, D. Hadi Prajitno, dan Hendra Chany, S. Jurusan Teknik Mesin, and P. Tenaga Nuklir BATAN Jl Tamansari -Bandung Abstrak, “PERILAKU OKSIDASI PADUAN Ti-6Al-4V PADA TEMPERATUR TINGGI.”
- [31] P. Ouyang, G. Mi, P. Li, L. He, J. Cao, and X. Huang, “Non-isothermal oxidation behavior and mechanism of a high temperature near- $\alpha$  Titanium Alloy,” *Materials (Basel)*., vol. 11, no. 11, 2018, doi: 10.3390/ma11112141.
- [32] A. S. Khanna, “High-temperature oxidation,” *Handb. Environ. Degrad. Mater. Third Ed.*, vol. 2, pp. 117–132, 2018, doi: 10.1016/B978-0-323-52472-8.00006-X.
- [33] Y. duo Ma *et al.*, “Microstructure and properties evolution of plasma sprayed Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>-TiO<sub>2</sub> coatings during high temperature and thermal shock resistance,” *Mater. High Temp.*, vol. 37, no. 4, pp. 256–267, 2020, doi: 10.1080/09603409.2020.1773203.
- [34] J. Shen *et al.*, “Effect of Y Content on Precipitation Behavior, Oxidation and Mechanical Properties of As-Cast High-Temperature Titanium Alloys,” *Materials (Basel)*., vol. 16, no. 13, Jul. 2023, doi: 10.3390/ma16134784.
- [35] Y. Guo, K. Georganakis, Y. Yokoyama, and A. R. Yavari, “On the mechanical properties of TiNb based alloys,” *J. Alloys Compd.*, vol. 571, pp. 25–30, 2013, doi: 10.1016/j.jallcom.2013.03.192.

- [36] W. J. Li *et al.*, “Effects of dopants on the adhesion and electronic structure of a SnO<sub>2</sub>/Cu interface: A first-principles study,” *Phys. Chem. Chem. Phys.*, vol. 20, no. 23, pp. 15618–15625, 2018, doi: 10.1039/c8cp00744f.
- [37] T. Li *et al.*, “Non-destructive modification of aramid fiber by building nanoscale-coating solution to enhance the interfacial adhesion properties of the fiber-reinforced composites,” *J. Compos. Mater.*, vol. 55, no. 13, pp. 1823–1834, 2021, doi: 10.1177/0021998320962845.
- [38] M. Peters, J. Hemptenmacher, J. Kumpfert, and C. Leyens, *Structure and Properties of Titanium and Titanium Alloys*. 2003. doi: 10.1002/3527602119.ch1.
- [39] K. Aniołek, A. Barylski, M. Kupka, and G. Dercz, “Cyclic oxidation of titanium grade 2,” *Materials (Basel)*, vol. 13, no. 23, pp. 1–14, Dec. 2020, doi: 10.3390/ma13235431.
- [40] Z. C. Li *et al.*, “High-temperature oxidation behaviors of ta15 titanium alloy after mechanical grinding and laser cleaning,” *Coatings*, vol. 11, no. 9, pp. 1–14, 2021, doi: 10.3390/coatings11091090.
- [41] K. Aniołek, M. Kupka, M. Łuczuk, and A. Barylski, “Isothermal oxidation of Ti-6Al-7Nb alloy,” *Vacuum*, vol. 114, pp. 114–118, 2015, doi: 10.1016/j.vacuum.2015.01.016.
- [42] S. Matsunaga, A. Serizawa, and Y. Yamabe-Mitarai, “Effect of Zr on microstructure and oxidation behavior of  $\alpha$  and  $\alpha + \alpha_2$  Ti-Al-Nb alloys,” *Mater. Trans.*, vol. 57, no. 11, pp. 1902–1907, 2016, doi: 10.2320/matertrans.MAW201603.
- [43] L. Pan *et al.*, “Manipulating spin polarization of titanium dioxide for efficient photocatalysis,” *Nat. Commun.*, vol. 11, no. 1, 2020, doi: 10.1038/s41467-020-14333-w.
- [44] C. Byrne, R. Fagan, S. Hinder, D. E. McCormack, and S. C. Pillai, “New approach of modifying the anatase to rutile transition temperature in TiO<sub>2</sub> photocatalysts,” *RSC Adv.*, vol. 6, no. 97, pp. 95232–95238, 2016, doi: 10.1039/c6ra19759k.