

DAFTAR PUSTAKA

- A.H. Saputra, M. Hapsari, A.B. Pitaloka, P. P. D. K. Wulan. 2015. *SYNTHESIS AND CHARACTERIZATION OF HYDROGEL FROM CELLULOSE DERIVATIVES OF WATER HYACINTH (Eichhornia crassipes) THROUGH CHEMICAL CROSS-LINKING METHOD BY USING CITRIC ACID*. Journal of Engineering Science and Technology. Special Issue on SOMCHE 2014 & RSCE 2014 Conference, January (2015) 75 - 86
- Alula, G. 2018. Synthesis and Characterization of Cellulose-Based Hydrogels Using Citric Acid as a Crosslinker. Addis Ababa University
- Arco Chemical Company Fibersorb2 SA-7000. 2001. *Superabsorbent Fibers*. Technical Bulletin No. ACC OP51 7881 M. Arco Chemical Company, Newtown Square, PA.
- Asep Handaya, S., Inne, P. 2018. *Development of CMC-Based Antibacterial Hydrogel from Water Hyacinth with Silver Nanoparticle Addition*. Proceedings of the 4th International Symposium on Applied Chemistry. doi.org/10.1063/1.5064316
- Athawale, VD & Lele, V. 2001. *Recent trends in hydrogels based on starch-graft-acrylic acid: A review*. Starch/Starke, 3, 7-13.
- Brown, R.M.Jr., & Saxena, I.M. 2007, *Cellulose: Molecular and Structure Biology*. Dordrecht: Springer. Hal.xiii, 89-94.
- Chatwall, G. 1995. *Spectroscopy Atomic and Molecule*.
- Choi M, Kang YR, Lim IS, Chang YH. 2018. *Structural characterization of cellulose obtained from extraction wastes of graviola (annona muricata) leaf*. Prev Nutr Food Sci;23:166e70
- Chen C, Vassallo J C, Chatterjee P K. 1985. *Synthetic and natural polymers*. In: Chatterjee P K (ed.) 1985 Absorbency. Elsevier, Amsterdam, pp. 197–216.
- Chen, J., Liu, M., Liu, H., Ma, L., Gao, C., Zhu, S., & Zhang, S. 2010. *Synthesis and properties of thermo- and pH-sensitive poly(diallyldimethylammonium chloride)/poly(N,N-diethylacrylamide) semi-IPN hydrogel*. Chemical Engineering Journal, 159(1-3), 247–256.
- Daley, R. F., And Daley, S. J. 2005. *Organic Chemistry*. www.ochem4free.com

- Dayo Gao .2003. *Superabsorbent Polymer Composite (SAPC) Materials and their Industrial and High-Tech Application*. Dissertation. Der Technischen U ät Bergakademie Fiberg University.
- Demitri, C., Del Sole, R., Scalera, F., Sannino, A., Vasapollo, G., Maffezzoli, A., Ambrosio, L., Nicolais, L. 2008. *Novel superabsorbent cellulosebased hydrogels crosslinked with citric acid*. Journal of Applied Polymer Science, 110(4), 2453–2460.
- Devine, D., Higginbotham, C. 2005. *Synthesis and characterisation of chemically crosslinked N-vinyl pyrrolidinone (NVP) based hydrogels*. European Polymer Journal, 41(6), 1272–1279.
- Dutkiewicz, JK. 2002. *Superabsorbent materials from shellfish waste-A review*. J Biomed Mater Res (Appl Biomater). 63, 373-381.
- Fengel, D & Wegener, G. 1984. Wood chemistry, ultrastructure, Reactions. Walter de Gruyter, Berlin.
- Gunawan, B., Azhari, C. D. 1979. *Karakterisasi Spektrofotometri IR dan Scanning Electro Microscopy (SEM) Sensor Gas dari Bahan Polimer Poly Etheyn Glycol (PEG)*. Surabaya: ITS
- Gomaa F. El Fawal, Marwa M. Abu-Serie, Mohamed A. Hassan, Mohamed S. Elnouby. 2018. *Hydroxyethyl cellulose hydrogel for wound dressing: fabrication, characterization and in vitro evaluation*. Polymer materials research department, dComposite and nanostructured materials research department, Advanced Technology and New Material Research Institute (ATNMRI). Scientific Research and Technological Applications City (SRTA-City), New Borg El-Arab City, 21934, Alexandria, Egypt.
- H.Kono, K.Onisi, T.Nakamura. 2013. *Characterization and bisphenol A adsorption capacity of B-Cyclodextrin-carboxymethylcellulose-based hydrogels*. Carbohydr.Polym. 98. 784-792.
- Hapsari, M. 2014. *Sintesis dan KarakteHidroGel dari Turunan Selulosa Eceng Gondok (Eichhornia Crassipes) Melalui Metode Chemical Cross-Linking dengan Menggunakan Asam Sitrat*. Jakarta: Universitas Indonesia.

- Harsini, T & Susilowati. 2010. *Pemanfaatan Kulit Buah Kakao Dari Limbah Perkebunan Kakao Sebagai Bahan Baku Pulp Dengan Proses Organosolv*, Jurnal Ilmiah Teknik Lingkungan Vol.2 No. 2: 80-89.
- Hashem, M.; Sharaf, S.; El-Hady, M.M.; and Hebeish A. 2013. *Synthesis and characterization of novel carboxymethylcellulose hydrogels and carboxymethylcellulose-hydrogel-ZnO-nanocomposites*. Carbohydrate Polymers, 95(1), 421-427.
- Heri Heriyanto, Ikhsan Firdaus & Ana Fadilah Destiani .2015. *Pengaruh Penambahan Selulosa dari Tanaman Eceng Gondok (Eichornia Crassipes) dalam Pembuatan Biopolimer Superabsorben*. Jurnal Integrasi Proses Vol. 5, No. 2, 88 – 93.
- Hoffman, A. S. 2012. *Hydrogels for biomedical applications*. Advanced Drug Delivery Reviews. 64, 18–23.
- Ichikawa, T & Nakajima, T. 1996. *Superabsorptive Polymers (from natural polysaccharides and polypeptides)*. In: *Polymeric Materials Encyclopedi*. Salamone (Ed), CRC, Boca Raton (Florida), 8051-8059.
- Ilyas RA, Sapuan SM, Ishak MR. 2018. *Isolation and characterization of nanocrystalline cellulose from sugar palm fibres (Arenga Pinnata)*. Carbohydr Polym ;181:1038e51.
- Indri, Rakhmawati., Cepi, K. Harjono. 2019. *Pengaruh Konsentrasi Metilenbisakrilamida dalam Sintesis Komposit Poli(Asam Akrilat)- Kaolin dan Pengujiannya sebagai Superabsorben*. Indo. J. Chem. Sci. 8 (2)
- Kazanskii KS, Dubrovskii SA. 1992. *Chemistry and physics of “agricultural” hydrogels*, Adv Polym Sci, 104, 97-140.
- Kleem, D. 1998. *Comprehensive Cellulose Chemistry*, Volume I, Fundamental and Analytical Method, VCH Verlag, Weinheim,Wiley, Hal 1-7.
- Kulicke, W-M & Nottelmann, H. 1989. *Structure and swelling of some synthetic, semisynthetic, and biopolymer hydrogels*. Adv Chem Ser, 223, 15-44.
- L. X. Ling, L. L. Cia, and W. Yan. 2016. *“In-situ Crosslinked PVA/Organosilica Hybrid Membranes for Pervaporation Separations*. “J. of Memb. Sci., vol. 498, pp. 263-275.

- Lankinen, P. 2004. *Ligninolytic Enzymes of the Basidiomycetous Fungi Agaricus Bisporus And Phlebia Radiata on Lignocelullose-Containing Media*. Helsinki.
- Mark Elliot. 1997. *Superabsorbent Polymers*. BASF Product Development Scientist.
- Masfria, Muchlisyam, Nurmadjuzita, Nurabaya, S., Pardede, T.R., Azhar, C., dkk. 2016. *KIMIA ANALISIS I*. Cetakan Ketiga. Medan: USU Press. Halaman 75
- Mathur, AM, Moorjani, SK & Scranton, AB. 1996. *Methods for synthesis of hydrogel networks: A review*. J Macromol Sci-Rev Macromol Chem Phys, C36, 405-430.
- Nan Sun, Ting Wang, & Xiufeng Yan. 2017. *Synthesis and investigation of a self-assembled hydrogel based on hydroxyethyl cellulose and its in vitro ibuprofen drug release characteristics*. RCV Advances. 7, 9500.
- Niednszynski, I. & Preston, R. D. 1970. *Crystallite Size in Natural Cellulosse*. Nature 225, 273-274.
- Nuringtyas & Tri Rini. 2010. *Karbohidrat*. Gajah Mada University Press. Yogyakarta.
- Ohwoavworhua, F.O & Adelakun, T.A. 2005. *Some physical Characteristic of Microcrystalline Cellulose Obtained from Raw Cotton of Cochlospermum Planchonii*. Tropical Journal of Pharmaceutical research, 501-507.
- Po, Richardo. 1994. *Water-absorbent polymers: A patent survey*, J Macromol. Sci-Rev Macromol Chem Phys, C34, 607-662.
- R. H, Atalla & ACS Symp, Ser. 1987. *The Structures of Cellulose*, 340; b) A. C. OSullivan, Cellulose 1997, 4, 173 – 207; c) P. Zugenmaier, Prog. Polym. Sci. 2001, 26, 1341 – 1417.
- S.C. Naik, J.F.T. Pittman, and J.F. Richardson. 1976. *The rheology of hydroxyethyl cellulose solutions*. Trans. Soc. Rheol., **20**, 639.
- Soo Cheong Chang & Jin Sung Yoo. 1999. *Measurement and Calculation of Swelling Equilibria for Water/Poly(Acrilamide-Sodiummallysufonate) Systems*, Korean Journals Chemical Engineering 16.
- Staples TL, Henton DE, & Buchholz, FL. 1998. *Chemistry of Superabsorbent Polyacrylates*. In Modern Superabsorbent Polymer Technology (Eds: Buchholz, FL and Graham, AT), Wiley-VCH, New York, Chapter 2.

- Suda Kiatkamjornwong, Kanlaya Mongkolsawat & Manit Sonsuk. 2002. *Synthesis and Property Characterization of Cassava Starch Grafted Polyacrylamide-Maleic Acid Superabsorbent via Gamma Irradiation*. Polymer Journal 43.
- Tang, Hu., Han, Chen., Bo, Duan., Ang, Lu. 2013. *Swelling behaviors of superabsorbent chitin/ carboxymethylcellulose hydrogels*. J Mater Sci. 49:2235–2242
- United States Department of Agriculture. 1961. *Highly Absorbent Starch-Containing Polymeric Compositions*, U.S. Patent 3,981,100.
- W. E. Gloor, B. H. Mahlman & R. D. Ullrich. 1950. *Hydroxyethylcellulose and Its Uses*. American Chemical Society. *Ind. Eng. Chem.* 42, 10, 2150–2153.
- Xiang LY, P, Mohammed MA, Samsu Baharuddin A. 2016. *Characterisation of microcrystalline cellulose from oil palm fibres for food applications*. Carbohydr Polym ;148:11e20.
- Y.Bao, J.Ma, N.Li. 2011. *Synthesis and swelling behaviors of sodium carboxymethyl cellulose-g-poly(AA-co-AM-co-AMPS)/MMT superabsorbent hydrogel*. Carbohydr. Polym. 82, 227-232.
- Zohuriaan Mehr, MJ. 2006. *Super-Absorbents (in Persian)*, Iran Polymer Society, Tehran, 2-4.
- Erizal, E.; Wikanta, T. Synthesis of Polyethylene Oxide (Peo)–Chitosan Hydrogel Prepared By Gamma Radiation Technique. Indones. J. Chem. 2011, 11, 16–20, doi:10.22146/ijc.21413.
- Saleem, A.; Akhtar, N.; Minhas, M.U.; Mahmood, A.; Khan, K.U.; Abdullah, O. Highly Responsive Chitosan-Co-Poly (MAA) Nanomatrices through Cross-Linking Polymerization for Solubility Improvement. gels 2022, 8, 1–21.
- Sutradhar, S.C.; Khan, M.M.R.; Rahman, M.M.; Dafadar, N.C. The Synthesis of Superabsorbent Polymers from a Carboxymethylcellulose/Acrylic Acid Blend Using Gamma Radiation and Its Application in Agriculture. J. Phys. Sci. 2015, 26, 23–39.
- Wu, L.; Liu, M. Preparation and Properties of Chitosan-Coated NPK Compound Fertilizer with Controlled-Release and Water-Retention. Carbohydr. Polym. 2008, 72, 240–247, doi:10.1016/j.carbpol.2007.08.020.
- Yu, J.; Zhang, H.; Li, Y.; Lu, Q.; Wang, Q.; Yang, W. Synthesis, Characterization,

- and Property Testing of PGS/P(AMPS-Co-AM) Superabsorbent Hydrogel Initiated by Glow-Discharge Electrolysis Plasma. *Colloid Polym. Sci.* 2016, 294, 257–270, doi:10.1007/s00396-015-3751-0.
- Zhao, C.; Zhang, M.; Liu, Z.; Guo, Y.; Zhang, Q. Salt-Tolerant Superabsorbent Polymer with High Capacity of Water-Nutrient Retention Derived from Sulfamic Acid-Modified Starch. *ACS Omega* 2019, 4, 5923–5930, doi:10.1021/acsomega.9b00486.
- Zhang, M.; Zhang, S.; Chen, Z.; Wang, M.; Cao, J.; Wang, R. Preparation and Characterization of Superabsorbent Polymers Based on Sawdust. *Polymers (Basel)*. 2019, 11, doi:10.3390/polym11111891.
- Fang, S.; Wang, G.; Li, P.; Xing, R.; Liu, S.; Qin, Y.; Yu, H.; Chen, X.; Li, K. Synthesis of Chitosan Derivative Graft Acrylic Acid Superabsorbent Polymers and Its Application as Water Retaining Agent. *Int. J. Biol. Macromol.* 2018, 115, 754–761, doi:10.1016/j.ijbiomac.2018.04.072.
- Rodrigues, F.H.A.; Fajardo, A.R.; Pereira, A.G.B.; Ricardo, N.M.P.S.; Feitosa, J.P.A.; Muniz, E.C. Chitosan-Graft-Poly(Acrylic Acid)/Rice Husk Ash Based Superabsorbent Hydrogel Composite: Preparation and Characterization. *J. Polym. Res.* 2012, 19, 1–10, doi:10.1007/s10965-012-0001-8.
- Melo, B.C.; Paulino, F.A.A.; Cardoso, V.A.; Pereira, A.G.B.; Fajardo, A.R.; Rodrigues, F.H.A. Cellulose Nanowhiskers Improve the Methylene Blue Adsorption Capacity of Chitosan-g-Poly(Acrylic Acid) Hydrogel. *Carbohydr. Polym.* 2018, 181, 358–367, doi:10.1016/j.carbpol.2017.10.079.
- Herawati, A.; Mujiyo; Syamsiyah, J.; Baldan, S.K.; Arifin, I. Application of Soil Amendments as a Strategy for Water Holding Capacity in Sandy Soils. *IOP Conf. Ser. Earth Environ. Sci.* 2021, 724, doi:10.1088/1755-1315/724/1/012014.
- Cheng, B.; Pei, B.; Wang, Z.; Hu, Q. Advances in Chitosan-Based Superabsorbent Hydrogels. *RSC Adv.* 2017, 7, 42036–42046, doi:10.1039/c7ra07104c.
- Elshafie, H.S.; Camele, I. Applications of Absorbent Polymers for Sustainable Plant Protection and Crop Yield. *Sustain.* 2021, 13, doi:10.3390/su13063253.
- Abdallah, A.M. The Effect of Hydrogel Particle Size on Water Retention Properties and Availability under Water Stress. *Int. Soil Water Conserv. Res.* 2019, 7, 275–285, doi:10.1016/j.iswcr.2019.05.001.
- Elbarbary, A.M.; Ghobashy, M.M. Controlled Release Fertilizers Using Superabsorbent Hydrogel Prepared by Gamma Radiation. *Radiochim. Acta* 2017, 105, 865–876, doi:10.1515/ract-2016-2679.

