

DAFTAR PUSTAKA

- [1] J. M. Frenck, M. Vollmer, M. Mandel, L. Krüger, and T. Niendorf, "On the influence of microstructure on the corrosion behavior of Fe–Mn–Al–Ni *shape memory alloy* in 5.0 wt% NaCl solution," *Advanced Engineering Materials*, vol. 23, no. 2, p. 2000865, 2021.
- [2] M. Rohmah, E. C. Sendouw, R. A. Tanjung, D. P. Utama, and E. Maburi, "*Effect of Hot Rolling and Solution Treatment on the Microstructure and Mechanical Properties of Fe-Mn-Si-Ni-Cr Shape Memory Alloy*," *Metalurgi*, vol. 2, pp. 57-64, 2023.
- [3] H. Y. Ha, T. H. Lee, J. H. Bae, and D. W. Chun, "Molybdenum effects on pitting corrosion resistance of FeCrMnMoNC austenitic stainless steels," *Metals*, vol. 8, no. 8, p. 653, 2018.
- [4] A. Saifullah, "Pengaruh penambahan Nikel (Ni) terhadap sifat kekerasan dan struktur mikro pada paduan aluminium–silikon (Al-Si) melalui proses pengecoran," Institut Teknologi Sepuluh Nopember, 2015.
- [5] M. V. Boniardi and A. Casaroli, "*Stainless steels*," Lucefin SpA, 2014.
- [6] F. Niccoli, C. Maletta, E. Sgambitterra, and F. Furguele, "A thermo-mechanical model for *shape memory alloy*-based crank heat engines," *Journal of Intelligent Material Systems and Structures*, vol. 26, no. 6, pp. 652–662, 2014, doi: 10.1177/1045389x14554131.
- [7] W. S. Chu et al., "Review of biomimetic underwater robots using smart actuators," *International Journal of Precision Engineering and Manufacturing*, vol. 13, pp. 1281–1292, 2012.
- [8] S. Wang et al., "Memory-steel for smart steel structures: A review on recent developments and applications," *CE/Papers*, vol. 6, no. 3-4, pp. 949–958, 2023, doi: 10.1002/cepa.2756.
- [9] S. A. Roslan et al., "Dynamic instability response of smart composite material," *Materialwissenschaft und Werkstofftechnik*, vol. 50, no. 3, pp. 302–310, 2019, doi: 10.1002/mawe.201800213.

- [10] K. Hong, Y. Yeon, S. Ji, and S. Lee, "Flexural behavior of RC beams using Fe-Based *shape memory alloy* rebars as tensile reinforcement," *Buildings*, vol. 12, no. 2, p. 190, 2022, doi: 10.3390/buildings12020190.
- [11] H. Khodaverdi, M. Mohri, E. Ghafoori, A. Sabet Ghorabaei, and M. Nili-Ahmadabadi, "Enhanced pseudoelasticity of an Fe–Mn–Si-based *shape memory alloy* by applying microstructural engineering through recrystallization and precipitation," *Journal of Materials Research and Technology*, vol. 10, 2022, pp. 1-9, doi: 10.1016/j.jmrt.2022.10.092.
- [12] M. Rohmah, M. Y. Hasbi, R. Roberto, D. P. Utama, D. Irawan, P. A. Paristiawan, M. A. Prasetyo, B. Adjiantoro, T. B. Romijarso, and E. Maburi, "Corrosion behavior of *shape memory alloy* Fe-Mn-Si-Ni-Cr in chloride solution and simulated concrete pore solution," *Int. J. Corros. Scale Inhib.*, vol. 12, no. 4, pp. 1392-1407, 2023.
- [13] M. Mohri,, "Effect of thermomechanical treatment and microstructure on pseudo-elastic behavior of Fe–Mn–Si–Cr–Ni-(V, C) *shape memory alloy*," *Materials Science and Engineering: A*, vol. 855, p. 143917, 2022.
- [14] B. C. Maji, C. M. Das, M. Krishnan, and R. K. Ray, "The corrosion behaviour of Fe–15Mn–7Si–9Cr–5Ni *shape memory alloy*," **Corrosion Science**, vol. 48, no. 4, pp. 937–949, 2006.
- [15] H. Y. Ha, T. H. Lee, J. H. Bae, and D. W. Chun, "Molybdenum effects on pitting corrosion resistance of FeCrMnMoNC austenitic stainless steels," *Metals*, vol. 8, no. 8, p. 653, 2018.
- [16] S. Lyon et al., "Corrosion of molybdenum and its alloys," in *Shreir's Corrosion: Volume 3: Corrosion and Degradation of Engineering Materials*, Elsevier, 2009.
- [17] V. B. Sardi, S. Jokosisworo, and H. Yudo, "Pengaruh normalizing dengan variasi waktu penahanan panas (Holding Time) baja ST 46 terhadap uji kekerasan, uji tarik, dan uji mikrografi," *Jurnal Teknik Perkapalan*, vol. 6, no. 1, 2018.
- [18] A. Yafi, "Pengaruh Kadar Kromium (Cr) terhadap Kekerasan dan Struktur Mikro Baja Paduan Fe-Cr-Mn melalui Proses Peleburan," 2016
- [19] R. Shu, H. Gong, G. Hu, and J. Huang, "A novel intelligent fan clutch for large hybrid vehicles," *Energies*, vol. 15, no. 12, p. 4308, 2022, doi: 10.3390/en15124308.

- [20] S. Wu and Y. Chang, "Thermal cycling effect on transformation temperatures of different transformation sequences in TiNi-based *shape memory alloys*," *Materials*, vol. 12, no. 16, p. 2512, 2019, doi: 10.3390/ma12162512.
- [21] K. Mehta and K. Gupta, "Fabrication and processing of *shape memory alloys*," in *Fabrication and processing of shape memory alloys*, Cham: Springer International Publishing, 2019, pp. 6-7.
- [22] H. Otsuka et al., "Effects of alloying additions on Fe-Mn-Si *shape memory alloys*," *ISIJ International*, vol. 30, no. 8, pp. 674–679, 1990.
- [23] Y. Tomota, Y. Xia, and K. Inoue, "Mechanism of low temperature brittle fracture in high nitrogen bearing austenitic steels," *Acta Materialia*, vol. 46, no. 5, pp. 1577-1587, 1998.
- [24] N. Stanford and D. P. Dunne, "Thermo-mechanical processing and the shape memory effect in an Fe–Mn–Si-based *shape memory alloy*," **Materials Science and Engineering: A**, vol. 422, no. 1-2, pp. 352–359, 2006.
- [25] B. C. Maji, M. Krishnan, V. Hiwarkar, I. Samajdar, and R. K. Ray, "Development of texture and microstructure during cold rolling and annealing of a Fe-based *shape memory alloy*," **Journal of Materials Engineering and Performance**, vol. 18, pp. 588–593, 2009.
- [26] A. M. Roman et al., "Microstructure, shape memory effect, chemical composition and corrosion resistance performance of biodegradable FeMnSi-Al alloy," *Crystals*, vol. 13, no. 1, p. 109, 2023.
- [27] F. F. D. Putra, "Analisis Pengaruh Variasi Media Pendingin Dan Holding Time Artificial Aging Paduan Cu-14,6Zn-7,41Al Terhadap Struktur Mikro, Kekerasan Dan Shape Memory Effect," Doctoral dissertation, Institut Teknologi Sepuluh Nopember, 2022.
- [28] Z. Rao et al., "Experimental and numerical studies on a novel shape-memory alloy wire–woven trusses capable of undergoing large deformation," *Journal of Intelligent Material*, vol. 30, no. 15, pp. 2283–2298, 2019,
- [29] E. Choi, J. W. Hu, J. Lee, and B. Cho, "Recovery stress of *shape memory alloy* wires induced by hydration heat of concrete in reinforced concrete beams," *Journal of Intelligent Material Systems and Structures*, vol. 26, no. 1, pp. 29–37, 2014, doi: 10.1177/1045389x13519005.
- [30] O. E. Ozbulut, R. F. Hamilton, M. M. Sherif, and A. Lanba, "Feasibility of self-pre-stressing concrete members using *shape memory alloys*," *Journal of Intelligent Material Systems and Structures*, vol. 26, no. 18, pp. 2500–2514, 2015, doi: 10.1177/1045389x15604405.

- [31] F. Mert, "A comparison of the dry sliding wear behavior of As-cast and hot rolled Az31B magnesium alloy," *Niğde Ömer Halisdemir Üniversitesi Mühendislik Bilimleri Dergisi*, vol. 7, no. 1, pp. 417-426, 2018.
- [32] O. M. Ikumapayi, E. T. Akinlabi, P. Onu, and O. P. Abolusoro, "Rolling operation in metal forming: Process and principles—A brief study," **Materials Today: Proceedings**, vol. 26, pp. 1644–1649, 2020.
- [33] F. Rokhmanto, M. D. Panghihutan, A. P. Putri, B. T. Prayoga, I. Kartika, A. Erryani, and C. Sutowo, "Pengaruh Variasi Temperatur *Solution treatment* pada Kekerasan dan Presipitat Paduan Co-30Cr-5Mo-0,32C-0,23N," *TEKNIK*, vol. 44, no. 1, pp. 1-6. 2023.
- [34] Wahyu, B. Penguatan Logam melalui Solid *Solution treatment*. *Jurnal Teknik Mesin*, 10(2), 78-85. 2008.
- [35] Putra, A. Penguatan Presipitat pada Paduan Logam. *Jurnal Teknik Metalurgi*, 12(3), 45-52. 2008.
- [36] N. Stanford and D. P. Dunne, "Martensite/particle interactions and the shape memory effect in an Fe–Mn–Si-based alloy," **Journal of Materials Science**, vol. 42, pp. 4334-4343, 2007.
- [37] A. Rahardi, "Pemanfaatan Green Inhibitor Daun Pandan Wangi terhadap laju korosi pada baja AI 5L Grade B di lingkungan NaCl 3,5% dan H2SO4 1M," *Jurusan Teknik Material dan Metalurgi*, ITS, Surabaya, Indonesia, 2014.
- [38] Y. K. Afandi, I. S. Arief, and A. Amiadji, "Analisa laju korosi pada pelat baja karbon dengan variasi ketebalan coating," *Jurnal Teknik ITS*, vol. 4, no. 1, pp. G1–G5, 2015.
- [39] M. F. Sidiq, "Analisa korosi dan pengendaliannya," *Jurnal Foundry*, vol. 3, no. 1, pp. 25–30, 2013.
- [40] S. T. Dwiyati and M. T. Pangestu, "Kehilangan Massa Lapisan Tembaga-nikel/tembaga-nikel-silikon pada Larutan HCl," *Jurnal Konversi Energi dan Manufaktur*, pp. 27-34, 2022.
- [41] X. Qiang, L. Chen, and X. Jiang, "Achievements and perspectives on Fe-based shape memory alloys for rehabilitation of reinforced concrete bridges: An overview," *Materials*, vol. 15, no. 22, p. 8089, 2022..
- [42] Sujianto, "Pengaruh penambahan unsur molibdenum (Mo) terhadap sifat mekanik dan struktur mikro pada baja tahan karat tipe AISI 410," *Program Studi Teknik Mesin, Universitas Pamulang, Tangerang Selatan, Indonesia*, 2019.

- [43] S. Novita, E. G. Suka, and W. Astuti, "Analisis laju korosi dan kekerasan pada stainless steel 304 dan baja nikel laterit dengan variasi kadar Ni (0, 3, dan 10%) dalam medium korosif," *JURNAL Teori Fisika*, pp. 21-32, 2018.
- [44] H. Farhat, R. Griffin, I. N. A. Oguocha, and R. Evitts, "An investigation of the corrosion behaviour of a FeNiCoAlTa *shape memory alloy* in 3.5 wt-% NaCl solution," *Corrosion Engineering, Science and Technology*, vol. 53, no. 8, pp. 611–616, 2018.
- [45] M. Rațoi, S. Stanciu, N. Cimpoeșu, I. Cimpoeșu, B. Constantin, and C. Paraschi, "A potential biodegradable metallic material with shape memory effect based on iron," *Advanced Materials Research*, vol. 814, pp. 110-114, 2013.
- [45] Y. Tiandho, A. A. Tiandho, and F. Afriani, "Analisis kuantitatif metalografi berdasarkan pengolahan citra menggunakan Wolfram Mathematica," in *Prosiding Seminar Nasional Penelitian & Pengabdian pada Masyarakat*, vol. 2, pp. 205–209, 2018.
- [46] I. Fadhilah, "Analisis Struktur Mikro (Metalografi)," Program Studi Teknik Metalurgi ITB, Bandung, 2019.
- [47] D. Kim, K. Hong, J. Sim, J. Lee, and W. Lee, "Shape Memory and Mechanical Properties of Cold Rolled and Annealed Fe-17Mn-5Si-5Cr-4Ni-1Ti-0.3 C Alloy," **Materials**, vol. 14, no. 2, p. 255, 2021.
- [48] H. Kuat, "Quality of corrosion analysis sample preparation using potentiostate," 2019.
- [49] C. W. Yang, C. Liu, D. J. Lin, M. L. Yeh, and T. M. Lee, "Hydrothermal treatment and butylphosphonic acid derived self-assembled monolayers for improving the surface chemistry and corrosion resistance of AZ61 magnesium alloy," **Scientific Reports**, vol. 7, no. 1, p. 16910, 2017.
- [50] S. A. A. Kiey, E. A. E. Meguid, and S. A. E. Rehim, "Electrochemical Investigations on the Corrosion Behavior of 904L Stainless Steel in LiBr Solutions," *Journal of Materials Engineering and Performance*, vol. 32, no. 20, pp. 9163-9173, 2023.
- [51] R. Keshavamurthy, C. S. Ramesh, G. S. P. Kumar, and V. Tambrallimath, "Experimental investigation of tribocorrosion," in *Tribocorrosion*, A. Siddaiah, R. Ramachandran, and P. L. Menezes, Eds., Academic Press, 2021, pp. 17–42, doi: 10.1016/B978-0-12-818916-0.00001-8.
- [52] M. Sulaeman, H. Budiman, and E. Koswara, "Proses uji dimensi, uji kekerasan dengan metode Rockwell dan uji komposisi kimia pada cangkul di

Balai Besar Logam dan Mesin (BBLM) Bandung," in Prosiding Industrial Research Workshop and National Seminar, vol. 10, no. 1, 2019.

- [53] R. D. Putra and M. A. Buqi, "Analisa Pengaruh Heat Treatment dan Variasi Kecepatan Putaran Pada Pengelasan Gesek Baja AISI 1045 Terhadap Kekuatan Tarik Struktur Mikro dan Kekerasan," Doctoral dissertation, Institut Teknologi Nasional Malang, 2023.
- [54] F. A. Rauf, F. P. Sappu, and A. M. Lakat, "Uji kekerasan dengan menggunakan alat microhardness Vickers pada berbagai jenis material teknik," Jurnal Tekno Mesin, vol. 5, no. 1, 2018.
- [55] S. G. Sukaryo, B. Badriyana, and P. Sebleku, "Pengaruh penambahan Molibdenum terhadap morfologi struktur mikro, sifat mekanik dan ketahanan korosi paduan Zr-Nb untuk material implan," **Metalurgi**, vol. 29, no. 1, pp. 17–26, 2018.
- [56] O. Armağan and T. Kırındı, "Microstructure investigation of thermally induced phase transformation in Fe–Mn–Mo–Si alloys," *Süleyman Demirel Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, vol. 25, no. 2, pp. 419–431, 2021.
- [57] H. Cai, Z. Ma, J. Zhang, L. Qi, J. Hu, and J. Zhou, "Different Heat-Exposure Temperatures on the Microstructure and Properties of Dissimilar GH4169/IC10 Superalloy Vacuum Electron Beam Welded Joint," **Metals**, vol. 14, no. 3, p. 348, 2024. [Online]. Available: <https://doi.org/10.3390/met14030348>.
- [58] A. Zulfikar, "Pengaruh penambahan nikel (Ni) terhadap kekerasan dan struktur mikro paduan FeCr-Ni melalui metode pengecoran," Jurusan Teknik Material dan Metalurgi, Fakultas Teknologi Industri, Institut Teknologi Sepuluh Nopember, Surabaya, 2015.
- [59] M. Y. Hasbi, D. P. Malau, and B. Adjiantoro, "Pengaruh variasi reduksi terhadap kekerasan dan struktur mikro baja laterit melalui pengerolan panas," **Prosiding Semnastek**, 2016.
- [60] C. Xia, W. Zhang, Z. Kang, Y. Jia, Y. Wu, R. Zhang, ... and M. Wang, "High strength and high electrical conductivity Cu–Cr system alloys manufactured by *hot rolling*–quenching process and thermomechanical treatments," *Materials Science and Engineering: A*, vol. 538, pp. 295–301, 2012.
- [61] Y. Tiandho, "Pengaruh unsur pepadu Mo dan proses fabrikasi terhadap kekerasan plat Zirlo-Mo," **Bangka Belitung University**, vol. 1, no. 1, 2013.
- [62] A. Hanrevo, "Pengaruh presipitat terhadap sifat mekanik paduan nikel," *Jurnal Metalurgi*, vol. 16, no. 1, pp. 23–31, 2023.

- [63] H. Aghamohammadi, S. J. Hosseini pour, S. M. Rabiee, and R. Jamaati, "Effect of *hot rolling* on microstructure, crystallographic texture, and hardness of AZ31 alloy," **Materials Chemistry and Physics**, 2021.
- [64] A. Shirzadi and S. Jackson, *Structural Alloys for Power Plants: Operational Challenges and High-Temperature Materials*, Cambridge: Elsevier, 2014.
- [65] Hamdan, A. Mass Loss Pada Pemaduan Logam Ni Fe Mn Al Metode Vacuum Arc Melting Furnace Terhadap Hume-Rothery Rules. *Jurnal Metalurgi*, 14(3), 45-52. (2017).
- [66] X. Feng, H. Jia, Y. Liu, Y. Li, W. Li, T. Zhanget al., "Effects of microstructures on the tensile properties and corrosion resistance of high-purity magnesium", *Materials Science Forum*, vol. 849, p. 114-120, 2016. <https://doi.org/10.4028/www.scientific.net/msf.849.114>
- [67] Y. Zheng, Y. r, Y. Liu, Y. Tian, X. Zheng, and L. Chen, "Microstructure characteristics and corrosion behaviors of Mg-2Zn-2Er-0.3 Zr-0.3 Mn alloy under various rolling reductions," **Metals**, vol. 12, no. 2, p. 365, 2022.
- [68] Ana, "Corrosion Behavior of Aluminum Alloy in Simulated Concrete Pore Solution", *Journal of Materials Engineering and Performance*, vol. 22, no. 7, pp. 1822-1827, 2013.
- [69] A. Nikitasari, I. M. Astuti, S. Musabikha, R. Kusumastuti, S. Prifi harni, and G. Priyotomo, "Chasew (Anacardium Occidentale) Leaves Extract as Green Corrosion Inhibitor of API 5L X52 in Acidic Media," *Trends in Sciences*, vol. 20, no. 7, p. 4733, Mar. 2023, doi: 10.48048/tis.2023.4733.
- [70] Z. Xuemei and Z. Yansheng, "Effect of ϵ -martensite on the electrochemical corrosion behaviour of an Fe-Mn-Si *shape memory alloy* in aqueous solutions," *J. Mater. Sci. Lett.*, 1997.
- [71] C. A. Della Rovere, J. H. Alano, R. Silva, P. A. P. Nascente, J. Otubo, and S. E. Kuri, "Characterization of passive films on shape memory stainless steels," **Corrosion Science**, vol. 57, pp. 154-161, 2012.
- [72] Deni, D. P., Alfianarrochmah, '., & Kurnianingsih, O. (2023). Penetrasi dan sorptivitas klorida beton mutu tinggi memadat mandiri dengan variasi substitusi metakaolin. *Jurnal Teknik Sipil Dan Lingkungan*, 8(02), 115-126. <https://doi.org/10.29244/jsil.8.02.115-126>