

DAFTAR PUSTAKA

- [1] Prayogo, T., & Budiman, B. (2009). Survei potensi pasir kuarsa di daerah Ketapang, Propinsi Kalimantan Barat. *Jurnal Sains dan Teknologi Indonesia*, 11(2), hal. 126–132.
- [2] Shcherban, N. D. (2017). Review on synthesis, structure, physical and chemical properties and functional characteristics of porous silicon carbide. *Journal of Industrial and Engineering Chemistry*, 50, hal. 15–28. <https://doi.org/10.1016/j.jiec.2017.02.002>
- [3] Wills, B. A., & Finch, J. A. (2016). *Will's Mineral Processing Technology: An Introduction to the Practical Aspects of Ore Treatment and Mineral Recovery*. Elsevier Science & Technology Books.
- [4] Wills, B. A. (2006). *Wills' Mineral Processing Technology: An Introduction to the Practical Aspects of Ore Treatment and Mineral Recovery* (7th ed.). Elsevier Science & Technology Books.
- [5] Reddy, P. S. R., Kumar, S. G., Bhattacharya, K. K., Sastri, S. R. S., & Narasimhan, K. S. (1988). *International Journal of Mineral Processing*, 24, 161.
- [6] Wills, B. A., & Napier-Munn, T. (2005). *Mineral Processing Technology: An Introduction to the Practical Aspects of Ore Treatment and Mineral Recovery*. Elsevier Science and Technology Books.
- [7] Finch, J. A., & Dobby, G. S. (1990). *Column Flotation* (1st ed.). Oxford: Pergamon Press, United Kingdom.
- [8] Sastri, S. R. S. (1998). *Column flotation: Theory and practice. Froth Flotation: Recent Trends*, hal. 44–63.
- [9] Laskowski, J.S. (1998) *Frothers and Flotation*. In: Laskowski, J.S. and Woodburn, E.T., Eds., *Frothing in Flotation II*, Ch. 1, CRC Press, Boca Raton, 1-49.
- [10] Glembotskii, V. A., Bogdanova, I. P. (1971) Effect of microporosity on the flotation properties of martite. *Soviet Mining Science*, 7 (1) 93-95 doi:10.1007/bf02501229
- [11] Lin, D., & Somasundaran, P. (1994). Role of collector and frother and hydrophobicity/oleophilicity of pyrite on the separation of pyrite from coal by flotation. *International Journal of Mineral Processing*, 4, 227–238.

- [12] Klimpel, R., & Isherwood, S. (1991). Some industrial implications of changing frother chemical structure. *International Journal of Mineral Processing*, 33, 369–381.
- [13] Abdullah, M. (2017). *Fisika Dasar II*. ITB, hal. 162–184.
- [14] R. Setiawan, M. Rivai, dan Suwito (2017), "Implementasi Analog Front End pada Sensor Kapasitif untuk Pengaturan Kelembaban Menggunakan Mikrokontroler STM32," *Jurnal Teknik ITS*, vol. 6, no. 1, ISSN: 2337-3539.
- [15] Basri, I. Y., & Irfan, D. (2018). *Komponen Elektronika*. Padang, Indonesia: Sukabina Press.
- [16] Samosir, A. S. (2016). Implementasi alat ukur kapasitansi digital (digital capacitance meter) berbasis mikrokontroler. *Jurnal Rekayasa dan Teknologi Elektro*, 10(1).
- [17] Ctech-Labs, Edwar Technology Co., Ltd, User Guide For Engineer Capacitometer Model Cap3201 2CH High Speed 1000 frames/s, 12 Mar. 2015. [Online]. <http://www.c-techlabs.com>. [Diakses: Januari. 21, 2025].
- [18] Smith, P., & Brown, J. (2015). Capacitive sensors for measuring physical quantities: Applications and limitations. *Sensors Journal*, 8(2), hal. 34–45.
- [19] Zhang, J., Liu, S., Wu, W., Zhong, X., & Liu, T. (2022). Research on a rapid identification method for counting universal grain crops. *PLoS ONE*, 17(9), 1–19. <https://doi.org/10.1371/journal.pone.0273785>
- [20] C. T. Rueden, J. Schindelin, M. C. Hiner, et al., "ImageJ2: ImageJ untuk data citra ilmiah generasi berikutnya," *BMC Bioinformatics*, vol. 18, no. 1, p. 529, 2017. doi.org/10.1186/s12859-017-1934-z
- [21] Laskowski, J. S., Cho, Y. S., & Ding, K. (2003). Effect of frothers on bubble size and foam stability in potash ore flotation systems. *Canadian Journal of Chemical Engineering*, 81, hal. 63–69.
- [22] Azhari, & Aziz, M. (2016). Sintesis dan karakterisasi material berpori berbasis mineral silika Pulau Belitung. *Jurnal Teknologi Mineral dan Batu Bara*, 12(3), hal. 161–170.
- [23] Budavari, S. (1989). *Merck Index of Chemicals and Biologicals* (11th ed.). USA: Merck & Company, Incorporated, hal. 1182.
- [24] Drzymala, J. (2007). *Mineral processing: Foundations of theory and practice in minerallurgy*. Wroclaw: Wroclaw University of Technology, hal. 5082.

- [25] Fuerstenau, M. C., & Somasundaran, S. (2003). Principles of Mineral Processing. Littleton, CO, USA: SME, hal. 245–306.
- [26] Göktepe, F. (2002). Effect of pH on pulp potential and sulphide mineral flotation. *Turkish Journal of Engineering and Environmental Science*, 26, 309.
- [27] Haryono, D., Darmabakti, I., Oediyani, S., & Harjanto, S. (2020). Monitoring of column flotation process in collection zone using ECVT with the effect of collector and frother doses to recovery. *MESIN*, 11(1), 1–7.
- [28] Haryono, D., Harjanto, S., Wijaya, R., Oediyani, S., Nugraha, H., Huda, M. A., & Taruno, W. P. (2018). Investigation of column flotation process on sulphide ore using 2-electrode capacitance sensor: The effect of air flow rate and solid percentage. *AIP Conference Proceedings*, 1945, 1–5. doi.org/10.1063/1.5030267
- [29] Haryono, D., Harjanto, S., Rahmandani, H. F., Oediyani, S., Nugraha, H., & Huda, M. A. (2019). A preliminary study of three-phase column flotation process monitoring using electrical capacitance volume tomography. *IOP Conference Series: Materials Science and Engineering*, 673(1), 1–6. https://doi.org/10.1088/1757-899X/673/1/012130
- [30] Munadi, S. (1992). Mengenal tomografi seismik. *LPL*, 3, hal. 239–248. Lemigas.
- [31] Ran, J., Qiu, X., Hu, Z., Liu, Q., Song, B., & Yao, Y. (2019). Effects of particle size on flotation performance in the separation of copper, gold and lead. *Powder Technology*, 344, hal. 654–664.
- [32] Warsito, S. (2005). Review: Komputasi tomografi dan aplikasinya dalam proses industri.
- [33] Wills, B. A. (1982). *Mineral Processing Technology* (4th ed.). Pergamon Press.
- [34] Yoon, R. H., & Luttrell, G. H. (1989). Pengaruh ukuran gelembung pada flotasi partikel halus. *Mineral Processing and Extractive Metallurgy Review*, 5(1–4), hal. 101–122.
- [35] Zhou, S., Yuan, Z., Cheng, Q., & et al. (2020). Quantitative analysis of iron and silicon concentrations in iron ore concentrate using portable X-ray fluorescence (XRF). *Applied Spectroscopy*, 74(1), 55–62. doi.org/10.1177/0003702819871627.