

DAFTAR PUSTAKA

- [1] L. H. Zhao, Q. K. Xing, J. Y. Wang, S. L. Li, and S. L. Zheng, "Failure and root cause analysis of vehicle drive shaft" *Eng. Fail. Anal.*, vol. 99, no. July 2017, pp. 225–234, 2019, doi: 10.1016/j.engfailanal.2019.02.025.
- [2] Z. Hu, X. Gu, R. Liu, and L. Lin, "Effect of different microstructural design on properties for quenching and partitioning steel with tensile strength of 980MPa" *J. Phys. Conf. Ser.*, vol. 2368, no. 1, 2022, doi: 10.1088/1742-6596/2368/1/012020.
- [3] X. Li, L. Shi, Y. Liu, K. Gan, and C. Liu, "Achieving a desirable combination of mechanical properties in HSLA steel through step quenching" *Mater. Sci. Eng. A*, vol. 772, no. October, p. 138683, 2020, doi: 10.1016/j.msea.2019.138683.
- [4] M. M. Bilal *et al.*, "Effect of austempering conditions on the microstructure and mechanical properties of AISI 4340 and AISI 4140 steels" *J. Mater. Res. Technol.*, vol. 8, no. 6, pp. 5194–5200, 2019, doi: 10.1016/j.jmrt.2019.08.042.
- [5] W. Zhou, Y. Sun, Q. Wang, and L. Ding, "Effect of quenching and partitioning process to low-alloy wear resistant steel" *J. Mater. Res.*, vol. 31, no. 5, pp. 663–669, 2016, doi: 10.1557/jmr.2016.58.
- [6] M. Attributes, "Material Attributes" *Prim. Flat Roll. Second Ed.*, pp. 163–191, 2014, doi: 10.1016/B978-0-08-099418-5.00008-1.
- [7] R. Steadman, *Materials science*, vol. 5, no. 2. 1970.
- [8] L. Lv, L. Fu, S. Ahmad, and A. Shan, "Effect of heavy warm rolling on microstructures and mechanical properties of AISI 4140 steel," *Mater. Sci. Eng. A*, vol. 704, pp. 469–479, 2017, doi: 10.1016/j.msea.2017.07.089.
- [9] M. K. Banerjee, *Fundamentals of Heat Treating Metals and Alloys*, vol. 2–3. Elsevier Ltd., 2017.
- [10] R. Saputra and E. Tyastomo, "Perbandingan Kekerasan Dan Struktur Mikro Pegas Daun Yang Mengalami Proses Heat Treatment" *Bina Tek.*, vol. 12, no. 2, p. 185, 2017, doi: 10.54378/bt.v12i2.72.
- [11] "Rohmat, Y. N., Endramawan, T., Haris, E., Basori, I., Susetyo, F. B., & Ilmihaqie, D. N. (2022). Analisa Proses Carburizing Baja AISI 4140 terhadap Sifat Mekanik dan Mikrostruktur. In Prosiding Seminar Nasional Terapan Riset.pdf." .
- [12] M. Melih Tecer, "Effects of Various Heat Treatment Procedures on the

- Toughness of Aisi 4140 Low Alloy Steel” *Int. J. Mater. Eng. Technol.*, vol. 003, pp. 131–149, 2020, [Online]. Available: <http://dergipark.gov.tr/tijmet>.
- [13] X. Huang *et al.*, “Study on time-temperature-transformation diagrams of stainless steel using machine-learning approach” *Comput. Mater. Sci.*, vol. 171, no. September 2019, p. 109282, 2020, doi: 10.1016/j.commatsci.2019.109282.
- [14] Y. AL, N. EA, S. LF, and B. EA, “Annealing and Normalizing of AISI 1045 Steel: A Lamellae Analysis” *Int. J. Metall. Met. Phys.*, vol. 5, no. 2, 2020, doi: 10.35840/2631-5076/9253.
- [15] A. Inam, M. Ishtiaq, M. A. Hafeez, M. H. Hassan, A. Hafeez, and Nawaz, “Quenching and Partitioning of AISI 4340 steel” *J. Fac. Eng. Technol.*, vol. 24(2), no. April, pp. 47–56, 2020, [Online]. Available: <http://journals.pu.edu.pk/journals/index.php/jfet/article/view/1128>.
- [16] M. Masoumi, E. A. A. Echeverri, A. P. Tschiptschin, and H. Goldenstein, “Improvement of wear resistance in a pearlitic rail steel via quenching and partitioning processing” *Sci. Rep.*, vol. 9, no. 1, pp. 1–13, 2019, doi: 10.1038/s41598-019-43623-7.
- [17] W. Bleck, X. Guo, and Y. Ma, “The TRIP Effect and Its Application in Cold Formable Sheet Steels” *Steel Res. Int.*, vol. 88, no. 10, pp. 35–45, 2017, doi: 10.1002/srin.201700218.
- [18] M. Thomä and G. Wagner, “Effect of quenching and partitioning heat treatment on the fatigue behavior of 42SiCr Steel” *Metals* 11, no.11, 2021.
- [19] A. Alhamidi, “Proses Quenching and Partitioning Terhadap Sifat Mekanik Baja Karbon Medium,” *J. Rekayasa Mesin*, vol. 15, no. 2, p. 118, 2020, doi: 10.32497/jrm.v15i2.1869.
- [20] P. K. Kantanen, V. Javaheri, M. C. Somani, D. A. Porter, and J. I. Kömi, “Effect of deformation and grain size on austenite decomposition during quenching and partitioning of (high) silicon-aluminum steels” *Mater. Charact.*, vol. 171, 2021, doi: 10.1016/j.matchar.2020.110793.
- [21] R. N. Penha, Y. Francisco, and S. Marins, “Quenching and partitioning heat treatment : the third generation of advanced high- strength steel Tratamento térmico de têmpera e partição : terceira geração dos aços avançados de alta resistência Tratamiento térmico de temple y partición : tercera genera” vol. 2022, pp. 1–10, 2022.
- [22] J. G. Speer, A. M. Streicher, D. K. Matlock, F. Rizzo, and G. Krauss, “Quenching and partitioning: A fundamentally new process to create high strength trip sheet microstructures” *Mater. Sci. Technol. 2003 Meet.*, pp.

505–522, 2003.

- [23] M. Belfi *et al.*, “On the Strain Hardening and Tensile Properties of AISI 4140 Steel via Single-Step Quenching and Partitioning Treatments” *Steel Res. Int.*, vol. 2400513, 2024, doi: 10.1002/srin.202400513.
- [24] J. Wang and S. V. A. N. D. E. R. Zwaag, “Stabilization Mechanisms of Retained Austenite in Transformation-Induced Plasticity Steel” vol. 32, no. June, pp. 1527–1539, 2001.
- [25] C. Celada-Casero, C. Kwakernaak, J. Sietsma, and M. J. Santofimia, “The influence of the austenite grain size on the microstructural development during quenching and partitioning processing of a low-carbon steel” *Mater. Des.*, vol. 178, 2019, doi: 10.1016/j.matdes.2019.107847.
- [26] K. Ren, Y. Kang, and S. Zhu, “Effect of partitioning time on the microstructure and mechanical properties of Q&P steels” *Mater. Sci. Forum*, vol. 749, pp. 303–307, 2013, doi: 10.4028/www.scientific.net/MSF.749.303.
- [27] G. Luo, H. Li, Y. Li, and J. Mo, “Microstructures and properties of a low-carbon-chromium ferritic stainless steel treated by a quenching and partitioning process”, *Materials* 12, no. 10, 2019.
- [28] E. Tkachev, S. Borisov, Y. Borisova, T. Kniaziuk, and R. Kaibyshev, “Relationships between Strength, Ductility and Fracture Toughness in a 0.33C Steel after Quenching and Partitioning (Q&P) Treatment,” *Crystals*, vol. 13, no. 10, 2023, doi: 10.3390/cryst13101431.
- [29] E. Paravicini Bagliani, M. J. Santofimia, L. Zhao, J. Sietsma, and E. Anelli, “Microstructure, tensile and toughness properties after quenching and partitioning treatments of a medium-carbon steel,” *Mater. Sci. Eng. A*, vol. 559, pp. 486–495, 2013, doi: 10.1016/j.msea.2012.08.130.
- [30] A. Almasi, A. Kianvash, and A. Tutunchi, “Effects of Partitioning Time and Temperature on the Microstructure and Mechanical Properties of a High Strength Microalloyed Steel,” *Metallogr. Microstruct. Anal.*, vol. 10, no. 4, pp. 525–533, 2021, doi: 10.1007/s13632-021-00762-6.
- [31] C. Jing, D. Ye, J. Zhao, T. Lin, C. Wu, and Q. Lei, “Effect of hot stamping and quenching & partitioning process on microstructure and mechanical properties of ultra-high strength steel,” *Mater. Res. Express*, vol. 8, no. 3, p. 36506, 2021, doi: 10.1088/2053-1591/abe976.
- [32] Z. R. Hou and X. M. Zhao, “Enhanced Stability of Retained Austenite by Quenching and Double Partitioning Process,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 281, no. 1, 2017, doi: 10.1088/1757-899X/281/1/012037.

- [33] S. Sunarno and Z. Zainuddin, “Impact Test Analysis on Steel Metal Materials and Aluminum,” *J. Soc. Res.*, vol. 2, no. 7, pp. 2378–2392, 2023, doi: 10.55324/josr.v2i7.1198.