

DAFTAR PUSTAKA

- [1] L. Wang, N. Sun, H. Tang, and W. Sun, "A review on comprehensive utilization of red mud and prospect analysis," *Minerals*, vol. 9, no. 6, 2019, doi: 10.3390/min9060362.
- [2] A. Y. Al Hakim, D. Sunjaya, A. N. H. Hede, T. Indriati, and T. Hidayat, "Critical Raw Materials Associated with The Lateritic Bauxite and Red Mud In West Kalimantan, Indonesia," *Geochemistry Explor. Environ. Anal.*, vol. 23, no. 3, 2023, doi: 10.1144/geochem2022-064.
- [3] U. S. D. of the Interior and U. S. G. Survey, "Mineral Commodity Summaries 2025," 2025. doi: <https://doi.org/10.3133/mcs2025>.
- [4] M. Gräfe and C. Klauber, "Bauxite residue issues: IV. Old obstacles and new pathways for in situ residue bioremediation," *Hydrometallurgy*, vol. 108, no. 1–2, pp. 46–59, 2011, doi: 10.1016/j.hydromet.2011.02.005.
- [5] Rossalina W, Zaharah T. A, and Silalahi I. H, "Komposisi Unsur dan Karakterisasi Mineral Magnetik dalam Red Mud, Residu Bauksit di PT Indonesia Chemical Alumina (ICA) Kalimantan Barat," *Indones. J. Pure Appl. Chem.*, vol. 4, no. 3, pp. 139–144, 2021, [Online]. Available: <https://jurnal.untan.ac.id/index.php/IJoPAC/article/view/49660/pdf>
- [6] D. R. Zhang, H. R. Chen, J. L. Xia, Z. Y. Nie, R. Y. Zhang, and E. Pakostova, "Efficient dealkalization of red mud and recovery of valuable metals by a sulfur-oxidizing bacterium," *Front. Microbiol.*, vol. 13, 2022, doi: 10.3389/fmicb.2022.973568.
- [7] C. R. Borra, B. Blanpain, Y. Pontikes, K. Binnemans, and T. Van Gerven, "Recovery of Rare Earths and Other Valuable Metals From Bauxite Residue (Red Mud): A Review," *J. Sustain. Metall.*, vol. 2, no. 4, pp. 365–386, 2016, doi: 10.1007/s40831-016-0068-2.
- [8] IISIA, "Proyeksi Kinerja Baja Nasional 2024," Association, The Indonesian

Iron & Steel Industry. Accessed: Sep. 10, 2025. [Online]. Available: <https://iisia.or.id/news/proyeksi-kinerja-baja-nasional-2024>

- [9] IISIA, “Proyeksi Kinerja Baja Nasional 2025,” Association, The Indonesian Iron & Steel Industry.
- [10] IISIA, “Chairman IISIA : Kebutuhan Baja Indonesia Diperkirakan akan Mencapai 100 Juta Ton pada Tahun 2045 | IISIA The Indonesian Iron & Steel Industry Association,” Indonesian Iron and Steel Association. Accessed: Sep. 10, 2025. [Online]. Available: <https://iisia.or.id/news/chairman-iisia-kebutuhan-baja-indonesia-diperkirakan-akan-mencapai-100-juta-ton-pada-tahun-2045>
- [11] C. M. Yasin, A. Praditya, A. I. Wardhana, Y. Ramanda, W. Ferlianta, and A. Asdriargo, “Peluang Investasi Besi Indonesia,” 2022.
- [12] A. Svobodova-Sedlackova *et al.*, “Mapping the Research Landscape of Bauxite by-Products (Red Mud): An Evolutionary Perspective from 1995 to 2022,” *Heliyon*, vol. 10, 2024, doi: 10.1016/j.heliyon.2024.e24943.
- [13] M. Archambo and S. K. Kawatra, “Red Mud: Fundamentals and New Avenues for Utilization,” *Miner. Process. Extr. Metall. Rev.*, vol. 42, no. 7, pp. 427–450, 2021, doi: 10.1080/08827508.2020.1781109.
- [14] R. Susana *et al.*, “Effisiensi Pemanfaatan Red Mud Dan Bokhasi Limbah Sayuran Pada Media Gambut Dalam Meningkatkan Ketersediaan Dan Serapan Hara Tanaman Lobak Efficiency of the Use of Red Mud and Vegetable Waste Bokhasi on Peat Media in Increasing Nutrien Availability and Nu,” *J. Pertan. Agros*, vol. 26, no. 1, pp. 4825–4834, 2024.
- [15] H. T. Nguyen and Q. M. Do, “Preparation of a Novel Cement from Red Mud and Limestone,” *Int. J. Eng. Res. Africa*, vol. 58, no. January, pp. 171–182, 2022, doi: 10.4028/www.scientific.net/JERA.58.171.
- [16] N. Navnage, S. Bainade, P. Patke, P. Kadu, P. Ramteke, and A. Gabhane, “Influence of Red Mud on remediation of heavy Metal Polluted Soil,” *J. Pharmacogn. Phytochem.*, vol. 8, no. 2, pp. 56–58, 2019, [Online]. Available: <https://www.phytojournal.com/special->

issue?ArticleId=7201&issue=2S&vol=8&year=2019

- [17] Y. Zhang, Y. Wang, Y. Yu, H. Hu, H. Qin, and D. Peng, “Effects of Red Mud Leachate on the Microstructure of Fly Ash-Modified Red Clay Anti-Seepage Layer under Permeation,” *Sustain.*, vol. 15, no. 20, 2023, doi: 10.3390/su152015161.
- [18] U. S. Geological Survey, “Mineral Commodity Summaries 2025,” 2025. doi: <https://doi.org/10.3133/mcs2025>.
- [19] H. Sutar, S. C. Mishra, S. K. Sahoo, A. P. Chakraverty, and S. M. Himanshu, “Progress of Red Mud Utilization: An Overview.pdf,” *Am. Chem. Sci. J.*, vol. 4, no. 3, pp. 255–279, 2014.
- [20] K. Pirkanniemi and M. Sillanpää, “Heterogeneous water phase catalysis as an environmental application: A review,” *Chemosphere*, vol. 48, no. 10, pp. 1047–1060, 2002, doi: 10.1016/S0045-6535(02)00168-6.
- [21] Y. Pontikes, “Applications - Red Mud Project.” Accessed: Jan. 08, 2025. [Online]. Available: <https://redmud.org/utilisation/applications/>
- [22] S. Eray, E. Keskinilic, Y. A. Topkaya, and A. Geveci, “Reduction Behavior of Iron in the Red Mud,” *J. Min. Metall. Sect. B Metall.*, vol. 57, no. 3, pp. 431–437, 2021, doi: 10.2298/JMMB210227039E.
- [23] R. Damayanti and H. Khareunissa, “Composition and Characteristics of Red Mud: A Case Study on Tayan Bauxite Residue from Alumina Processing Plant at West Kalimantan,” *Indones. Min. J.*, vol. 19, no. 3, pp. 179–190, 2017, doi: 10.30556/imj.vol19.no3.2016.660.
- [24] S. Agrawal and N. Dhawan, “Evaluation of Red Mud As A Polymetallic Source – A Review - ScienceDirect,” *Miner. Eng.*, vol. 171, 2021, doi: <https://doi.org/10.1016/j.mineng.2021.10784>.
- [25] W. Ding, S. Bao, Y. Zhang, and J. Xiao, “Efficient Selective Extraction of Scandium from Red Mud,” *Miner. Process. Extr. Metall. Rev.*, vol. 44, no. 4, pp. 304–312, 2023, doi: 10.1080/08827508.2022.2047044.

- [26] H. Habibi, M. Mokmeli, S. Shakibania, and D. Pirouzan, "Separation and recovery of titanium and scandium from the red mud.pdf," *Sep. Purif. Technol.*, vol. 317, 2023, doi: <https://doi.org/10.1016/j.seppur.2023.123882>.
- [27] A. V. Boyarintsev, H. Y. Aung, S. I. Stepanov, A. A. Shoustikov, P. I. Ivanov, and V. G. Giganov, "Evaluation of Main Factors for Improvement of the Scandium Leaching Process from Russian Bauxite Residue (Red Mud) in Carbonate Media," *ACS Omega*, vol. 7, no. 1, pp. 259–273, 2022, doi: [10.1021/acsomega.1c04580](https://doi.org/10.1021/acsomega.1c04580).
- [28] C. R. Borra, B. Blanpain, Y. Pontikes, K. Binnemans, and T. Van Gerven, "Recovery of Rare Earths and Major Metals from Bauxite Residue (Red Mud) by Alkali Roasting, Smelting, and Leaching," *J. Sustain. Metall.*, vol. 3, no. 2, pp. 393–404, 2017, doi: [10.1007/s40831-016-0103-3](https://doi.org/10.1007/s40831-016-0103-3).
- [29] S. Agrawal and N. Dhawan, "Microwave acid baking of red mud for extraction of titanium and scandium values.pdf," *Hydrometallurgy*, vol. 204, 2021, doi: <https://doi.org/10.1016/j.hydromet.2021.105704>.
- [30] G. Power, M. Gräfe, and C. Klauber, "Bauxite residue issues: I. Current management, disposal and storage practices," *Hydrometallurgy*, vol. 108, no. 1–2, pp. 33–45, 2011, doi: [10.1016/j.hydromet.2011.02.006](https://doi.org/10.1016/j.hydromet.2011.02.006).
- [31] K. Evans, "The History, Challenges, and New Developments in the Management and Use of Bauxite Residue," *J. Sustain. Metall.*, vol. 2, no. 4, pp. 316–331, 2016, doi: [10.1007/s40831-016-0060-x](https://doi.org/10.1007/s40831-016-0060-x).
- [32] E. Pudjianto, E. Magdalena, D. P. Dewanti, S. N. Damarjati, M. Arbi, and R. M. Friccilia, *Statistik Perkebunan 2023-2025 JILID I*. Sekretariat Direktorat Jenderal Perkebunan, 2025.
- [33] N. Kamal, "Karakterisasi dan Potensi Pemanfaatan Sawit," *J. Teknol. Fak. Tek. - Univ. Pakuan*, pp. 61–68, 2012.
- [34] N. Hudaya and Hartoyo, "Pembuatan Arang Aktif dari Tempurung Biji-Bijian asal Tanaman Hutan dan Perkebunan.pdf," *J. Penelit. Has. Hutan*, vol. 8, no. 4, pp. 146–149, 1990.

- [35] W. R. Wicaksono and S. Nurhatika, "Variasi Komposisi Bahan pada Pembuatan Briket Cangkang Kelapa Sawit (*Elaeis guineensis*) dan Limbah Biji Kelor (*Moringa oleifera*)," *J. Sains dan Seni ITS*, vol. 7, no. 2, 2019, doi: 10.12962/j23373520.v7i2.37231.
- [36] H. Harmiansyah, P. W. Dari, S. Wahyuni, S. D. Rahmawati, N. M. T. Wati, and A. K. Putri, "Karakteristik arang dari cangkang kelapa sawit sebagai bahan dasar utama pembuatan biobriket," *Sultra J. Mech. Eng.*, vol. 2, no. 1, pp. 29–36, 2023, doi: 10.54297/sjme.v2i1.442.
- [37] T. O. R, A. Yonanda, and A. Ansyori, "Pemanfaatan Cangkang Sawit Sebagai Bahan Reduktor Terhadap Bijih Mangan," *Semin. Nas. Inov. dan Apl. Teknol. di Ind.*, pp. 361–366, 2019.
- [38] S. Alaabed *et al.*, "United Arab Emirates limestones: impact of petrography on thermal behavior," *Mineral. Petrol.*, vol. 108, no. 6, pp. 837–852, 2014, doi: 10.1007/s00710-014-0329-3.
- [39] LGS, "Why Are There Color Variations In Stone?," Lets Get Stoned. Accessed: Jan. 09, 2025. [Online]. Available: <https://lgsgranite.com/color-variations-stone/>
- [40] J. Oates, *Lime and Limestone: Chemistry and Technology, Production and Uses*. Weinheim: Wiley-VCH, 1998.
- [41] M. Megawati, A. Alimuddin, and L. Abdul Kadir, "Komposisi Kimia Batu Kapur Alam dari Industri Kapur Kabupaten Kolaka Sulawesi Tenggara," *Saintifik*, vol. 5, no. 2, pp. 104–108, 2019, doi: 10.31605/saintifik.v5i2.230.
- [42] Noviyanti, Jasruddin, and E. H. Sujiono, "Karakterisasi Klasium Karbonat ($\text{Ca}(\text{CO}_3)$) dari Batu Kapur Kelurahan Tellu Limpoe Kecamatan Suppa," *J. Sains dan Pendidik. Fis.*, vol. 11, no. 2, pp. 169–172, 2015, doi: <https://ojs.unm.ac.id/JSdPF/article/view/1484>.
- [43] B. Indonesia, "Harga Batu Kapur Limestone Per Kg dan Per Kubik Manfaat Batu Kapur," Builder Future Construction. Accessed: Sep. 10, 2025. [Online]. Available: <https://www.builder.id/harga-batu-kapur-limestone/>

- [44] W. Yang, C. Wang, B. Ma, F. Yin, and Y. Chen, "Study on the Influence of CaO on Reduction Smelting for the Laterite Ore," *Adv. Mater. Res.*, vol. 634–638, pp. 3260–3264, 2013, doi: 10.4028/www.scientific.net/AMR.634-638.3260.
- [45] K. Sharma, "Smelting : Types , Process , Uses , Challenges , Environmental Impact," *Scien Info*. Accessed: Sep. 02, 2025. [Online]. Available: <https://scienceinfo.com/smelting-types-process-uses-challenges/>
- [46] S. Agrawal, V. Rayapudi, and N. Dhawan, "Microwave Reduction of Red Mud for Recovery of Iron Values," *J. Sustain. Metall.*, vol. 4, pp. 427–436, 2018, doi: <https://doi.org/10.1007/s40831-018-0183-3>.
- [47] C. R. Borra, "Smelting of Bauxite Residue (Red Mud) in View of Iron and Selective Rare Earths Recovery," *J. Sustain. Metall.*, vol. 2, no. 1, pp. 28–37, 2016, doi: 10.1007/s40831-015-0026-4.
- [48] S. Agrawal, V. Rayapudi, and N. Dhawan, "Comparison of microwave and conventional carbothermal reduction of red mud for recovery of iron values," *Miner. Eng.*, vol. 132, pp. 202–210, 2019, doi: <https://doi.org/10.1016/j.mineng.2018.12.012>.
- [49] S. Yuan, X. Liu, P. Gao, and Y. Han, "A semi-industrial experiment of suspension magnetization roasting technology for separation of iron minerals from red mud," *J. Hazard. Mater.*, vol. 394, pp. 1–10, 2020, doi: <https://doi.org/10.1016/j.jhazmat.2020.122579>.
- [50] R. Roasting, W. Adding, and S. Salt, "Recovery of Iron From High-Iron Red Mud by Reduction Roasting With Adding Sodium Salt," *J. Iron Steel Res.*, vol. 19, no. 8, pp. 1–5, 2012, doi: [https://doi.org/10.1016/S1006-706X\(12\)60131-9](https://doi.org/10.1016/S1006-706X(12)60131-9).
- [51] Y. Yang, X. Wang, M. Wang, and H. Wang, "Iron Recovery from the Leached Solution of Red Mud Through the Application of Oxalic Acid," *Miner. Process.*, pp. 1–32, 2016, doi: 10.1016/j.minpro.2016.11.001.
- [52] P. Stratton, "Ellingham Diagrams – Their Use and Misuse," *Int. Heat Treat. Surf. Eng.*, vol. 7, no. 2, pp. 70–73, 2013, doi:

10.1179/1749514813Z.00000000053.

- [53] DoITPMoS, “Ellingham Diagrams (all content),” University Cambridge. Accessed: Sep. 10, 2025. [Online]. Available: https://www.doitpoms.ac.uk/tlplib/ellingham_diagrams/ellingham.php
- [54] S. Yuan, W. Zhou, Y. Han, and Y. Li, “Selective Enrichment of Iron Particles from Complex Refractory Hematite-Goethite Ore by Coal-Based Reduction and Magnetic Separation,” *Powder Technol.*, vol. 367, pp. 305–316, 2020, doi: <https://doi.org/10.1016/j.powtec.2020.04.004>.
- [55] J. Xiao, K. Zou, N. Zhong, and D. Gao, “Selective separation of iron and scandium from Bayer Sc-bearing red mud,” *J. Rare Earths*, no. June, 2022, doi: [10.1016/j.jre.2022.06.003](https://doi.org/10.1016/j.jre.2022.06.003).
- [56] G. Ning, B. Zhang, C. Liu, S. Li, Y. Ye, and M. Jiang, “Large-Scale Consumption and Zero-Waste Recycling Method of Red Mud in Steel Making Process,” *Minerals*, vol. 8, 2018, doi: [10.3390/min8030102](https://doi.org/10.3390/min8030102).
- [57] K. Wang, Y. Liu, G. Lyu, X. Li, X. Chen, and T. Zhang, *Light Metals: Recovery of Iron from High-Iron Bayer Red Mud by Smelting Reduction*, Tomsett, A. Springer International Publishing, 2020. doi: <https://doi.org/10.1007/978-3-030-36408-3>.
- [58] B. Hu, P. Hu, R. Gao, C. Hu, and F. Zheng, “Effects of Borax and Grinding Alkalinity on the Reduction – Magnetic Separation of Beach Placer,” *Metals (Basel)*, vol. 13, no. 5, p. 868, 2023.
- [59] Q. Xu, Z. Li, and Z. Gu, “Experimental Investigation of the Fluidization Reduction Characteristics of Iron Particles Coated with Carbon Powder under Pressurized Conditions,” *molecules*, vol. 25, no. 8, 2020, doi: <https://doi.org/10.3390/molecules25081810>.
- [60] K. Wang, Y. Liu, T. A. Zhang, X. F. Li, and X. Chen, “Investigation of the smelting reduction mechanism and of iron extraction from high-iron red mud,” *Mater. Res. Express*, vol. 7, no. 12, 2020, doi: [10.1088/2053-1591/abd137](https://doi.org/10.1088/2053-1591/abd137).

- [61] R. Kitagawa and H. Fukaya, "Effect of Flux Addition on the Reduction of EAF Slag Containing Cr_2O_3 and MnO ," *ISIJ Int.*, vol. 65, no. 7, pp. 1038–1042, 2025, doi: 10.2355/isijinternational.ISIJINT-2024-393.
- [62] J. Ju, G. Ji, C. Tang, K. Yang, and Z. Zhu, "Investigation of fluoride evaporation from $\text{r MgO} - \text{TiO}_2 - (\text{Li}_2\text{O})$ slag for electroslag remelting," *Sci Rep*, vol. 12284, pp. 1–12, 2020, doi: 10.1038/s41598-020-69283-6.
- [63] A. Nugraha, B. Priyono, A. Maksum, H. Juna, and J. W. Soedarsono, "The effect of sodium sulfate (Na_2SO_4) and sodium carbonate (Na_2CO_3) addition on the reduction-roasting process of titania iron sand," *E3S Web Conf.*, vol. 67, pp. 2–7, 2018, doi: <https://doi.org/10.1051/e3sconf/20186703054>.
- [64] J. Guo, Q. Hu, J. Zou, and D. Lu, "The Viscosity of $\text{Na}_2\text{O}-\text{B}_2\text{O}_3-\text{CaO}-\text{SiO}_2-\text{Al}_2\text{O}_3$ Slags," *J. Physics Conf. Ser.*, 2023, doi: 10.1088/1742-6596/2557/1/012090.
- [65] R. Z. Xu, J. L. Zhang, W. X. Han, Z. Y. Chang, and K. X. Jiao, "Effect of BaO and Na_2O on the Viscosity and Structure of Blast Furnace Slag," *Ironmaking Steelmak.*, pp. 1–6, 2018, doi: 10.1080/03019233.2018.1498761.
- [66] A. Akcil, N. Akhmediyeva, R. Abdulvaliyev, Abhilash, and P. Meshram, "Overview On Extraction and Separation of Rare Earth Elements from Red Mud : Focus on Scandium Overview On Extraction and Separation of Rare Earth Elements from Red Mud : Focus on Scandium," *An Int. J.*, vol. 39, no. 3, pp. 145–151, 2018, doi: 10.1080/08827508.2017.1288116.